

R:Fax 9.1



Help Manual



R:Fax 9.1

by R:BASE Technologies, Inc.


Welcome to R:Fax 9.1!

The innovative fax solution for sending R:BASE reports!

Table of Contents

Part I Introduction	2
1 Introducing R:Fax 9.1	2
2 Copyrights	2
3 License	3
4 Complimentary Support	7
5 Useful Resources	7
Part II Installation	10
1 System Requirements	10
2 Things You Will Need	10
3 Software Installation	10
4 Register Plugin with Activation	11
Part III Uninstall	14
Part IV R:Fax Configuration	16
1 General	16
2 Fax Settings	17
3 Log	17
4 Configuration File	18
Part V Command Syntax	20
Part VI Fax Viewer	22
Part VII Progress Display	24
Part VIII Example	26
Part IX FAQ	29
Part X Technical Support	31
Part XI Feedback	33
Index	34

Part



1 Introduction

1.1 Introducing R:Fax 9.1

R:Fax is a Plugin component for the R:BASE sends reports directly to any fax machine using a traditional phone line connected to your computer. R:Fax contains many features and settings that allow each machine to be custom configured.

Using your R:BASE database, R:Fax will be able to pass the following parameters:

- Fax Number
- Fax File and Name (created by R:BASE)
- Fax Cover File Name (created by R:BASE)
- Total Pages

The custom settings within R:Fax allow you to specify your own:

- Fax Header
- Station ID
- Number of dialing attempts
- Waiting period, in seconds, for dialing retry
- Fax Class
- Enhanced Text for Header and Cover Page

R:Fax allows the option to create an activity log based on the status of a fax sent.

1.2 Copyrights

Information in this document, including URL and other Internet web site references, is subject to change without notice. The example companies, individuals, products, organizations and events depicted herein are completely fictitious. Any similarity to a company, individual, product, organization or event is completely unintentional. R:BASE Technologies, Inc. shall not be liable for errors contained herein or for incidental consequential damages in connection with the furnishing, performance, or use of this material. This document contains proprietary information, which is protected by copyright. Complying with all applicable copyright laws is the responsibility of the user. Without limiting the rights under copyright, no part of this document may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written consent of R:BASE Technologies, Inc. We reserve the right to make changes from time to time in the contents hereof without obligation to notify any person of such revision or changes. We also reserve the right to change the specification without notice and may therefore not coincide with the contents of this document. The manufacturer assumes no responsibilities with regard to the performance or use of third party products.

Products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

The software described in this document is furnished under a license agreement. The software may be used or copied only in accordance with the terms of that agreement. Any unauthorized use or duplication of the software is forbidden.

R:BASE Technologies, Inc. may have patents, patent applications, trademarks, copyrights, or other intellectual property rights covering subject matter in this document. Except as expressly provided in any written license agreement from R:BASE Technologies, Inc., the furnishing of this document does not give you any license to these patents, trademarks, copyrights, or other intellectual property.

Trademarks

R:BASE®, Oterro®, R:BASE C/S:I®, R:Admin®, R:Scope®, R:WEB Suite®, R:Mail®, R:Charts®, R: Spell Checker®, R:Docs®, R:BASE Editor®, R:Scheduler®, R:BASE Plugin Power Pack®, R:Style®, R: Code®, R:Struc®, RBZip®, R:Fax®, R:QBDataDirect®, R:QBSynchronizer®, R:QBDBExtractor®, R:Mail Editor®, R:Linux®, R:Archive®, R:Chat®, RDCC Client®, R:Mail Editor®, R:Code®, R:Column Analyzer®, R:DF Form Filler®, R:FTPClient®, R:SFTPClient®, R:PDF Form Filler®, R:PDFWorks®, R:

PDFMerge®, R:PDFSearch®, RBInstaller®, RBUUpdater®, R:Capture®, R:RemoteControl®, R:Synchronizer®, R:Biometric®, R:CAD Viewer®, R:Twain2PDF®, R:Tango®, R:SureShip®, R:BASE Total Backup®, R:Scribbler®, R:SmartSig®, R:JobTrack®, R:TimeTrack®, R:Syntax®, R:WatchDog®, R:Manufacturing®, R:Merge®, R:Documenter®, R:Magellan®, R:WEB Reports®, R:WEB Gateway®, R:ReadyRoute®, R:Accounting®, R>Contact®, R:DWF Viewer®, R:Java®, R:PHP® and Pocket R:BASE® are trademarks or registered trademarks of R:BASE Technologies, Inc. All Rights Reserved. All other brand, product names, company names and logos are trademarks or registered trademarks of their respective companies.

Windows, Windows 7, Vista, Windows Server 2003-2008, XP, and Windows 2000 are registered trademarks of Microsoft Corporation.

Printed: May 2011 in Murrysville, PA

First Edition

1.3 License

R:BASE TECHNOLOGIES, INC. LICENSE AGREEMENT

R:Fax 9.1 Single Seat License

This is a legal agreement between you, the end user ("**Licensee**"), and R:BASE Technologies, Inc. ("**RBTI**"). Opening this package indicates your agreement with all of the following. If you do not accept the terms of this binding agreement, DO NOT BREAK THE SEAL ON THE DISK PACKAGE. Your money will be refunded upon the return of the unopened product directly to RBTI, or to the authorized developer from which you acquired this package, with proof of purchase, and in compliance with the 30 day return period described in the **LIMITED WARRANTY** section below.

LICENSE

This RBTI License Agreement permits you to use one copy of the R:Fax computer software with associated utilities (the "**Program**") and accompanying user documentation (the "**Documentation**") on any single computer provided the Program is being used on only one computer at a time. (The R:Fax 5 Seat Add-On License permits additional seats to access the program, in 5 seat increments if each is physically linked to a single file server and you have obtained a separate license for a Single Seat version of R:Fax. 5 Seat Add-On Licenses must be licensed at the same Single Seat version). A Program is "being used" on a computer when it is loaded into a temporary memory or installed on a hard drive in the computer. However, a copy of the Program installed on a network server for the sole purpose of distribution to other computers is not "being used". Each seat having access to the Program must have an appropriate license. If you anticipate that the number of seats with access to the Program will exceed the number of seats for which you are licensed, you must take steps to ensure that the appropriate licenses are obtained for each seat.

5 SEAT ADD-ON AND SITE LICENSES

If a printed or other form of "hard-copy" License accompanied the copy of the Program you received whose terms vary from this agreement, then the hard-copy License governs your use of the Program. 5 Seat Add-On and Site Licenses allow you to install the Program on the total number of machines for which you are licensed only.

EVALUATION LICENSES

If you have purchased or received an Evaluation License for the Program, the Evaluation Licenses are inherently Single Seat licenses and are governed by the same stipulations regarding the limitations of how many machines the Program can be installed on. Evaluation products may have certain features disabled and are not marketed to be a full version product. Lastly, Evaluation Licenses are non-transferable and may contain an expiration date or lockout after a certain period of time.

COPYRIGHT AND RESTRICTIONS

RBTI retains full ownership rights in the Program and Documentation. You may make a single copy of the Program; to be used solely for backup or archival purposes, or you may transfer the Program onto a single hard disk provided you keep the original solely for backup or archival purposes. Such copies shall be owned by RBTI. You may not copy any printed material or Documentation without prior permission.

You may not decompile, disassemble, cross-compile, reverse engineer, or make or distribute any other form of, or derivative work from, the Program. You may not obscure, alter or remove any RBTI copyright, trademark or proprietary rights notices.

TRANSFER OF LICENSE

You may not lend, rent or lease the Program or Documentation or any copies to any person. A transfer of license is only authorized through completion of the Consent to Assignment and Assumption of Contract agreement from RBTI. Upon license transfer, you are permanently giving such person possession of all copies of the Program and Documentation, are permanently giving up your right to use the Program and Documentation, and the recipient agrees to the terms of this License Agreement.

STEP UPS AND UPGRADE PURCHASES

As the Licensee, you are authorized to use the Program only if you are an authorized user of a qualifying product as determined by RBTI. Upon installation, the new license agreement takes the place of the agreement of the qualifying software you stepped up or upgraded from. After you upgrade, you may no longer use the software from which you upgraded. When you install the upgrade, you must uninstall the copy of the qualifying product.

TERM OF LICENSE

The licensing provided in this License Agreement is perpetual unless you violate any of its terms or conditions, at which time the license will automatically terminate. Upon termination you must return all copies of the Program and Documentation to RBTI or certify in writing to RBTI that all such copies have been destroyed and uninstalled from each workstation and/or network server. RBTI reserves the right to, at its expense and without prior notice, conduct periodic inspections for licensing compliancy. If licensee is found to be in violation of current agreement, RBTI may commence a civil action seeking fines, damages, attorney fees and injunctive relief and may also, in appropriate circumstances, seek criminal prosecution.

ACTIVATION CODES

The Program requires activation using a unique code. If you purchase a Single Seat License with or without 5 Seat Add-On Licenses, you agree to comply with the license activation and verification procedure described in this section of the Agreement. The activation technology may prevent your use of the Program if you do not follow the activation process described in this Agreement.

Each activation code is tied to one Windows operating system computer. A dual-boot computer with multiple operating systems cannot activate a Single Seat License on more than one operating system. Any software utilities which alter how the Program is installed on a local drive are not supported. This includes any utilities which alter, remove or transfer the location of the Program on the hard drive, or any hard drive utilities which alter the physical properties of the local drive.

The Program activation can be completed automatically through an Internet connection, manually through a provided email option, or by calling our office between 10:00am and 6:00pm Eastern Time at 1-724-733-0053. In doing so, the Program Registration Number and Computer ID must be provided. License validation allows a number of activations based upon the number of licenses purchased.

An Seat may be moved from an old computer to a new one that replaces it, as long as the Program is not reused again on the old computer. Moving a Seat to another computer requires license re-activation, which cannot be performed more than once within thirty (30) days. Conditions for transferring the Program to another computer are applicable within 1 YEAR of your software purchase, or depend on your active Software Assurance Plan status.

If a computer is no longer using R:BASE, through license transfer or hardware failure, the Activation Key that was used on that computer must be submitted to R:BASE Technologies so we can then remove the Activation Key from our log. We will disable the Key, which will then free up that used activation. Once a key is reported to us as no longer in use and deactivated, it can no longer be used on that computer. Product deactivation can be performed automatically from within R:BASE. To review the License Key and Activation Key product information, select "Help" > "Product Activation" from the Menu Bar.

Licenses for the Corporate VIP Licenses of the Program are not controlled by activation codes and can be operated from computers that are not connected to the Internet.

LIMITED WARRANTY

RBTI warrants to you, as the initial user, that for a period of thirty (30) days from your receipt of the Program and Documentation, 1) the Program will perform substantially in accordance with the Documentation, provided it is used in unaltered form with functioning equipment and operating systems

for which it was designed; and 2) the CDs, and any accompanying hardware shall be free from defects in materials and workmanship, under normal use and service. RBTI will, at its option, replace defective CD's or hardware or correct substantial program errors at no charge, provided you return defective items to RBTI with proof of payment WITHIN 30 DAYS of your acquisition of this package. Unopened product may be returned within 30 days for a full refund, minus shipping and handling charges. These are your sole remedies for any breach of warranty. No exceptions will be made.

SERVICES PROVIDED WITH PURCHASE

1. 30-Day Limited Complimentary Technical Support

LICENSEE RESPONSIBILITIES

- To help us expedite the process and provide high quality assistance, the licensee must provide proof of purchase when calling. Proof of purchase is defined as the following: registration number, purchase date, version and build number, and company or individual to which product is registered.
- To have operating system, workstations, and local network installed and functional. RBTI will NOT be responsible for resolving issues not pertaining to the Program.
- Our support staff deals with advanced issues, therefore the person contacting RBTI for assistance should be the system administrator or have other R:BASE/SQL experience and be able to understand and implement the advice given.
- To have the database(s) being converted, safely backed-up before attempting conversion process. RBTI will NOT be held responsible for lost data or corruption as a result of advice given.
- Once converted, Licensee is responsible for updating command syntax in application, altering forms and report to accommodate the 4-digit year function, and other changes as necessary.

R:BASE TECHNOLOGIES, INC. RESPONSIBILITIES

- To provide quality assistance in a timely manner to aid Licensee in the installation of the product within 30 days of the date of purchase.
- To provide a reasonable solution for any resolvable issue. Not all issues are resolvable, and therefore we will acknowledge the existence of known issues or "bugs" which we are presently aware of, that have no reasonable work-around.

RBTI reserves the right to limit the amount of support time allotted to a maximum of 2 HOURS during the 30-Day Complimentary Technical Support Period. We also reserve the right to limit the quantity of calls from a particular Licensee to 30 MINUTES in a single day. Issues are dealt with on a case-by-case basis, and are handled at the discretion of the support agent assigned to the case.

Complimentary Support is limited to INSTALLATION and ELEMENTARY CONVERSION related issues ONLY. Our support hours are from 10am. to 6pm. Eastern Time.

For assistance on your APPLICATIONS, DESIGN, or ADVANCED CONVERSION issues, we offer Technical Support Plans of various types to meet your needs. Please call us at 1-724-733-0053 or visit the SUPPORT area of our website at <http://www.rbase.com> for details and pricing.

2. Fixes For Known Issues

RBTI will provide continued product fixes for known issues or "bugs" for 1 YEAR from the software purchase date. After 1 year, users are urged to acquire the necessary Software Assurance Plan to continue with product support and ongoing activations for reinstallations and license transfers.

3. Enhancement Requests

RBTI will provide continued product enhancements for requested features for 1 YEAR from the software purchase date. After 1 year, users are urged to acquire the necessary Software Assurance Plan to continue with product support and ongoing activations for reinstallations and license transfers.

4. Periodic Activations

RBTI will provide periodic product activations of license transfers and/or reinstallations for 1

YEAR from the R:BASE purchase date. Any activation requests that occur beyond the 1 Year purchase date will require an active Software Assurance Plan.

NO OTHER WARRANTIES

Except as explicitly stated above, RBTI makes no express or implied warranties (including any warranties of merchantability or fitness) with respect to the character, function, or capabilities of the program, the documentation or their appropriateness for any user's purposes. RBTI cannot customize product(s) to meet specific needs in all cases. Examples of customization include, but are not limited to: special character sets, foreign language adaptations, specific device drivers or other localization issues. Under no circumstances will RBTI be held responsible for product functionality once alterations have been made to accommodate individual needs.

DISCLAIMER OF WARRANTY

The Program and the accompanying files are sold "as is" and without warranties as to performance or merchantability or any other warranties whether expressed or implied. Because of the various hardware and software environments into which the Program may be put, No warranty of fitness for a particular purpose is offered.

Good data processing procedure dictates that any program be thoroughly tested with non-critical data before relying on it. The user must assume the entire risk of using the program. Any liability of the seller will be limited exclusively to product replacement or refund of purchase price.

HIGH RISK ACTIVITIES

The Program is not fault-tolerant and is not designed, manufactured or intended for use or resale as on-line control equipment in hazardous environments requiring fail-safe performance, such as in the operation of nuclear facilities, air traffic control, aircraft navigation or communication systems, direct life support machines, or weapons systems, in which the failure of the Program could lead directly to death, personal injury, or severe physical or environmental damage ("High Risk Activities"). RBTI specifically disclaims any expression or implied warranty of fitness for High Risk Activities.

LIMITATIONS ON LIABILITIES

RBTI will not be responsible for any costs or damages associated with loss of the use of the Program or any other resources, loss of business or profits, any loss of data, any third party claims or costs of substitute programs. In no event will RBTI be liable for any incidental, indirect, special, consequential or punitive damages suffered by the user or any other person or entity, whether from the use of the program or documentation, any failure thereof, or otherwise, even if RBTI or its dealers or agents are aware of the possibility of such damages. In no event will RBTI aggregate liability to you or anyone else exceed two times the license fee you paid for the program and documentation in this package. Because some states do not allow the limitation or exclusion of implied warranties and liabilities for consequential or incidental damages, the above limitations may not apply to you.

GENERAL

This License Agreement constitutes the full and complete agreement between parties. RBTI retains all rights not specifically granted herein. RBTI shall not be deemed to have waived any of its rights hereunder or under all copyright laws, trade secrecy laws or otherwise. This Agreement is intended as a legally binding agreement which will be enforced to the full extent permitted under applicable law, in whole or in part. If any one provision of this Agreement is declared invalid or unenforceable, all remaining provisions shall never less remain in effect. The laws of the state of Pennsylvania shall govern this Agreement. RBTI reserves the right to amend, alter, or revoke this agreement at any time. All revisions to this license agreement are available for inspection upon request, supersede conditions in all past agreements, and render prior license agreements void and unenforceable. Both parties named in this license will only be bound to the terms of the most current revision of this agreement.

U.S. GOVERNMENT RESTRICTED RIGHTS

Use, duplication or disclosure by the Government, its agents or employees is subject to all restrictions imposed by law, regulation or government directive, including but not limited to those restrictions set forth in DFARS 252.227-7013 and 48CFR 52.227-19, as applicable.

R:BASE Technologies, Inc.
3935 Old William Penn Highway
Murrysville, PA 15668-1854
(724) 733-0053 TEL
(724) 733-0196 FAX
URL...: <http://www.rbase.com>

E-Mail: **rbaseinfo@rbase.com**

Copyright 1982-2011 R:BASE Technologies, Inc.
All Rights Reserved
Revised Tuesday, May 31, 2011

1.4 Complimentary Support

30 DAY LIMITED COMPLIMENTARY TECHNICAL SUPPORT

A. LICENSEE RESPONSIBILITIES.

1. To help us expedite the process and provide high quality assistance, the licensee must provide proof of purchase when calling. Proof of purchase is defined as the following: INVOICE NUMBER, PURCHASE DATE, VERSION AND BUILD NUMBER, SERIAL NUMBER, AND COMPANY OR INDIVIDUAL TO WHICH PRODUCT IS REGISTERED.
2. To have operating system, workstations, and local network installed and functional. RBTI will NOT be responsible for resolving issues not pertaining to the R:BASE program.
3. Our support staff deals with advanced issues, therefore the person contacting RBTI for assistance should be the system administrator or have other R:BASE/SQL experience and be able to understand and implement the advice given.
4. To have the database(s) being converted, safely backed-up before attempting conversion process. RBTI will NOT be held responsible for lost data or corruption as a result of advice given.
5. Once converted, Licensee is responsible for updating command syntax in APPLICATIONS, altering FORMS and REPORTS to accommodate the 4 digit year function, and other changes as necessary.

B. R:BASE TECHNOLOGIES, INC. RESPONSIBILITIES.

1. To provide quality assistance in a timely manner to aid Licensee in the installation of the product WITHIN 30 DAYS OF DATE OF PURCHASE.
2. To provide a reasonable solution for any resolvable issue. Not all issues are resolvable, and therefore we will acknowledge the existence of known issues or "bugs" which we are presently aware of, that have no reasonable work-around.

RBTI reserves the right to limit the amount of support time allotted to a MAXIMUM OF 2 HOURS DURING THE 30 DAY COMPLIMENTARY TECHNICAL SUPPORT PERIOD. We also reserve the right to limit the quantity of calls from a particular Licensee in a single day. Issues are dealt with on a case by case basis, and are handled at the discretion of the support agent assigned to the case.

Complimentary Support is limited to INSTALLATION related issues ONLY. Our support hours are from 10am. to 6pm. Eastern Time.


For assistance on your APPLICATIONS, DESIGN, OR CONVERSION issues, we offer Technical Support Plans of various types to meet your needs. Please call us at 724-733-0053 or visit the SUPPORT area of our website at <http://www.rbase.com/support> for details and pricing.

1.5 Useful Resources

- . R:BASE Home Page: <http://www.rbase.com>
- . R:BASE eXtreme Home Page: <http://www.rbaseextreme.com>
- . Up-to-Date R:BASE Updates: <http://www.rupdates.com>
- . Sample Applications: <http://www.rbasecommunity.com>

-
- . Building Syntax for PROPERTY Command: <http://www.rbase.com/property>
 - . Building Syntax for GETPROPERTY Command: <http://www.rbase.com/getproperty>
 - . General R:BASE Syntax: <http://www.rsyntax.com>
 - . Technical Documents - From The Edge: <http://www.razzak.com/fte>
 - . More Sample Applications: <http://www.razzak.com/sampleapplications>
 - . Education and Training: <http://www.rbaseuniversity.com>
 - . Upcoming Events: <http://www.rbase.com/events>
 - . R:BASE Beginners Tutorial: <http://www.rtutorial.com>

Part



2 Installation

2.1 System Requirements

Before installing, make sure that your computer meets or exceeds the following minimum hardware and software requirements:

- IBM compatible, 2 GHz processor or higher
- 1 GB of RAM memory (2 GB is the recommended minimum)
- A 250 MB of available hard disk space (does not include database files)
- Super VGA (800×600) or higher-resolution monitor with 256 colors
- Standard keyboard
- Standard mouse or compatible pointing device
- CD-ROM (installation only)
- Windows 7, Vista, Windows Server 2003-2008, XP, and Windows 2000

2.2 Things You Will Need

- License Key

Before launching the installer, it is recommended that you have your 32-character License Key readily available. The License Key is located on a label with the installation CD on the inside of the protective product case. If you acquired the installer by download, the License Key would have been provided in an email message. If you have lost or misplaced your License Key, please contact our Support Staff by email at support@rbase.com or call our office between 10:00am and 6:00pm EST at 1+724-733-0053.

- Internet Access

The computer where the software will be launched should have access to the Internet for activation. The Internet access is used to visit the R:BASE Technologies Web site to provide your required Activation Key.

In instances where the software will be installed on a computer that is not connected to the Internet, you must then contact R:BASE Technologies by phone or email to provide information displayed on the computer screen. In this case, please contact our Product Activation Staff by email at activationkey@rbase.com or call our office between 10:00am and 6:00pm EST at 1+724-733-0053. When you call, you will need to have your Registration Number available. The Registration Number is provided on your invoice/packing slip, or within the email for those who have downloaded the product.

2.3 Software Installation

The installation of R:Fax is fully automated and does not require user intervention for the initial setup.

Insert the R:Fax installation CD or run the Setup.exe file provided to you, and read the installer screens for licensing and other information as the program installs.

Installation Directory

C:\RBTI\RFax91

Files Installed

RFax91.rbm
RFaxConfig.exe
RFax91.chm
RFax91.pdf
License.rtf
ReadMe.txt


Requirements:**Plugin**

The R:Fax 9.1 Plugin file (RFax91.rbm) and configuration file must be placed in the R:BASE eXtreme 9.1 program directory or the runtime/compiled application directory.

R:BASE Version	Default Program Directory
eXtreme 9.1 (32)	C:\RBTI\RBG91_32
eXtreme 9.1 (64)	C:\RBTI\RBG91_64


2.4 Register Plugin with Activation

To begin using the product, you must register the software within R:BASE eXtreme 9.1 by selecting "Help" > "Product Activation" from the main Menu Bar. In this window, select the "Add New" button where you can enter or copy and paste the License Key you received with your product.



The "License Information" dialog box has a blue title bar with a close button. Below the title bar, it says "Enter License Key:" followed by a series of seven empty text boxes separated by hyphens. At the bottom, there are three buttons: "Paste" (with a clipboard icon), "OK", and "Cancel".

After entering the License Key, you will see a dialog to prompt for your activation method. The software can be activated automatically over the Internet, or manually by retrieving an Activation Key from R:BASE Technologies by email or over the phone. If you select "Later", you will be reminded each time R:BASE starts to activate your copy.



The "R:BASE Activation Wizard" dialog box has a blue title bar with a close button. Below the title bar, it says "Select activation method:". There are three radio button options:

- Automatic activation process (recommended)

It is the easiest and quickest way to activate your software. Make sure your Internet connection is established. The wizard will automatically activate the product.
- Manual activation process

Use this option if the automatic activation failed for any reason, or if you prefer to send an e-mail or call to obtain an Activation Key, or if an Internet connection is not available on this PC.
- Activate later

 At the bottom, there are three buttons: "< Back", "Next >" (highlighted with a dashed border), and "Cancel".

When activating the software manually, you select the e-mail link to launch your email client and send a preformatted message to R:BASE Technologies that will contain your License Key and the displayed Computer ID. Or, you can call our office between 10:00am and 6:00pm EST at +1 (724) 733-0053. You will need to provide your R:BASE Registration Number and Computer ID.




At any time, you can review your product information by starting R:BASE eXtreme 9.1, and from the Menu Bar clicking on "Help" > "Product Activation". Your R:BASE Registration Number is displayed on the window. You can also enter additional License Keys for R:BASE add-on products.



Please be advised that if you are activating multiple workstations, it is highly recommended that you keep records of the computer name, Computer ID and Activation Key for future reference. Access to this information will prove convenient in the event of a hardware failure or license transfer when uninstalling R:BASE.

Please see: Uninstall/Reinstall

Part



3 Uninstall


If a computer is no longer using R:Fax, through license transfer or hardware failure, the Activation Key that was used on that computer must be submitted to R:BASE Technologies so we can then remove the Activation Key from our log. We will disable the Key, which will then free up that used activation. Once a key is reported to us as no longer in use and deactivated, it can no longer be used on that computer.

Product deactivation can be performed automatically from within R:BASE. To review your product information select "Help" > "Product Activation" from the Menu Bar. Here, the License Key and Activation Key for a selected product is available for review.



If the License Key for your product is not readily available for the license transfer, select the "Copy License Key" button to send your License Key to the clipboard.

To deactivate a listed product, select it and press the "Deactivate" button. The below confirmation dialog will appear. After selecting "Yes", the product will be removed from the list.



After completing the deactivation of the product, it can be successfully reinstalled and activated.

Part




4 R:Fax Configuration

The R:Fax Configuration displays a list of available modem devices, and offers options to alter the fax page header, transmission settings, and file logging.

The R:Fax Configuration can be accessed from the R:Fax 9.1 installation directory (default: C:\RBTI\R\Fax91).

4.1 General



Modem Initialization String - prepares the modem for communications, setting such features as dialing mode (tone or pulse), waits, detection of the busy signal, and many other settings. Newer modem communications programs reset the initialization string for you according to which menu options selected or which features are enabled. This setting is for older modems which may require an initialization string.

Dial Prefix - places the dial prefix number for local settings

Station ID - specifies a personal or company information which appears in the fax header under the \$I parameter

Fax Header - specifies the text that appears on top of the fax. The \$I system parameter will read the Station ID. The \$D will display the date and \$T will display the time.


Dial Attempts - controls the number of dialing attempts to a fax machine

Retry Wait - controls the number, in seconds, that a dial attempt will wait before dialing again

Available Devices - displays the available modem devices

4.2 Fax Settings

The R:Fax Settings allow to to customize the parameters of reports you wish to send.




[Fax Class](#) - specifies the fax class to which you are dialing

[Use Enhanced Text for Fax Header and Cover Page](#) - allows the use of different fonts for the fax header and the cover page (text file). For more information on using a text file as the cover page, refer to the [Command Syntax](#).

4.3 Log

R:Fax allows you to save all R:Fax transmissions to a log. A separate log file is created for every R:BASE session that launches R:Fax.



To enable message logging, select the check box at "Save Log to File". You can then specify a folder location for the log files to reside.

To specify the location, select the "Browse for Folder" button. A "Browse for Folder" dialog box will appear for you to browse your computer for a specific location to save the log files. An option is available to create a new folder for the log file location. The log file location will be saved in the R:Fax Configuration Panel.

After you have made your adjustments, simply click the "OK" button to apply the changes, or "Cancel" to discard the changes.

4.4 Configuration File

After creating or altering your R:Fax settings, the information will be stored, and encrypted, within the R:Fax configuration file, RFax91.CFG. The default file location for the configuration file is where ever the R:Fax Configuration executable is located when launched (default: C:\RBTI\RMail91).

The R:Fax configuration file must be placed into your R:BASE program directory (i.e. C:\RBTI\RBG91_32) after any changes are made. This will allow you to refer to the fax modem settings from the R:Fax command parameters.

If any changes are made to your R:Fax settings, the new configuration file must be moved once again into the R:BASE program directory. Otherwise, R:Fax 9.1 will not recognize the changes.

Part



5 Command Syntax

Syntax:

PLUGIN RFax vResult | <parameter> | <value> | <value>

Parameters:

Parameter	Value	Description	Possible Return Values
ADD_COVER_PAGE_TXT	value	Adds a text file to the fax file as a cover page. If the fax file does not exist, it will be created.	NO_ERRORS INTERNAL_ERROR DOC_FILE_DOES_NOT_EXIST WRONG_PARAMETER_COUNT
ADD_COVER_PAGE_BMP	value	Adds a bitmap file to the fax file as a cover page. If the fax file does not exist, it will be created.	
ADD_PAGE_TXT	value	Adds a text file to the fax file as a fax page. If the fax file does not exist, it will be created.	
ADD_PAGE_BMP	value	Adds a bitmap file to the fax file as a fax page. If the fax file does not exist, it will be created.	
ADD_COVER_PAGE_TIFF	value	Adds tagged image format file to the fax file as a cover page. If the fax file does not exist, it will be created.	NO_ERRORS INTERNAL_ERROR FILE_DOES_NOT_EXIST WRONG_PARAMETER_COUNT
ADD_PAGE_TIFF	value	Adds a tagged image format file to the fax file as a fax page. If the fax file does not exist, it will be created. All pages for multi-page tagged image format files will be added accordingly.	
VIEW_FAX	value	Displays the prepared fax file in the R:Fax Viewer, if it exists.	
SEND_FAX	value	Sends the fax file to a specified phone number (must be in ten-digit format with no spaces or other characters: #####).	OK FAILED FAX_FILE_DOES_NOT_EXIST WRONG_PARAMETER_COUNT
DISABLE_CANCEL_BTN	value	Disables the "Cancel" button on the status display when sending a fax.	These are an additional parameters to be used on the same line as SEND_FAX.
DEVICE_NAME	value	Specifies the modem device.	

Notes


- The returned variable name and parameter must be separated by a "|" pipe character.
- If bitmap or tiff files are added to the fax file, the colors must be black and white only

Part



6 Fax Viewer

The R:Fax Viewer allows for a fax file to be previewed before it is sent. To display the R:Fax Viewer, use the VIEW_FAX parameter.




	Id	Company	Address	City, State and Zip Code	Phone Number
1.	101	Computer Warehouse - I	123 My Way, Suite 123	Boston, MA 02178	617-341-2189
2.	102	Microtech University - I	24700 Industrial Parkway	Boston, MA 02162	617-423-8921
3.	103	Industrial Computers Inc.	5200 Empire Way	Denver, CO 80214	303-239-7823
4.	104	Computer Mountain Inc.	14792 15th Ave. E.	Denver, CO 80214	303-271-1500
5.	105	Industrial Concepts Inc.	5602 Silverdale Way	Livermore, CA 94550	415-878-5600
6.	106	PC Consultation And Design	7823 Foothills Road	Palo Alto, CA 94321	415-892-6745
7.	107	Computer Warehouse - II	14600 Eastgate Way	Bloomington, IN 47401	812-701-1002
8.	108	Midtown Computer Co.	2800 N.e. 47th	Chicago, IL 60637	312-277-5000
9.	109	Nordan Distributors, Inc.	1623 North Avenue	Two Dot, IL 47401	312-555-1212
10.	110	Compdal Computer Consulting	1208 Occidental Rd	Miami, FL 33128	305-767-4309
11.	111	Softech Database Design	18539 45th Ne	Mercer Island, WA 98040	206-827-3309
12.	112	Microtech University - II	5672 Sw Graham	Appleton, WI 54911	414-245-9867
13.	113	Computer Medical Ctr.	4311 Beach Dr	Ft Lauderdale, FL 33309	305-365-7803
14.	114	State University	1002 S Pacific Avenue	Bedford, MA 01730	617-268-2200
15.	115	Olympic Sales	600 W Central Blvd	Newton, MA 02160	617-885-3320

Part



7 Progress Display

While R:Fax is initializing the modem, dialing to the fax machine, preparing the report, and sending the report, a progress display will appear.



Part



8 Example

```

-- SendFax.RMD
-- Sample command file to show how to use R:Fax 9.1

IF (CVAL('DATABASE')) <> 'CONCOMP' OR (CVAL('DATABASE')) IS NULL THEN
  CONNECT CONCOMP IDENTIFIED BY NONE
ENDIF

SET ERROR MESSAGE 2077 OFF
DELETE CustomerFax.tiff
DELETE CustomerFax.rff
SET ERROR MESSAGE 2077 ON

CLEAR VAR vAnswer,vEndKey,vCaption,vFaxNum,vParameters,+
  vQuote,vRFax,vFileName,vSendCmd,vCancelBtn,vPipe

SET VAR vAnswer TEXT = NULL
SET VAR vEndKey TEXT = NULL
SET VAR vCaption TEXT = 'R:Fax Message'
SET VAR vFaxNum TEXT = NULL
SET VAR vParameters TEXT = NULL
SET VAR vQuote TEXT = (CVAL('QUOTES'))
SET VAR vRFaxValue TEXT = 'vRFaxValue'
SET VAR vFileName TEXT = 'CustomerFax.rff'
SET VAR vSendCmd TEXT = 'SEND_FAX'
SET VAR vCancelBtn TEXT = 'DISABLE_CANCEL_BTN ON'
SET VAR vPipe TEXT = '|'

CLS

PRINT CustomerList OPTION TIFF|FILENAME CustomerFax.tiff|PIXELFORMAT 1|MULTIPAGE ON

PLUGIN RFax vRFaxValue|ADD_PAGE_TIFF|CustomerFax.tiff|CustomerFax.rff

DIALOG 'Do you want to see the generated fax file?' vAnswer vEndKey YES +
  CAPTION .vCaption ICON QUESTION

IF vAnswer = 'Yes' THEN
  PLUGIN RFAX vRFaxValue|VIEW_FAX|CustomerFax.rff
ENDIF

DIALOG 'Do you want to send the generated fax?' vAnswer vEndKey YES +
  CAPTION .vCaption ICON QUESTION

IF vAnswer = 'Yes' THEN
DIALOG 'Please enter the fax number to send:' vFaxNum vEndKey 1 +
  CAPTION 'Omit spaces and other characters; numbers only!' ICON HELP

IF vEndKey = '[Enter]' THEN
  IF vFaxNum IS NOT NULL THEN
    SET VAR vParameters = +
      (.vQuote+vRFaxValue+.vPipe+.vSendCmd+.vPipe+.vFaxNum+.vPipe+.vFileName+.vPipe+.
vCancelBtn+.vQuote)
    PLUGIN RFax &vParameters
  
```

```
IF vRFaxValue = 'OK' THEN
  PAUSE 2 USING 'Your Fax was sent OK!' CAPTION 'R:Fax' ICON INFO BUTTON 'OK'
ELSE
  PAUSE 2 USING 'Your Fax has Failed!' CAPTION 'R:Fax' ICON SERIOUS BUTTON 'OK'
ENDIF
ENDIF
ENDIF

DELETE CustomerFax.tiff
DELETE CustomerFax.rff

LABEL Done
CLEAR VAR vAnswer, vEndKey, vCaption, vFaxNum, vParameters, +
  vQuote, vRFaxValue, vFileName, vSendCmd, vCancelBtn, vPipe
SET MESSAGES ON
SET ERROR MESSAGES ON
RETURN
```

Part



9 FAQ

Frequently Asked Questions

Q. Does R:Fax create the report for me?

A. No. R:Fax sends your report which must be created in R:BASE.

Q. Can I view the fax before I send it?

A. Yes. Using the **VIEW_FAX** parameter in the R:FAX.RBL Plugin, the R:Fax Viewer will display the report.

Q. Can I receive a fax?

A. No. R:Fax is only for sending fax reports.

Q. Must every computer licensed for R:Fax need a modem?

A. No. With a shared modem set up on the network server, any licensed R:Fax workstation can send a report.


Q. Can I prevent the end user from canceling the fax transmission from the status display?

A. Yes. Using the additional parameter **DISABLE_CANCEL_BTN**, the Cancel button can be disabled.

Q. What happens if the fax machine I'm dialing to is returning a busy signal?

A. Using the R:Fax settings, you can specify the number of times to retry a dialing attempt and the number, in seconds, to wait for the next dialing attempt to be made.

Part



10 Technical Support

Please read over this inline HELP documentation at least once before seeking support for this product. We have worked very hard to make this help file clear and useful, but concise. There's a lot of power here so we suggest you reread these instructions once you have become accustomed to using R:Fax. New uses will become apparent.

If you have further question(s) about R:Fax, and can't find the answer(s) in this help documentation, you can obtain information from a variety of sources:

- E-mail our Technical Support Department at: support@rbase.com
- Access the R:BASE Technologies Support Home Page on the World Wide Web at <http://www.rbase.com/support>.
- Call our Technical Support Department at (724) 733-0053 Monday through Friday, 10:00 AM to 6:00 PM (EST). You should be at your computer with R:BASE running and ready to make changes suggested by our technical staff. You may be required to purchase a technical support plan. Several support plans are available to suit the needs of all users. [Available Technical Support Plans](#)

Please be prepared to refer to the following:

- The technical support registration number, which is located on the registration card included with this product. If you purchased this product directly from R:BASE Technologies, your technical support registration number can be found on your invoice or packing sheet.
- The type of hardware and operating system you are using.
- Details regarding your operating environment, such as available memory, disk space, your version of R:Fax, local area network, special drivers, related database structures, application files, and other files that are used or accessed by your application.

All of the information that you provide us is used to better and more expeditiously assist you.

R:BASE Technologies has a number of different services available for R:BASE products. As a registered user, you will receive information about new releases of R:BASE and other R:BASE Technologies products. Please remember to register your R:Fax software as well as any other R:BASE related software. <http://www.rbase.com/register/>

Part

XI

11 Feedback

Suggestions and Enhancement Requests:

From time to time, everyone comes up with an idea for something they'd like their software to do differently. This is true of all applications, no less R:Fax.

If you come across an idea that you think might make a nice enhancement to R:Fax, your input is always welcome.

Please submit your suggestion and/or enhancement request to the R:BASE eXtreme Developers' Corner Crew (R:DCC) and describe what you think might make a nice enhancement. In R:BASE eXtreme, the RBG9 R:DCC Client is fully integrated to communicate with the entire development team of R:BASE eXtreme. From the main Menu Bar, choose "Help" > "RBG9 R:DCC Client".

Unless additional information is needed, you will not receive a direct response. You can periodically check the status of your submitted enhancement request accordingly.

Reporting Bugs:

If you experience something you think might be a bug, please report it to the R:BASE eXtreme 9.0 Developers' Corner Crew. In R:BASE eXtreme, the RBG9 R:DCC is fully integrated to communicate with the entire development team of R:BASE eXtreme 9.0. From the main Menu Bar, choose "Help" > "RBG9 R:DCC Client".

You will need to describe:

- What you did
- What happened
- What version of R:Fax you have
- Any error messages R:Fax gave
- What kind of computer you have
- Which operating system you're using
- Anything else you think might be relevant

Unless additional information is needed, you will not receive a direct response.

If you would like to send the sample as an attachment in reference to submitted bug on the R:DCC, please send an e-mail to rbg9rdcc@rbase.com.

Index

- A -

Aactivation Key 10
activate 10
Activation Key 11, 14

- C -

CFG 18
configuration 16
configuration file 10, 18
conver page font 17
copyright 2

- D -

date 16
deactivation 14
Dial Attempts 16
Dial Prefix 16

- E -

environment 18
example 26

- F -

FAQ 29
Fax Class 17
Fax Viewer 22
feedback 33

- H -

header font 17

- I -

Initialization String 16
installation 10

introduction 2

- L -

license 3
License Key 10, 11, 14
license transfer 14
log 17
log file 17

- M -

Modem 16

- P -

parameter 20
PLUGIN 10, 20, 26
progress 24

- R -

registration number 10
requirements 10
resources 7
Retry Wait 16
return values 20
RFax91.CFG 18

- S -

session event 17
setup 18
Station ID 16
support 7, 10, 31
syntax 20
system requirements 10

- T -

time 16

- U -

Uninstall 14

Back Cover