

RBUUpdater



Help Manual



R:BASE

R:BASE

Updater

Help Manual

by R:BASE Technologies, Inc.


Welcome to R:BASE Updater!

R:BASE Updater is a file updater for installation packages created using the R:BASE Installer authoring tool. It offers a friendly and easy to use graphical user interface for creating and maintaining reliable update packages for Microsoft Windows desktop and server platforms.

Table of Contents

Part I Introduction	1
1 Introducing RUpdater 2.1	2
2 Copyrights	2
3 License	3
4 Complimentary Support	5
Part II Installation	7
1 System Requirements	8
2 Software Installation	8
Part III Getting Started with your Updater Project	9
Part IV Update Files	11
Part V Registry	14
Part VI Options	17
Part VII Resources	20
Part VIII Compiling Updates	23
1 Saving Projects	24
2 Recompiling	24
3 Command Line Options	24
Part IX Silent Update	26
Part X Technical Support	28
Part XI Feedback	30
Index	32

Part



1 Introduction

1.1 Introducing RUpdater 2.1

RUpdater is a file updater for installation packages created using the RInstaller authoring tool. It offers a friendly and easy to use graphical user interface for creating and maintaining reliable update packages for Microsoft Windows desktop and server platforms.

The complexities of RUpdater are simplified and incorporated into the intuitive interface, so you can easily build an update package without understanding the complicated inner workings of RUpdater. With a few mouse clicks, the flexible interface will result in a fully-functional update executable.

Update projects can be saved and loaded into RUpdater allowing you to manage multiple product update packages. RUpdater has been used in thousands of installations with reliable results.

1.2 Copyrights

Information in this document, including URL and other Internet web site references, is subject to change without notice. The example companies, individuals, products, organizations and events depicted herein are completely fictitious. Any similarity to a company, individual, product, organization or event is completely unintentional. R:BASE Technologies, Inc. shall not be liable for errors contained herein or for incidental consequential damages in connection with the furnishing, performance, or use of this material. This document contains proprietary information, which is protected by copyright. Complying with all applicable copyright laws is the responsibility of the user. Without limiting the rights under copyright, no part of this document may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written consent of R:BASE Technologies, Inc. We reserve the right to make changes from time to time in the contents hereof without obligation to notify any person of such revision or changes. We also reserve the right to change the specification without notice and may therefore not coincide with the contents of this document. The manufacturer assumes no responsibilities with regard to the performance or use of third party products.

Products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

The software described in this document is furnished under a license agreement. The software may be used or copied only in accordance with the terms of that agreement. Any unauthorized use or duplication of the software is forbidden.

R:BASE Technologies, Inc. may have patents, patent applications, trademarks, copyrights, or other intellectual property rights covering subject matter in this document. Except as expressly provided in any written license agreement from R:BASE Technologies, Inc., the furnishing of this document does not give you any license to these patents, trademarks, copyrights, or other intellectual property.

Trademarks

R:BASE®, Oterro®, RAdmin®, R:Scope®, R:Mail®, R:Charts®, R:Spell Checker®, R:Docs®, R:BASE Editor®, R:BASE Plugin Power Pack®, R:Style®, RBZip®, R:Mail Editor®, R:BASE Dependency Viewer®, R:Archive®, R:Chat®, R:PDF Form Filler®, R:FTPClient®, R:SFTPClient®, R:PDFWorks®, R:Magellan®, R:WEB Reports®, R:WEB Gateway®, R:PDFMerge®, R:PDFSearch®, R:Documenter®, RInstaller®, RUpdater®, R:AmazonS3®, R:GAP®, R:Mail Viewer®, R:Capture®, R:Synchronizer®, R:Biometric®, R:CAD Viewer®, R:DXF®, R:Twain2PDF®, R:Tango®, R:Scheduler®, R:Scribbler®, R:SmartSig®, R:OutLink®, R:HASH®, R:JobTrack®, R:TimeTrack®, R:Manufacturing®, R:GeoCoder®, R:Code®, R:Fax®, R:QBDataDirect®, R:QBSynchronizer®, R:QBDBExtractor®, and Pocket R:BASE® are trademarks or registered trademarks of R:BASE Technologies, Inc. All Rights Reserved. All other brand, product names, company names and logos are trademarks or registered trademarks of their respective companies.

Windows, Windows 11-10, Windows Server 2022-2012, Bing Maps, Excel, Access, SQL Server, and Outlook are registered trademarks of Microsoft Corporation. OpenOffice is a registered trademark of the Apache Software Foundation.

Printed: November 2023 in Murrysville, PA

First Edition

1.3 License

R:BASE TECHNOLOGIES, INC. LICENSE AGREEMENT

RBUdater 2.1 Single Seat License

This is a legal agreement between you, the end user ("**Licensee**"), and R:BASE Technologies, Inc. ("**RBTI**"). Opening this package indicates your agreement with all of the following. If you do not accept the terms of this binding agreement, DO NOT BREAK THE SEAL ON THE DISK PACKAGE. Your money will be refunded upon the return of the unopened product directly to RBTI, or to the authorized developer from which you acquired this package, with proof of purchase, and in compliance with the 30 day return period described in the LIMITED WARRANTY section below.

LICENSE This R:BASE Technologies License Agreement permits you to use one copy of the RBUdater computer software with associated utilities (the "**Program**") and accompanying user documentation (the "**Documentation**") on any single computer only one computer at a time. A Program is "being used" on a computer when it is loaded into a temporary memory or installed on a hard drive in the computer. However, a copy of the Program installed on a network server for the sole purpose of distribution to other computers is not "being used." Each user of the Program must have an appropriate license. If you anticipate that the number of users of the Program will exceed the number of your licenses, you must take steps to ensure that the appropriate licenses are obtained for each user.

COPYRIGHT AND RESTRICTIONS

RBTI retains full ownership rights in the Program and Documentation. You may make a single copy of the Program; to be used solely for backup or archival purposes, or you may transfer the Program onto a single hard disk provided you keep the original solely for backup or archival purposes. Such copies shall be owned by RBTI. You may not copy any printed material or Documentation without prior permission. You may not decompile, disassemble, cross-compile, reverse engineer, or make or distribute any other form of, or derivative work from, the Program. You may not obscure, alter or remove any RBTI copyright, trademark or proprietary rights notices.

TRANSFER OF LICENSE

You may not lend, rent or lease the Program or Documentation or any copies to any person. A transfer of license is only authorized through completion of the Consent to Assignment and Assumption of Contract agreement from RBTI. Upon license transfer, you are permanently giving such person possession of all copies of the Program and Documentation, are permanently giving up your right to use the Program and Documentation, and the recipient agrees to the terms of this License Agreement.

STEP UPS AND UPGRADE PURCHASES

As the Licensee, you are authorized to use the Program only if you are an authorized user of a qualifying product as determined by RBTI. Upon installation, the new license agreement takes the place of the agreement of the qualifying software you stepped up or upgraded from. After you upgrade, you may no longer use the software from which you upgraded. When you install the upgrade, you must uninstall the copy of the qualifying product.

TERM OF LICENSE

The licensing provided in this License Agreement is perpetual unless you violate any of its terms or conditions, at which time the license will automatically terminate. Upon termination you must return all copies of the Program and Documentation to RBTI or certify in writing to RBTI that all such copies have been destroyed and uninstalled from each workstation and/or network server. RBTI reserves the right to, at its expense and without prior notice, conduct periodic inspections for licensing compliancy. If licensee is found to be in violation of current agreement, RBTI may commence a civil action seeking fines, damages, attorney's fees and injunctive relief and may also, in appropriate circumstances, seek criminal prosecution.

LIMITED WARRANTY

RBTI warrants to you, as the initial user, that for a period of thirty (30) days from your receipt of the Program and Documentation, 1) the Program will perform substantially in accordance with the

Documentation, provided it is used in unaltered form with functioning equipment and operating systems for which it was designed; and 2) the CDs, and any accompanying hardware shall be free from defects in materials and workmanship, under normal use and service. RBTI will, at its option, replace defective CD's or hardware or correct substantial program errors at no charge, provided you return defective items to RBTI with proof of payment WITHIN 30 DAYS of your acquisition of this package. Unopened product may be returned within 30 days for a full refund, minus shipping and handling charges. These are your sole remedies for any breach of warranty. No exceptions will be made.

SERVICES PROVIDED WITH PURCHASE

30-Day Limited Complimentary Technical Support

LICENSEE RESPONSIBILITIES

- To help us expedite the process and provide high quality assistance, the licensee must provide proof of purchase when calling. Proof of purchase is defined as the following: registration number, purchase date, version and build number, and company or individual to which product is registered.
- To have operating system, workstations, and local network installed and functional. RBTI will NOT be responsible for resolving issues not pertaining to the Program.
- Our support staff deals with advanced issues, therefore the person contacting RBTI for assistance should be the system administrator or have other R:BASE/SQL experience and be able to understand and implement the advice given.
- To have the database(s) being converted, safely backed-up before attempting conversion process. RBTI will NOT be held responsible for lost data or corruption as a result of advice given.
- Once converted, Licensee is responsible for updating command syntax in application, altering forms and report to accommodate the 4-digit year function, and other changes as necessary.

R:BASE TECHNOLOGIES, INC. RESPONSIBILITIES

- To provide quality assistance in a timely manner to aid Licensee in the installation of the product within 30 days of the date of purchase.
- To provide a reasonable solution for any resolvable issue. Not all issues are resolvable, and therefore we will acknowledge the existence of known issues or "bugs" which we are presently aware of, that have no reasonable work-around.

RBTI reserves the right to limit the amount of support time allotted to a maximum of 2 HOURS during the 30-Day Complimentary Technical Support Period. We also reserve the right to limit the quantity of calls from a particular Licensee to 30 MINUTES in a single day. Issues are dealt with on a case-by-case basis, and are handled at the discretion of the support agent assigned to the case.

Complimentary Support is limited to INSTALLATION and ELEMENTARY CONVERSION related issues ONLY. Our support hours are from 10am. to 6pm. Eastern Time.

For assistance on your APPLICATIONS, DESIGN, or ADVANCED CONVERSION issues, we offer Technical Support Plans of various types to meet your needs. Please call us at 724-733-0053 or visit the SUPPORT area of our website at <http://www.rbase.com> for details and pricing.

NO OTHER WARRANTIES

Except as explicitly stated above, RBTI makes no express or implied warranties (including any warranties of merchantability or fitness) with respect to the character, function, or capabilities of the program, the documentation or their appropriateness for any user's purposes. RBTI cannot customize product(s) to meet specific needs in all cases. Examples of customization include, but are not limited to: special character sets, foreign language adaptations, specific device drivers or other localization issues. Under no circumstances will RBTI be held responsible for product functionality once alterations have been made to accommodate individual needs.

DISCLAIMER OF WARRANTY

The Program and the accompanying files are sold "as is" and without warranties as to performance or merchantability or any other warranties whether expressed or implied. Because of the various hardware and software environments into which the Program may be put, No warranty of fitness for a particular purpose is offered.

Good data processing procedure dictates that any program be thoroughly tested with non-critical data before relying on it. The user must assume the entire risk of using the Program. Any liability of the seller will be limited exclusively to product replacement or refund of purchase price.

HIGH RISK ACTIVITIES

The Program is not fault-tolerant and is not designed, manufactured or intended for use or resale as on-line control equipment in hazardous environments requiring fail-safe performance, such as in the operation of nuclear facilities, air traffic control, aircraft navigation or communication systems, direct life support machines, or weapons systems, in which the failure of the Program could lead directly to death, personal injury, or severe physical or environmental damage ("High Risk Activities"). RBTI specifically disclaims any expression or implied warranty of fitness for High Risk Activities.

LIMITATIONS ON LIABILITIES

RBTI will not be responsible for any costs or damages associated with loss of the use of the Program or any other resources, loss of business or profits, any loss of data, any third party claims or costs of substitute programs. In no event will RBTI be liable for any incidental, indirect, special, consequential or punitive damages suffered by the user or any other person or entity, whether from the use of the program or documentation, any failure thereof, or otherwise, even if RBTI or its dealers or agents are aware of the possibility of such damages. In no event will RBTI aggregate liability to you or anyone else exceed two times the license fee you paid for the program and documentation in this package. Because some states do not allow the limitation or exclusion of implied warranties and liabilities for consequential or incidental damages, the above limitations may not apply to you.

GENERAL

This License Agreement constitutes the full and complete agreement between parties. RBTI retains all rights not specifically granted herein. RBTI shall not be deemed to have waived any of its rights hereunder or under all copyright laws, trade secrecy laws or otherwise. This Agreement is intended as a legally binding agreement which will be enforced to the full extent permitted under applicable law, in whole or in part. If any one provision of this Agreement is declared invalid or unenforceable, all remaining provisions shall never less remain in effect. The laws of the state of Pennsylvania shall govern this Agreement. RBTI reserves the right to amend, alter, or revoke this agreement at any time. All revisions to this license agreement are available for inspection upon request, supersede conditions in all past agreements, and render prior license agreements void and unenforceable. Both parties named in this license will only be bound to the terms of the most current revision of this agreement.

U.S. GOVERNMENT RESTRICTED RIGHTS

Use, duplication or disclosure by the Government, its agents or employees is subject to all restrictions imposed by law, regulation or government directive, including but not limited to those restrictions set forth in DFARS 252.227-7013 and 48CFR 52.227-19, as applicable.

R:BASE Technologies, Inc.
3935 Old William Penn Highway
Murrysville, PA 15668-1854
1+724.733.0053 PHONE
1+724.733.0196 FAX
rbaseinfo@rbase.com EMAIL

Copyright © 1982-2023 R:BASE Technologies, Inc.
All Rights Reserved
Revised Friday, November 10, 2023

1.4 Complimentary Support

30 DAY LIMITED COMPLIMENTARY TECHNICAL SUPPORT

A. LICENSEE RESPONSIBILITIES.

1. To help us expedite the process and provide high quality assistance, the licensee must provide proof of purchase when calling. Proof of purchase is defined as the following: INVOICE NUMBER, PURCHASE DATE, VERSION AND BUILD NUMBER, SERIAL NUMBER, AND COMPANY OR INDIVIDUAL TO WHICH PRODUCT IS REGISTERED.
2. To have operating system, workstations, and local network installed and functional. RBTI will NOT be responsible for resolving issues not pertaining to the R:BASE program.

3. Our support staff deals with advanced issues, therefore the person contacting RBTI for assistance should be the system administrator or have other R:BASE/SQL experience and be able to understand and implement the advice given.

4. To have the database(s) being converted, safely backed-up before attempting conversion process. RBTI will NOT be held responsible for lost data or corruption as a result of advice given.

5. Once converted, Licensee is responsible for updating command syntax in APPLICATIONS, altering FORMS and REPORTS to accommodate the 4 digit year function, and other changes as necessary.

B. R:BASE TECHNOLOGIES, INC. RESPONSIBILITIES.

1. To provide quality assistance in a timely manner to aid Licensee in the installation of the product WITHIN 30 DAYS OF DATE OF PURCHASE.

2. To provide a reasonable solution for any resolvable issue. Not all issues are resolvable, and therefore we will acknowledge the existence of known issues or "bugs" which we are presently aware of, that have no reasonable work-around.


RBTI reserves the right to limit the amount of support time allotted to a MAXIMUM OF 2 HOURS DURING THE 30 DAY

COMPLIMENTARY TECHNICAL SUPPORT PERIOD. We also reserve the right to limit the quantity of calls from a particular Licensee in a single day. Issues are dealt with on a case by case basis, and are handled at the discretion of the support agent assigned to the case.

Complimentary Support is limited to INSTALLATION related issues ONLY. Our support hours are from 10am. to 6pm. Eastern Time.

For assistance on your APPLICATIONS, DESIGN, OR CONVERSION issues, we offer Technical Support Plans of various types to meet your needs. Please call us at 724-733-0053 or visit the SUPPORT area of our website at <http://www.rbase.com/support> for details and pricing.

Part



2 Installation

Enter topic text here.

2.1 System Requirements

The following system specifications are recommended for the optimal use of R:BASE and R:BASE-related software.

Workstation Hardware

- 2-Core 2GHz+ CPU
- 2 GB of available RAM (4 GB recommended)
- 2 GB of available hard disk space
- 1024x768 or higher resolution video adapter and display
- Standard mouse or compatible pointing device
- Standard keyboard

Server Hardware

- 2-Core 2GHz+ CPU
- 6 GB of available RAM (8 GB recommended)

Operating System

- Microsoft Windows 11 (Professional)
- Microsoft Windows 10 (Professional)
- Microsoft Windows Server 2022
- Microsoft Windows Server 2019
- Microsoft Windows Server 2016
- Microsoft Windows Server 2012, 2012 R2

Network

- Ethernet infrastructure (Gigabyte recommended)
- Internet connection recommended, but not required, for license activation, software updates, and support
- Anti-virus programs should exclude the R:BASE program, and any add-on product, executable and database files

2.2 Software Installation

Installation of RBUdater is fully automated, and does not require user intervention for the initial configuration.

Insert the RBUdater installation CD and read the installer screens for licensing and other information as the program installs. If an installer file is provided via download, then run that file.


Installation Directory

C:\RBTI\RBUdater

Files Installed

RBUdater.exe
RBUdaterConApp.exe
RBUdater.chm
RBUdater.pdf
License.rtf
ReadMe.txt

Part



3 Getting Started with your Updater Project

Before you begin building your first updater project, you should organize your computer "product" and associated files into an individual product update directory. This would include the product executable, help documentation, database files, plugins, license, "read me" text file, icons, etc.

In addition to the product files, you should also organize your updater production directory. This directory would include a rich text format license document and an image files that would be displayed across the top of the updater dialog window.

Part



4 Update Files

Use the "Update Files" tab to add your software files to the updater project.

Uninstall Key - specifies the "Product Code" that is assigned to your product which is being updated. This code is generated in RInstaller and is stored in the Windows registry. It can be referenced by you in RUpdater software program to verify that your product is actually already installed.

The registry location where the Product Code will be stored is:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Uninstall
```

Userdata Key - specifies the Userdata Key that stores the default installation directory for the product application. This key can be referenced by you in the R:Updater software program to verify the installation directory of your program, if you allowed the end user to alter the installation path, and they did so.

The registry location where the Userdata Key will be stored is:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Installer\UserData\S-1-5-18\Components
```

Program Location Caption - specifies the caption listed above the listed program location field.

Output File Name - specifies the name for the compiled update executable

Registry Key for Read Last Executed EXE Folder - specifies the executable folder where the product was last executed

Files Date/Time - Specifies the date/time stamp for the files within the update. If no date/time is specified, the update will use the file's date/time stamp.

Windows Files - the Windows root directory (i.e. C:\Windows, C:\WINNT, etc.) where your updated files will be placed into. Use the "Add Win File(s)" and "Delete Win File" buttons to add or delete files to the update project.

System Files - the System root directory (i.e. C:\Windows\System32, C:\WINNT\System32, etc.) where your updated files will be placed into. Use the "Add System File(s)" and "Delete System File" buttons to add or delete files to the update project.

Target Directory - the target directory for your software program (i.e. C:\Program Files\Adobe). Use the buttons to add folders and files to the update project. Folders and files can be deleted using the delete button. Additional sub folders can be added within the Target Directory, but you can not add additional Target directories.

New Root Folder

A new root folder can be added to the Target Directory by selecting Target Directory and pressing the "New Root Folder" button. You can then change the new folder name by selecting it and editing the "Folder Name:" field.

New Folder

A new folder (subfolder) can be added to the Target Directory by selecting Target Directory, or the selected folder, and pressing the "New Folder" button. You can then change the new folder name by selecting it and editing the "Folder Name:" field.

Add File(s)


Files can also be added by using the "Add File(s)" button. After files have been added, they will appear in the "Target Directory" structure.

Delete


To delete a file or folder, select the item and press the "Delete" button.

Set Files Time Stamp

Assigns the date and time stamp for the update files



Part



5 Registry

The "Registry" tab allows you to add registry keys and values to the updater package. You can add keys and values to any of the following hives:

- HKEY_CLASSES_ROOT
- HKEY_CURRENT_USER
- HKEY_LOCAL_MACHINE
- HKEY_USERS

Adding New Keys


Use the "Add Key" button to have the default key displayed. With the key selected, you can edit the key name using the "Registry Key Name" field.

Deleting a Key or Value

Use the "Delete Key/Value" button to remove a selected key or value.

Adding New Values

Use the "New Value" button, while the focus is on the desired Key displayed. With the focus on the registry value, the screen will refresh allowing you to define the Value Name, its type (DWord or String), and content.



Part



6 Options

The "Options" tab allows you to define specific display settings for your updater project.

Allow Browse - enables/disables the "Browse" button on the updater dialog

Allow Server Update - enables/disables different update options for the end user to choose from

- Typical - follows the paths defined within [Update Files](#)
- Server - drops all of the update files into a single folder specified by the end user

Add Vista CG Theme - displays the update dialog windows using the Vista CG theme

Show Vertical Line - displays a vertical line between the image on the left and the update options

Use Version X Icon - displays the RBGX icon in the end result executable

Colors - specifies the background and font color for the main update panel


Default Directory - inserts a default directory location for the product update

Background Color - specifies the background color of the update dialog

Font Color - specifies the font color of the update dialog

Use Password - enables password security for the update package

Welcome Message - displays a welcome popup message before the update dialog appears, with support to change various font settings as well as the background color. Within the Rich Text Editor a "Create RTF Template" button is available to capture the message content. The content can be used with the WELCOME_MESSAGE [command parameter](#).




End Message - displays a popup message at the end of the update process, with support to change various font settings as well as the background color

Banner - displays the updater dialog banner, with support to change various font settings. The banner appears in the same space as the [Top Image](#).

What's New - enables the ability for the user to launch a specified "What's New" document covering features supplied in the update.

Update Window Caption - specifies the update dialog window caption

Supported OS - specifies the list of supported operating systems for the update



Part



7 Resources

The "Resources" tab allows you to load a Rich Text license and an image that can be displayed during the update process.

Show End User License Agreement

Enabling this check box will allow you to load an RTF file which contains your product license agreement. The license will be displayed before the actual update process. The rich text file must already exist before you load it into your project, and must have the .rtf file extension.

If you want to change the license information already listed, you must use the "Clear" button to clear the contents of the panel, and then select the "Load" button to load in a new license file.

Top Image

The "Top Image" panel allows you to load an image that is displayed across the top of the updater screen. The image file must already exist before you load it into your project, and must have the .bmp file extension.

To load an image, use the "Select Image..." button to browse the contents of your computer. To clear an image, select the "Clear" button.

Left Image

The "Left Image" panel allows you to load an image that is displayed across the top of the updater screen. The image file must already exist before you load it into your project, and must have the .bmp file extension.


To load an image, use the "Select Image..." button to browse the contents of your computer. To clear an image, select the "Clear" button.

Notes:

- Two sample images are provided with RUpdater. To use different images, make sure that the same transparency and dimensions are used.
- When using custom images, integrate the naming convention values "Left" or "Side" for images to be assigned to the left side of the dialog windows, and "Top" for images to be assigned to the top of the dialog window. This will allow you to assign the images to the appropriate dialog location much easier in the screen for update project settings.

Custom Colors

The "Custom Colors" panel will allow you to load and store custom colors for the update package.



Part



8 Compiling Updates

When compiling updates, each compilation can be saved as a project. This allows you to save the custom settings for future compilations, or to make slight changes, and create separate compilation projects. Multiple projects can be used for different products and different versions of your programs.

After your project files are assigned to your project and all other settings have been configured, compile your installer project by selecting the "Create Update" button.

You will be displayed with a progress display followed by a MD5 checksum for the update created. To locate your update executable, there will be a "Compile" folder containing your [Output File Name](#) and a text file containing the same MD5 checksum data. A "Temp" folder will also be created, which is used to store temporary data during the compile process.

8.1 Saving Projects

After making changes to your existing projects or creating new projects, always save your work. RBUUpdater project files are saved with the .rui file extension.

To save any changes you make to an existing project, select the "Save" button from the Tool Bar .

To save any changes you make to an existing project as another project name, select the "Save As..." button from the Tool Bar across the bottom.

8.2 Recompiling

The first step to recompiling your installer executable is to open your saved RBUUpdater project file (.rui). You can load your RBUUpdater project settings by selecting the "Open" button from the Tool Bar across the bottom.

Confirm the loaded settings. If needed, you may need to load a different project file. To compile the project file, select the "Create Update" button from the Tool Bar across the bottom.

After testing, the executable is ready for distribution.

8.3 Command Line Options

Command line options are available to run the "RBUUpdateConApp" executable to automatically compile installer projects from a command line prompt.

Syntax:

```
RBUUpdateConApp.exe "-parameter value"
```

Parameters:

Parameter	Description
SCRIPT_NAME	specifies the RBUUpdater (.rui) project file
OUTPUT_FILE_NAME	specifies the output file name
PROGRAM_LOCATION_CAPTION	specifies the default program location
PASSWORD	specifies the password for the update file
LICENSE_FILE_NAME	specifies the license.rtf file
WHATS_NEW	specifies the "What's new" file name
BANNER	specifies the banner
WELCOME_MESSAGE	specifies the welcome message. To add hard returns within the welcome message, parameters with +_ will be replaced with CR/LF before any action is performed. Rich text content may also be used.

UPDATE_WINDOW_CAPTION	specifies the "Update Window Caption"
ALLOW_BROWSE	specifies if browse is allowed
ALLOW_SERVER_UPDATE	specifies if server updates are allowed
ADD_VISTA_CG_THEME	specifies is the Vista CG theme is used
MD5	specifies if the MD5 output is generated (ON/OFF)
DATETIME_STAMP	specifies the date and time stamp for installed files

Sample:

```
C:\RBTI\RBUpdater\RBUpdateConApp.exe "-SCRIPT_NAME C:\RBTI\RBUpdater\Scripts\MyApp8_1_Update_3.rui" "-OUTPUT_FOLDER C:\RBTI\RBUpdater\Compile\" "-WHATS_NEW C:\RBTI\RBInstaller\ProjectsAndFiles\MyApp8_1\WhatsNew.pdf" "-ADD_VISTA_CG_THEME ON" "-OUTPUT_FILE_NAME MyApp_Update_3_20160109_J6D3P3Z8.exe" "-LICENSE_FILE_NAME C:\RBTI\RBInstaller\ProjectsAndFiles\MyApp8_1\LICENSE.RTF" "-MD5_OUTPUT ON" "-VERSION 8.1.3.10109" "-DATETIME_STAMP 01/09/2016 08:10 AM" "-WELCOME_MESSAGE January 09, 2016 +_+_ MyApp - Update 3"
```

Part



9 Silent Update

The end result update packages allow to be executed as silent updates. From a command prompt/batch file, the silent update method is configurable by specifying a configuration file.

```
UPDATE_FILENAME.EXE -CFG=C:\PathToCFG\UpdateCFGFile.CFG
```

When the -CFG parameter is set, the update file will run in silent mode. The update configuration file contains the answers to the GUI items and prompts.

Usage:

- Remove the semicolon ';' to use an option.
- Set a value to Y or N if an option is to be used.
- The Y character is the default value.

A sample configuration file is list below, and is also included with the RUpdater installation

```
*****
* R:BASE Technologies, Inc.
* RUpdater Software Utility
* Silent Update Configuration File
*****

*****
* Usage:
* Remove the semicolon ';' to use an option.
* Set a value to Y or N if an option is to be used.
* The Y character is the default value.

*****
* The UpdateFolder value will override these settings.
;ReadInstallationInformation=Y/N
;ReadLastExecutedEXEFolder=Y/N

*****
* When below values are used, the values above are overridden.
;UpdateFolder=UpdatePath


*****
* Specifies the update type
;ServerInstall=Y/N

*****
* Specifies file conflict confirmations
;UpdateNewerFiles=Y/N
;SkipUsedFile=Y/N
;ProceedOnCantInstallFile=Y/N

*****
* Specifies a password for the update
;Password=*****

*****
* Specifies a log file for update process
;LogFile=FileName
```

Part



10 Technical Support

Please read over this inline HELP documentation at least once before seeking support for this product. We have worked very hard to make this help file clear and useful, but concise. There's a lot of power here so we suggest you reread these instructions once you have become accustomed to using RUpdater. New uses will become apparent.

If you have further question(s) about RUpdater, and can't find the answer(s) in this help documentation, you can obtain information from a variety of sources:

- E-mail our Technical Support Department at: support@rbase.com
- Access the R:BASE Technologies Support Home Page on the World Wide Web at <http://www.rbase.com/support>.
- Call our Technical Support Department at (724) 733-0053 Monday through Friday, 10:00 AM to 6:00 PM (EST). You should be at your computer with RUpdater running and ready to make changes suggested by our technical staff. You may be required to purchase a technical support plan. Several support plans are available to suit the needs of all users. [Available Technical Support Plans](#)

Please be prepared to refer to the following:

- The technical support registration number, which is located on the registration card included with this product. If you purchased this product directly from R:BASE Technologies, your technical support registration number can be found on your invoice or packing sheet.
- The type of hardware and operating system you are using.
- Details regarding your operating environment, such as available memory, disk space, your version of RUpdater, local area network, special drivers, related database structures, application files, and other files that are used or accessed by your application.

All of the information that you provide us is used to better and more expeditiously assist you.

R:BASE Technologies has a number of different services available for R:BASE products. As a registered user, you will receive information about new releases of RUpdater and other R:BASE Technologies products. Please remember to register your R:BASE software as well as any other R:BASE related software. <http://www.rbase.com/register/>

Part

XI

11 Feedback

Suggestions and Enhancement Requests:

From time to time, everyone comes up with an idea for something they'd like their software to do differently.

If you come across an idea that you think might make a nice enhancement, your input is always welcome.

Please submit your suggestion and/or enhancement request to the R:BASE Developers' Corner Crew (R:DCC) and describe what you think might make a nice enhancement. In R:BASE, the R:DCC Client is fully integrated to communicate with the R:BASE development team. From the main Menu Bar, choose "Help" > "R:DCC Client". If you do not have a login profile, select "New User" to create one.

If you have a sample you wish to provide, have the files prepared within a zip archive prior to initiating the request. You will be prompted to upload any attachments during the submission process.

Unless additional information is needed, you will not receive a direct response. You can periodically check the status of your submitted enhancement request.

If you are experiencing any difficulties with the R:DCC Client, please send an e-mail to rdcc@rbase.com.

Reporting Bugs:

If you experience something you think might be a bug, please report it to the R:BASE Developers' Corner Crew. In R:BASE, the R:DCC Client is fully integrated to communicate with the R:BASE development team. From the main Menu Bar, choose "Help" > "R:DCC Client". If you do not have a login profile, select "New User" to create one.

You will need to describe:

- What you did, what happened, and what you expected to happen
- The product version and build
- Any error messages displayed
- What computer operating system is in use
- Anything else you think might be relevant

If you have a sample you wish to provide, have the files prepared within a zip archive prior to initiating the bug report. You will be prompted to upload any attachments during the submission process.

Unless additional information is needed, you will not receive a direct response. You can periodically check the status of your submitted bug.

If you are experiencing any difficulties with the R:DCC Client, please send an e-mail to rdcc@rbase.com.

Index

- . -

.bmp 21
.rtf 21
.rui 24

- A -

Add File 12

- B -

Banner 18
Browse 18

- C -

Caption 18
CFG 27
Command Line 24
Compile 24
Compiling Projects 24
configuration file 27
content 15
copyright 2
Custom Colors 21

- D -

default directory 18
Delete 12
DWord 15

- E -

End Message 18

- F -

feedback 31
Font Color 18

- G -

Getting Started 10

- H -

HKEY_CLASSES_ROOT 15
HKEY_CURRENT_USER 15
HKEY_LOCAL_MACHINE 15
HKEY_USERS 15

- I -

image 21
install 8
intro 2

- K -

key 15

- L -

License 3, 21
License Agreement 21

- N -

New Folder 12
New Root Folder 12

- O -

Options 18
Output File 12

- P -

parameter 24
Password 18
Product Code 12
Project 24
projects 24

- R -

RInstallerConApp 24
recompiling 24
Registry 12, 15
Resources 21
Rich Text License 21
RTF 21

- S -

Saving Projects 24
security 18
Server 18
silent mode 27
silent update 27
String 15
support 5, 29
System File 12
system requirements 8

- T -

Target Directory 12
Top Image 21
Typical 18

- U -

Uninstall Key 12
Userdata Key 12

- V -

value 15

- W -

Welcome Message 18
What's New 18
Windows File 12

Back Cover