

R:GAP 11



Help Manual



R:GAP 11

Manual

by R:BASE Technologies, Inc.


Welcome to R:GAP 11!

R:GAP is an R:BASE Plugin that can access Google Apps; Calendar, Tasks, Drive, and Contacts.

Table of Contents

Part I Introduction	4
1 Introducing R:GAP 11	5
2 Copyrights	5
3 License	6
4 Complimentary Support	10
Part II Installation	11
1 System Requirements	12
2 Things You Will Need	12
3 Software Installation	13
4 Plugin Activation	13
R:BASE	13
R:Compiler for R:BASE	16
Runtime for R:BASE	16
Part III Uninstall	17
Part IV Using R:GAP	19
1 Google Calendar	22
2 Google Tasks	25
3 Google Drive	27
4 Google People	30
Part V Technical Support	37
Part VI Useful Resources	39
Part VII Feedback	41
Index	43

Part



1 Introduction

1.1 Introducing R:GAP 11

R:GAP is an R:BASE Plugin that can access the Google Apps; Calendar, Tasks, Drive, and People.

Google Calendar

R:GAP features time management integration with Google's online Calendars to keep track of events and scheduling, with multiple calendar support, where each calendar has its own set of events. A calendar can be a user's where it has full access or Google's where users have read-only access (e.g. Legal Holidays based on users location). By default, Google Calendar displays a pop-up reminder 10 minutes before an event. When adding or editing events, reminders can be set to different times, and configured to appear as a pop up dialog, email, SMS, or all. Calendars and events can be retrieved as CSV formatted strings to store in R:BASE databases.

Google Tasks

R:GAP works with Google's online Tasks to manage lists and tasks, where each task list has its own set of tasks. Tasks can be nested, meaning a task can have subtasks. Users can keep track of daily to-do lists, organize multiple lists, and track important deadlines. Tasks and lists can be retrieved as CSV formatted strings to store in R:BASE databases.

Google Drive

R:GAP allows users to upload, manage, and download any type of file to Google Drive, which identifies files and folders by ID, not by name. R:GAP supports the ability to add, rename, copy, move, and delete files and folders. Files and folders can also be shared and unshared. Drive, folder, and file details can be retrieved as CSV formatted strings to store in R:BASE databases.

Google People

R:GAP integrates with Google People to manage persons and groups. People can be added and modified, and organized into groups. Over 30 fields are available for contact details, including placing a photo. People can also be added to events based upon a specified date. People and group information can be retrieved as CSV formatted strings to store in R:BASE databases.

1.2 Copyrights

Information in this document, including URL and other Internet web site references, is subject to change without notice. The example companies, individuals, products, organizations and events depicted herein are completely fictitious. Any similarity to a company, individual, product, organization or event is completely unintentional. R:BASE Technologies, Inc. shall not be liable for errors contained herein or for incidental consequential damages in connection with the furnishing, performance, or use of this material. This document contains proprietary information, which is protected by copyright. Complying with all applicable copyright laws is the responsibility of the user. Without limiting the rights under copyright, no part of this document may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written consent of R:BASE Technologies, Inc. We reserve the right to make changes from time to time in the contents hereof without obligation to notify any person of such revision or changes. We also reserve the right to change the specification without notice and may therefore not coincide with the contents of this document. The manufacturer assumes no responsibilities with regard to the performance or use of third party products.

Products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

The software described in this document is furnished under a license agreement. The software may be used or copied only in accordance with the terms of that agreement. Any unauthorized use or duplication of the software is forbidden.

R:BASE Technologies, Inc. may have patents, patent applications, trademarks, copyrights, or other intellectual property rights covering subject matter in this document. Except as expressly provided in any written license agreement from R:BASE Technologies, Inc., the furnishing of this document does not give you any license to these patents, trademarks, copyrights, or other intellectual property.

Trademarks

R:BASE®, Oterro®, RBAAdmin®, R:Scope®, R:Mail®, R:Charts®, R:Spell Checker®, R:Docs®, R:BASE Editor®, R:BASE Plugin Power Pack®, R:Style®, RBZip®, R:Mail Editor®, R:BASE Dependency Viewer®, R:Archive®, R:Chat®, R:PDF Form Filler®, R:FTPClient®, R:SFTPClient®, R:PDFWorks®, R:Magellan®, R:WEB Reports®, R:WEB Gateway®, R:PDFMerge®, R:PDFSearch®, R:Documenter®, RBInstaller®, RBUpdater®, R:AmazonS3®, R:GAP®, R:Mail Viewer®, R:Capture®, R:Synchronizer®, R:Biometric®, R:CAD Viewer®, R:DXF®, R:Twain2PDF®, R:Scheduler®, R:Scribbler®, R:SmartSig®, R:OutLink®, R:HASH®, R:JobTrack®, R:TimeTrack®, R:Manufacturing®, R:QBDataDirect®, R:QBSynchronizer®, and R:QBDBExtractor®, and Pocket R:BASE® are trademarks or registered trademarks of R:BASE Technologies, Inc. All Rights Reserved. All other brand, product names, company names and logos are trademarks or registered trademarks of their respective companies.

Windows, Windows 11-10, Windows Server 2025-2016, Azure Maps, Word, Excel, Access, SQL Server, and Outlook are registered trademarks of Microsoft Corporation. OpenOffice is a registered trademark of the Apache Software Foundation.

Printed: July 2025 in Murrysville, PA

First Edition

1.3 License

R:BASE TECHNOLOGIES, INC. LICENSE AGREEMENT

R:GAP 11 Single Seat License

This is a legal agreement between you, the end user ("**Licensee**"), and R:BASE Technologies, Inc. ("**RBTI**"). Please read the terms and conditions of this License Agreement before using this software. By you selecting "I accept the license agreement" and clicking "Next" during product installation means you expressly accept the terms and conditions of this Agreement. If you do not accept the terms and conditions of this Agreement, you must stop installing the Product and click "Cancel". Your money will be refunded based upon proof of purchase, and in compliance with the return period described in the LIMITED WARRANTY below. A violation of the License, brings damage both financially and to the reputation of RBTI, and in the occurrence of either, both termination of the license agreement and civil damages will be vigorously sought. Once you have clicked "I accept the license agreement", you are entitled to use the Product under the following terms and conditions of this Agreement:

LICENSE

This RBTI License Agreement permits you to use one copy of the R:GAP computer software with associated utilities (the "**Program**") and accompanying user documentation (the "**Documentation**") on any single computer. If you do not have a Site License or at least one 5 Seat Add-On License, this program can only be installed on a single machine. However, you can open multiple sessions and be connected to the same and/or other local or network databases on the same machine simultaneously. (The 5 Seat Add-On License permits additional seats to access the Program, in 5 seat increments if each is physically linked to a single file server and you have obtained a separate license for a Single Seat version of the Program. 5 Seat Add-On Licenses must be licensed at the same Single Seat version). A Program is "being used" on a computer when it is loaded into a temporary memory or installed on a hard drive in the computer. However, a copy of the Program installed on a network server for the sole purpose of distribution to other computers is not "being used". Each seat having access to the Program must have an appropriate license. If you anticipate that the number of seats with access to the Program will exceed the number of seats for which you are licensed, you must take steps to ensure that the appropriate licenses are obtained for each seat.

5 SEAT ADD-ON AND SITE LICENSES

If a printed or other form of "hard-copy" License accompanied the copy of the Program you received whose terms vary from this agreement, then the hard-copy License governs your use of the Program. 5 Seat Add-On and Site Licenses allow you to install the Program on the total number of machines for which you are licensed only.

SATELLITE LICENSES

A Satellite License permits a Licensee to use one copy of the copy of the Program on any additional single computer, for additional development to accompany an existing Single Seat License. The Satellite License must be licensed to the same user as the existing Single Seat License. Each seat having access to the Program must have an appropriate license.

COPYRIGHT AND RESTRICTIONS

RBTI retains full ownership rights in the Program and Documentation. You may make a single copy of the Program; to be used solely for backup or archival purposes, or you may transfer the Program onto a single hard disk provided you keep the original solely for backup or archival purposes. Such copies shall be owned by RBTI. You may not copy any printed material or Documentation without prior permission. You may not decompile, disassemble cross-compile, reverse engineer, or make or distribute any other form of, or derivative work from, the Program. You may not obscure, alter or remove any RBTI copyright, trademark or proprietary rights notices.

TRANSFER OF LICENSE

You may not lend, rent or lease the Program or Documentation or any copies to any person. A transfer of license is only authorized through completion of the Consent to Assignment and Assumption of Contract agreement from RBTI. Upon license transfer, you are permanently giving such person possession of all copies of the Program and Documentation, are permanently giving up your right to use the Program and Documentation, and the recipient agrees to the terms of this License Agreement.

STEP UPS AND UPGRADE PURCHASES

As the Licensee, you are authorized to use the Program only if you are an authorized user of a qualifying product as determined by RBTI. The new license agreement takes the place of the agreement of the qualifying software you stepped up or upgraded from. After you upgrade, you may no longer use the software from which you upgraded. When you install the upgrade, you must uninstall the copy of the qualifying product.

TERM OF LICENSE

The licensing provided in this License Agreement is perpetual unless you violate any of its terms or conditions, at which time the license will automatically terminate. Upon termination you must return all copies of the Program and Documentation to RBTI or certify in writing to RBTI that all such copies have been destroyed and uninstalled from each workstation and/or network server. RBTI reserves the right to, at its expense and without prior notice, conduct periodic inspections for licensing compliancy. If licensee is found to be in violation of current agreement, RBTI may commence a civil action seeking fines, damages, attorney's fees and injunctive relief and may also, in appropriate circumstances, seek criminal prosecution.

ACTIVATION CODES

The Program requires activation using a unique code. If you purchase a Single Seat License with or without 5 Seat Add-On Licenses, you agree to comply with the license activation and verification procedure described in this section of the Agreement. The activation technology may prevent your use of the Program if you do not follow the activation process described in this Agreement.

Each activation code is tied to one Windows operating system computer. A dual-boot computer with multiple operating systems cannot activate a Single Seat License on more than one operating system. Any software utilities which alter how the Program is installed on a local drive are not supported. This includes any utilities which alter, remove or transfer the location of the Program on the hard drive, or any hard drive utilities which alter the physical properties of the local drive.

The Program activation can be completed automatically through an Internet connection or manually through a provided email option. In doing so, the Program Registration Number and Computer ID must be provided. License validation allows a number of activations based upon the number of licenses purchased.

If a computer is no longer using the Program, through license transfer or hardware failure, the Activation Key that was used on the computer must be submitted to R:BASE Technologies so the key may be disabled, which will then free up that used activation. Once a key is reported as no longer in use and deactivated, it can no longer be used on that computer. Product deactivation can be performed automatically from within R:BASE. To review the License Key and Activation Key product information, select "Help" > "Product Activation" from the Menu Bar.

Licenses for the Corporate VIP Licenses of the Program are not controlled by activation codes and can be operated from computers that are not connected to the Internet.

SOFTWARE SUPPORT

The availability of software support services is subject to the End of Support (EOS) and End of Life (EOL) product life cycle, and to an active Software Assurance Plan. Where applicable, licensees will be provided with an option to upgrade to the current supported version of a software product.

LIMITED WARRANTY

RBTI warrants to you, as the initial user, the Program will perform substantially in accordance with the Documentation, provided it is used in unaltered form with functioning equipment and operating systems for which it was designed. RBTI will, at its option, with proof of payment within 30 days of the invoice date and after the Program with Documentation has been deactivated and uninstalled, and software installer, whether provided by download or other means, permanently deleted from all drives and folders, issue a full refund. These are your sole remedies for any breach of warranty. No exceptions will be made.

SERVICES PROVIDED WITH PURCHASE

1. 30-Day Limited Complimentary Technical Support

LICENSEE RESPONSIBILITIES

- To help us expedite the process and provide high quality assistance, the licensee must provide proof of purchase when calling. Proof of purchase is defined as the following: registration number, purchase date, version and build number, and company or individual to which product is registered.
- To have operating system, workstations, and local network installed and functional. RBTI will NOT be responsible for resolving issues not pertaining to the Program.
- Our support staff deals with advanced issues, therefore the person contacting RBTI for assistance should be the system administrator or have other R:BASE/SQL experience and be able to understand and implement the advice given.
- To have the database(s) being converted, safely backed-up before attempting conversion process. RBTI will NOT be held responsible for lost data or corruption as a result of advice given.

R:BASE TECHNOLOGIES, INC. RESPONSIBILITIES

- To provide quality assistance in a timely manner to aid Licensee in the installation of the product within 30 days of the date of purchase.
- To provide a reasonable solution for any resolvable issue. Not all issues are resolvable, and therefore we will acknowledge the existence of known issues or "bugs" which we are presently aware of, that have no reasonable work-around.

RBTI reserves the right to limit the amount of support time allotted to a maximum of 2 HOURS during the 30-Day Complimentary Technical Support Period. We also reserve the right to limit the quantity of calls from a particular Licensee to 30 MINUTES in a single day. Issues are dealt with on a case-by-case basis, and are handled at the discretion of the support agent assigned to the case. Complimentary Support is limited to INSTALLATION and ELEMENTARY CONVERSION related issues ONLY. Our support hours are from 10am. to 6pm. Eastern Time.

For assistance on your APPLICATIONS, DESIGN, or ADVANCED CONVERSION issues, we offer Technical Support Plans of various types to meet your needs. Please visit the SUPPORT area of our website at www.rbase.com for details and pricing.

2. Fixes for Known Issues

RBTI will provide continued product fixes for known issues or "bugs" for 1 YEAR from the software purchase date. After 1 year, users are urged to acquire the necessary Software Assurance Plan to continue with product support and ongoing activations for reinstallations and license transfers.

3. Enhancement Requests

RBTI will provide continued product enhancements for requested features for 1 YEAR from the software purchase date. After 1 year, users are urged to acquire the necessary Software Assurance Plan to continue with product support and ongoing activations for reinstallations and license transfers.

4. Periodic Activations

RBTI will provide periodic product activations of license transfers and/or reinstallations for 1 YEAR from the R:BASE purchase date. Any activation requests that occur beyond the 1 Year purchase date will require an active Software Assurance Plan.

NO OTHER WARRANTIES

Except as explicitly stated above, RBTI makes no express or implied warranties (including any warranties of merchantability or fitness) with respect to the character, function, or capabilities of the program, the documentation or their appropriateness for any user's purposes. RBTI cannot customize product(s) to meet specific needs in all cases. Examples of customization include, but are not limited to: special character sets, foreign language adaptations, specific device drivers or other localization issues. Under no circumstances will RBTI be held responsible for product functionality once alterations have been made to accommodate individual needs.

DISCLAIMER OF WARRANTY

The Program and the accompanying files are sold "as is" and without warranties as to performance or merchantability or any other warranties whether expressed or implied. Because of the various hardware and software environments into which the Program may be put, No warranty of fitness for a particular purpose is offered. Good data processing procedure dictates that any program be thoroughly tested with non-critical data before relying on it. The user must assume the entire risk of using the Program. Any liability of the seller will be limited exclusively to product replacement or refund of purchase price.

HIGH RISK ACTIVITIES

The Program is not fault-tolerant and is not designed, manufactured or intended for use or resale as on-line control equipment in hazardous environments requiring fail-safe performance, such as in the operation of nuclear facilities, air traffic control, aircraft navigation or communication systems, direct life support machines, or weapons systems, in which the failure of the Program could lead directly to death, personal injury, or severe physical or environmental damage ("High Risk Activities"). RBTI specifically disclaims any expression or implied warranty of fitness for High Risk Activities.

LIMITATIONS ON LIABILITIES

RBTI will not be responsible for any costs or damages associated with loss of the use of the Program or any other resources, loss of business or profits, any loss of data, any third-party claims or costs of substitute programs. In no event will RBTI be liable for any incidental, indirect, special, consequential or punitive damages suffered by the user or any other person or entity, whether from the use of the program or documentation, any failure thereof, or otherwise, even if RBTI or its dealers or agents are aware of the possibility of such damages. In no event will RBTI aggregate liability to you or anyone else exceed two times the license fee you paid for the program and documentation in this package. Because some states do not allow the limitation or exclusion of implied warranties and liabilities for consequential or incidental damages, the above limitations may not apply to you.

GENERAL

This License Agreement constitutes the full and complete agreement between parties. RBTI retains all rights not specifically granted herein. RBTI shall not be deemed to have waived any of its rights hereunder or under all copyright laws, trade secrecy laws or otherwise. This Agreement is intended as a legally binding agreement which will be enforced to the full extent permitted under applicable law, in whole or in part. If any one provision of this Agreement is declared invalid or unenforceable, all remaining provisions shall never less remain in effect. The laws of the state of Pennsylvania shall govern this Agreement. RBTI reserves the right to amend, alter, or revoke this agreement at any time. All revisions to this license agreement are available for inspection upon request, supersede conditions in all past agreements, and render prior license agreements void and unenforceable. Both parties named in this license will only be bound to the terms of the most current revision of this agreement.

U.S. GOVERNMENT RESTRICTED RIGHTS

Use, duplication or disclosure by the Government, its agents or employees is subject to all restrictions imposed by law, regulation or government directive, including but not limited to those restrictions set forth in DFARS 252.227-7013 and 48CFR 52.227-19, as applicable.

R:BASE Technologies, Inc.
<https://www.rbase.com>
rbaseinfo@rbase.com

Copyright 1982-2025 R:BASE Technologies, Inc.
All Rights Reserved
Revised Monday, July 07, 2025

1.4 Complimentary Support

30 DAY LIMITED COMPLIMENTARY TECHNICAL SUPPORT

A. LICENSEE RESPONSIBILITIES.

1. To help us expedite the process and provide high quality assistance, the licensee must provide proof of purchase. Proof of purchase is defined as the following: registration number, purchase date, version and build number, and company or individual to which product is registered.
2. To have operating system, workstations, and local network installed and functional. R:BASE Technologies will NOT be responsible for resolving issues not pertaining to the software product.
3. Our support staff deals with advanced issues, therefore the person contacting R:BASE Technologies for assistance should be the system administrator or have other R:BASE/SQL experience and be able to understand and implement the advice given.
4. To have the database, application, and command files being reviewed, safely backed-up before attempting assistance. R:BASE Technologies will NOT be held responsible for lost data or corruption as a result of advice given.


B. R:BASE TECHNOLOGIES, INC. RESPONSIBILITIES.

1. To provide quality assistance in a timely manner to aid in the installation of the product and elementary conversion of database, application, and command files within 30 days of the date of purchase.
2. To provide a reasonable solution for any solvable issue. Not all issues may be solved, and therefore we will acknowledge the existence of known issues, or bugs, which we are presently aware of, that have no reasonable work-around.

R:BASE Technologies reserves the right to limit the amount of support time allotted to a maximum of 2 HOURS during the 30-Day Complimentary Technical Support period. We also reserve the right to limit the quantity of calls from a particular licensee to 30 MINUTES in a single day. Issues are dealt with on a case-by-case basis, and are handled at the discretion of the support agent assigned to the case. Complimentary Support is limited to INSTALLATION and ELEMENTARY CONVERSION related issues ONLY. Our support hours are Monday through Friday, from 10:00 AM to 6:00 PM (EST).

For application, design, or advanced conversion assistance, R:BASE Technologies offers Technical Support Plans of various types to meet your needs. Please visit the Support page at <https://www.rbase.com/support> for details and pricing.

Part



2 Installation

2.1 System Requirements

The following system specifications are recommended for the optimal use of R:BASE and R:BASE-related software.

Workstation Hardware

- 2-Core 2GHz+ CPU
- 2 GB of available RAM (4 GB recommended)
- 2 GB of available hard disk space
- 1024x768 or higher resolution video adapter and display
- Standard mouse or compatible pointing device
- Standard keyboard

Server Hardware

- 2-Core 2GHz+ CPU
- 6 GB of available RAM (8 GB recommended)

Operating System

- Microsoft Windows 11 (Professional)
- Microsoft Windows 10 (Professional)
- Microsoft Windows Server 2025
- Microsoft Windows Server 2022
- Microsoft Windows Server 2019
- Microsoft Windows Server 2016

Network

- Ethernet infrastructure (Gigabyte recommended)
- Internet connection recommended, but not required, for license activation, software updates, and support
- Anti-virus programs should exclude the R:BASE program, and any add-on product, executable and database files

2.2 Things You Will Need

- License Key

Before launching the installer, it is recommended that you have your 32-character License Key readily available. The License Key is provided in a document, with the email message, when the software was originally purchased. If you have lost or misplaced your License Key, please contact our Support Staff by email at support@rbase.com.

- Internet Access

The computer where the software will be launched should have access to the Internet for activation. The Internet access is used to visit the R:BASE Technologies Web site to provide your required Activation Key.

In instances where the software will be installed on a computer that is not connected to the Internet, you must then contact R:BASE Technologies to provide information displayed on the computer screen. Please contact our Product Activation Staff by email at activationkey@rbase.com. The Registration Number must be provided. The Registration Number is displayed on the invoice/order slip, and within the email, when the software was originally purchased.

2.3 Software Installation

The installation of R:GAP is fully automated and does not require user intervention for the initial setup.

Run the installer ".exe", provided by download, while physically sitting at the workstation to begin the installation process, and read the installer screens for licensing and other information as the program installs.

Installation Directory

C:\RBTI\RGAP11

Files Installed

RGAP11.rbm
libeay32.dll
ssleay32.dll
RGAP11.chm
RGAP11.pdf
RGAP11.ico
License.rtf
ReadMe.txt

Requirements:

1. The R:GAP 11 Plugin file (RGAP11.rbm) must be placed in the R:BASE 11 program directory (default: C:\RBTI\RBG11) or the runtime/compiled application directory. The SSL DLLs (libeay32.dll, ssleay32.dll) must also be placed in the folder for Google authentication.
2. To display content, R:GAP uses MS Edge as the embedded browser, where the [WebView2 Runtime](#) must be downloaded and installed. WebView2 Runtime is an Edge installation that is designed for embedding the engine in third party applications (R:BASE/R:GAP). It recommended to download the Evergreen Standalone Installer (x86 installer). If you have Windows 11 (or higher) or MS Office installed, the WebView2 Runtime is likely already loaded. To check if WebView2 Runtime is installed, use the CHECK_WEBVIEW2 parameter with the GETPROPERTY command (below) at the R> Prompt. The "vWebView2Install" variable value will be either "OK" or "NOT FOUND".

```
GETPROPERTY APPLICATION CHECK_WEBVIEW2 'vWebView2Install'  
SHOW VAR vWebView2Install
```

3. The WebView2Loader.dll file must be located in the R:BASE program folder. For R:Compiler/Runtime for R:BASE use, the WebView2Loader.dll must be copied from the R:Compiler/Runtime for R:BASE program folder to the compiled/runtime application folder.

2.4 Plugin Activation

R:BASE Plugins can be used to enhance, or extend R:BASE operations. Current R:BASE Plugins use the .RBM file extension.


To begin using any plugin product, the plugin must be registered for use.

The license type for R:BASE and R:BASE plugin products must match. The license keys supplied with Single Seat and 5 Seat plugin products will only be accepted within Single Seat and 5 Seat versions of R:BASE, and are not accepted within R:Compiler for R:BASE or Runtime for R:BASE programs. The same license structure is also in place for Runtime License Keys for plugin products, where the key will not be accepted within Single Seat and 5 Seat Licenses R:BASE.


2.4.1 R:BASE

To begin using a plugin product, you must register the software within R:BASE by selecting "Help" > "Product Activation" from the main Menu Bar. In this window, select the "Add New" button where you can enter or copy and paste the License Key you received with your product.


Only "Per Seat" License Keys are valid for this entry screen. All "Runtime" License Keys must be registered within R:Compiler for R:BASE or within Runtime for R:BASE separately.

A dialog box titled "License Information" with a close button (X) in the top right corner. It contains a label "Enter License Key:" followed by a series of seven empty text boxes separated by hyphens. At the bottom, there are three buttons: "Paste" with a clipboard icon, "OK" with a green checkmark icon, and "Cancel" with a red X icon.


After entering the License Key, you will see a dialog to prompt for your activation method. The software can be activated automatically over the Internet, or manually by retrieving an Activation Key from R:BASE Technologies by email or over the phone. If you select "Later", you will be reminded each time R:BASE starts to activate your copy.

A dialog box titled "R:BASE Activation Wizard" with a close button (X) in the top right corner. It contains the text "Select activation method:" followed by three radio button options. The first option, "Automatic activation process (recommended)", is selected and includes a description: "It is the easiest and quickest way to activate your software. Make sure your Internet connection is established. The wizard will automatically activate the product." The second option is "Manual activation process" with the description: "Use this option if the automatic activation failed for any reason, or if you prefer to send an e-mail to obtain an Activation Key." The third option is "Activate later". At the bottom, there are three buttons: "< Back", "Next >", and "Cancel".

When activating the software manually, you select the e-mail link to launch your email client and send a pre-formatted message to R:BASE Technologies that will contain your License Key and the displayed Computer ID. You will need to provide your R:BASE Registration Number and Computer ID.



At any time, you can review your product information by starting R:BASE, and from the Menu Bar clicking on "Help" > "Product Activation". Your R:BASE Registration Number is displayed on the window. You can also enter additional License Keys for R:BASE add-on products.




Please be advised that if you are activating multiple workstations, it is highly recommended that you keep records of the computer name, Computer ID and Activation Key for future reference. Access to this information will prove convenient in the event of a hardware failure or license transfer when uninstalling R:BASE.

Please see: [Uninstall/Reinstall](#)

2.4.2 R:Compiler for R:BASE

Runtime License Key

Runtime license keys for an R:BASE Plugin must be stored within the compiled executable. A specific Runtime License Key would be provided after your purchase of the Runtime software product. Adding a Runtime License to your project can be done by selecting the "Add License" button, and pasting the appropriate Runtime License Key into the displayed dialog window.



After a Runtime License is added as a resource, it will be assigned a "Resource ID". This ID consists of the word "License" and an incrementing value for the number of licenses added to the executable.

Plugin File (.RBM)

R:BASE Plugin files can be added and stored within the compiled executable or included within the R:BASE application directory. The Runtime license key pertaining to the R:BASE Plugin must be stored in the compiled executable.

Adding a Plugin to the list of resources can be performed by selecting the "Add Plugin" button on the Tool Bar. You will be prompted to locate the appropriate Plugin file with the .RBM file extension. After a Plugin file is added as a resource, it will be assigned a "Resource ID". This ID consists of the Plugin file name.


2.4.3 Runtime for R:BASE

After R:BASE Plugins are acquired for Runtime for R:BASE applications, the Plugin file must be included in the Runtime application folder, to be loaded when the Runtime application launches.

To load the Plugin, the License Key must be included into the Runtime for R:BASE session by adding the following PROPERTY command within the application startup file:

```
PROPERTY ADD_LICENSE #####-#####-#####-#####-#####-#####-#####-##### ' '
```



Part



3 Uninstall


If a computer is no longer using R:GAP, through license transfer or hardware failure, the Activation Key that was used on that computer must be submitted to R:BASE Technologies so we can then remove the Activation Key from our log. We will disable the Key, which will then free up that used activation. Once a key is reported to us as no longer in use and deactivated, it can no longer be used on that computer.

Product deactivation can be performed automatically from within R:BASE. To review your product information select "Help" > "Product Activation" from the Menu Bar. Here, the License Key and Activation Key for a selected product is available for review.



If the License Key for your product is not readily available for the license transfer, select the "Copy License Key" button to send your License Key to the clipboard.

To deactivate a listed product, select it and press the "Deactivate" button. The below confirmation dialog will appear. After selecting "Yes", the product will be removed from the list.



After completing the deactivation of the product, it can be successfully reinstalled and activated.

Part

IV

4 Using R:GAP

R:GAP allows R:BASE users to access Google Apps; Calendar, Tasks, Drive, and People. Each of the Google applications requires an authorization token. Every Google account that uses R:GAP also has its own unique authorization token. The authorization token is read/set using a predefined variable name, which is assigned for each Google application.

Authorization Token Variables

Google Application	Variable Name
Calendar	GCALAUTH
Tasks	GTASKSAUTH
Drive	GDRIVEAUTH
People	GPEOPLEAUTH

Only two possible uses are intended for the authorization variables; a user is either logging on initially and entering the valid Google account information to acquire an authorization token, or a session is being authorized with an existing authorization token. If an authorization variable is empty or has an invalid value, then R:GAP will prompt the user for authorization. Once a Google account is used to authorize an R:GAP session, the unique token will be assigned to the authorization variable value. It is advised to save the value of the variable somewhere (e.g. table) for future use. The AUTHORIZE parameter is the method to set up the authorization in order to use the same authorization token in the future.


Google "Calendar" Authorization Example With No Token

```
SET VAR GCALAUTH TEXT
PLUGIN RGAP vResult|APP CALENDAR|AUTHORIZE
```

Google "People" Authorization Example With A Previous Token

```
SET VAR GPEOPLEAUTH TEXT =
'1/PMYlOc8Givhr8xhCteOhuXPjxayZ5Is36Ofejn7si4jMg'
PLUGIN RGAP vResult|APP PEOPLE|AUTHORIZE
```

If the intent is to prompt the user to authorize every R:GAP session, the AUTHORIZE command parameter can be ignored in the command routine. Below is what appears when a Google authorization is required.



Once the authorization is successful, store the value of authorization token variables for later use. R:GAP sets this variable after a successful authorization. Next, other plugin actions can be used to access Google applications.

Syntax:

```
PLUGIN RGAP vResultVar | APP <AppName> | <ActionName> | <param1> <value1> | ... |  
<paramn> <valuen>
```

Where:

vResultVar is the variable to hold the result, such as 'OK', an -ERROR- message, or the information from the Google application. vResultVar may need to be assigned to a larger capacity data type (e.g. VARCHAR, NOTE) for larger returned data.

AppName is the Google application to access, [CALENDAR](#) for Google Calendar, [TASKS](#) for Google Tasks, [DRIVE](#) for Google Drive, or [PEOPLE](#) for Google People.

ActionName is the action name which varies depending on the value of APP.

Notes:

- The vResultVar variable must be defined/declared before the PLUGIN command is used.
- The vResultVar variable name and parameters must be separated by the pipe character "|".

4.1 Google Calendar

R:GAP supports the ability to interact with several calendars, each calendar having its own set of events. The calendars can be a user's where it has full access or Google's where users have read-only access (e.g. Legal Holidays based on users location).

Syntax:

```
PLUGIN RGAP vResultVar|APP CALENDAR|CalanderAction|param1 value1|param2
value2|...|...|...|...
```

Where:

- The vResultVar variable name and parameters must be separated by the pipe character "|".
- If a command fails the vResultVar variable value will contain the error message.

Calendar Actions:

Action	Valid Parameters	Description
AUTHORIZE		Authorizes the R:GAP session to use Google Calendar. If a prior authorization token is not specified with the GCALAUTH variable, an authorization prompt will be displayed.
GET_CALENDAR_COUNT		Returns the number of calendars
GET_CALENDARS		Retrieve all calendars as CSV. The CSV values are formatted as follows: <i>ID,Name,Description,Location,TimeZone,ColorKey,Color,PublicAccessType,IsPrimary,IsReadOnly</i> * TimeZone is a read-only field
GET_CALENDAR	CALENDAR_ID	Retrieves a calendar as CSV, based upon a calendar ID. The CSV values are formatted as follows: <i>ID,Name,Description,Location,TimeZone,ColorKey,Color,PublicAccessType,IsPrimary,IsReadOnly</i> * TimeZone is a read-only field
EDIT_CALENDAR	CALENDAR_ID NAME DESCRIPTION LOCATION	Edits a calendar, based upon a calendar ID

	COLOR_KEY COLOR PUBLIC_ACCESS	
GET_EVENT_COUNT	CALENDAR_ID DATE_FROM DATE_TO	Retrieves the number of events in a calendar, based upon calendar ID . The event count can be filtered by date/time.
GET_EVENTS	CALENDAR_ID DATE_FROM DATE_TO	Retrieves the events in a calendar as CSV, based upon a calendar ID. The events can be filtered by date/time. The CSV values are formatted as follows: <i>ID,What,DateFrom,DateTo,AllDay,Where,Description,Privacy,Color,Reminders</i>
GET_EVENT	EVENT_ID CALENDAR_ID	Retrieves an event in a calendar as CSV, based upon event ID and calendar ID. The CSV values are formatted as follows: <i>ID,What,DateFrom,DateTo,AllDay,Where,Description,Privacy,Color,Reminders</i>
ADD_EVENT	CALENDAR_ID WHAT DATE_FROM DATE_TO ALL_DAY WHERE DESCRIPTION PRIVACY COLOR_KEY	Adds an event to a calendar. The returned value is the event ID. A date/time should be specified for the DATE_FROM and DATE_TO values.
EDIT_EVENT	EVENT_ID CALENDAR_ID WHAT DATE_FROM DATE_TO ALL_DAY WHERE DESCRIPTION PRIVACY COLOR_KEY	Edits a calendar event, based upon event ID and calendar ID. A date/time should be specified for the DATE_FROM and DATE_TO values.
DELETE_EVENT	EVENT_ID CALENDAR_ID	Deletes a calendar event, based upon event ID and calendar ID
ADD_REMINDER	EVENT_ID CALENDAR_ID METHOD	Adds a reminder to an event, based upon event ID, calendar ID, and method. The method is followed by the minutes prior to the event for the reminder to be sent. Several METHODS can be specified in one command, allowing for multiple methods of reminders to be established for an event. Multiple reminders are separated by a pipe (). Example: "EMAIL 15 POPUP 5 SMS 2"
DELETE_REMINDER	EVENT_ID CALENDAR_ID METHOD	Deletes a reminder for an event, based upon event ID, calendar ID, and method. Several METHODS can be specified in one command. Multiple reminders are separated by a pipe (). Example: "EMAIL 15 POPUP 5 SMS 2"

Parameters:

Parameter	Value	Description
CALENDAR_ID	value	Specifies the identifier for the calendar
NAME	value	Specifies a calendar name

DESCRIPTION	value	Specifies a possible description for calendars and events
LOCATION	value	Specifies a calendar location
COLOR_KEY	1-24 (calendars) 0-11 (events)	Specifies a Google predefined color key. If COLOR_KEY is set then COLOR is discarded. For events, use zero for COLOR_KEY to specify the event will use the calendar's current color.
COLOR	value	Specifies a RGB color as its integer value. If COLOR is set then COLOR_KEY is discarded.
PUBLIC_ACCESS	NONE FREE_BUSY_READING READING	Specifies the calendar's visibility to the public
DATE_FROM	value	Specifies a starting date/time value for the event
DATE_TO	value	Specifies a ending date/time value for the event
EVENT_ID	value	Specifies the identifier for an event
WHAT	value	Specifies the name of an event
ALL_DAY	ON OFF	Specifies if an event spans the entire day
WHERE	value	Specifies where an event will take place
PRIVACY	DEFAULT PUBLIC PRIVATE CONFIDENTIAL	Specifies the privacy for an event. Default follows the default value privacy setting for the calendar.
METHOD	POPUP EMAIL SMS	Specifies the method type for a reminder. The method is followed by the minutes prior to the event for the reminder to be sent. Multiple METHODS can be specified in one command, allowing for multiple methods for reminders to be established for an event. Multiple reminders are separated by the pipe character ().

Calendar Colors:



Events Colors:



Examples :

01. Authorize the R:GAP session to access Google Calendar for the user, using a prior authorization token:

```
SET VAR GCALAUTH TEXT = '1/PMY1Oc8Givhr8xhCteOhuXPjxayZ5Is36Ofejn7si4jMg'
PLUGIN RGAP vResult|APP CALENDAR|AUTHORIZE
```
02. Get the calendar count:

```
PLUGIN RGAP vResult|APP CALENDAR|GET_CALENDAR_COUNT
```
03. Get a calendar's details:


```
PLUGIN RGAP vResult|APP CALENDAR|GET_CALENDAR|CALENDAR_ID
#contacts@group.v.calendar.google.com
```

04. Edit an event:

```
PLUGIN RGAP vResult|APP CALENDAR|EDIT_EVENT|CALENDAR_ID
#contacts@group.v.calendar.google.com|EVENT_ID 9n0pioel31q8q3jsdkseh0dq7c|
WHAT Updated Meeting Details...|WHERE 3F Meeting Room
```

05. Get events for the month of May 2019:

```
PLUGIN RGAP vResult|APP CALENDAR|GET_EVENTS|CALENDAR_ID
#contacts@group.v.calendar.google.com|DATE_FROM 5/1/2019|DATE_TO 5/31/2019
```

06. Get events for the day of April 15, 2019:

```
PLUGIN RGAP vResult|APP CALENDAR|GET_EVENTS|CALENDAR_ID
#contacts@group.v.calendar.google.com|DATE_FROM 05/15/2019 9:00:00 AM|
DATE_TO 4/15/2019 5:00:00 PM
```

07. Add two reminders to an event; to send an email 30 minutes prior the event and send an SMS 5 minutes prior to event:

```
PLUGIN RGAP vResult|APP CALENDAR|ADD_REMINDER|CALENDAR_ID
#contacts@group.v.calendar.google.com|EVENT_ID 9n0pioel31q8q3jsdkseh0dq7c|
METHOD EMAIL 30|METHOD SMS 5
```

08. Remove the "SMS 5" reminder:

```
PLUGIN RGAP vResult|APP CALENDAR|DELETE_REMINDER|CALENDAR_ID
#contacts@group.v.calendar.google.com|EVENT_ID 9n0pioel31q8q3jsdkseh0dq7c|
METHOD SMS 5
```

4.2 Google Tasks

R:GAP supports multiple task lists, each having its own set of tasks. Tasks can be nested, meaning a task can have subtasks.

Syntax:

```
PLUGIN RGAP vResultVar|APP TASKS|TaskAction|param1 value1|param2 value2|
...|...|...|...
```

Where:

- The vResultVar variable name and parameters must be separated by the pipe character "|".
- If a command fails the vResultVar variable value will contain the error message.

Task Actions:

Action	Valid Parameters	Description
AUTHORIZE		Authorizes the R:GAP session to use Google Tasks. If a prior authorization token is not specified with the GTASKSAUTH variable, an authorization prompt will be displayed.
GET_LIST_COUNT		Retrieves the number of task lists
GET_LISTS		Retrieves all task lists as CSV. The CSV values are formatted as: <i>ID,Name</i>
GET_LISTS_NO_COUNT		Retrieves all task lists as CSV, without the number of tasks per list. The CSV values are

		formatted as: <i>ID,Name</i> This method is faster than GET_LISTS.
GET_LIST	LIST_ID	Retrieves all task lists as CSV, based upon a list ID. The CSV values are formatted as: <i>ID,Name</i>
GET_LIST_NO_COUNT	LIST_ID	Retrieves a task list as CSV, without the number of tasks, based upon the list ID. The CSV values are formatted as: <i>ID,Name</i> This method is faster than GET_LIST.
ADD_LIST	TITLE	Adds a task list, and specifies the title/name
EDIT_LIST	LIST_ID TITLE	Edits a list title, based upon a list ID
DELETE_LIST	LIST_ID	Deletes a list, based upon a list ID
GET_TASK_COUNT	LIST_ID DUE	Retrieves the number of tasks in a list, based upon a list ID. The tasks can be filtered by due date.
GET_TASKS	LIST_ID DUE	Retrieves the tasks in a list as CSV, based upon a list ID. The tasks can be filtered by due date. The CSV values are formatted as: <i>ID,Title,Due,Completed,Notes,ParentID</i>
GET_TASK	TASK_ID LIST_ID	Retrieves a task in a list as CSV, based upon a task ID and list ID. The CSV values are formatted as: <i>ID,Title,Due,Completed,Notes,ParentID</i>
ADD_TASK	LIST_ID TITLE DUE NOTES COMPLETED PARENT_TASK_ID	Adds a task to a list. The returned value is the task ID for the created task.
EDIT_TASK	TASK_ID LIST_ID TITLE DUE NOTES COMPLETED PARENT_TASK_ID	Edits a task based upon a task ID and list ID
DELETE_TASK	TASK_ID LIST_ID	Deletes a task based upon a task ID and list ID

Parameters:

Parameter	Value	Description
LIST_ID	value	Specifies the identifier for a list
TITLE	value	Specifies the name of a list, or title for a task
DUE	value	Specifies the date when a task is due
TASK_ID	value	Specifies the identifier for a task
NOTES	value	Specifies the notes for a task
COMPLETED	ON OFF	Specifies the completed state for a task

PARENT_TASK_ID	value	Specifies the parent task ID for a nested task. A task can become a subtask of any task (at any level) by setting this field to the (new) parent's Task ID.
----------------	-------	---

Examples :

01. Authorize the R:GAP session to access Google Tasks for the user, using a prior authorization token:
 SET VAR GTASKSAUTH TEXT = '1/PMY1Oc8Givhr8xhCteOhuXPjxayZ5Is36Ofejn7si4jMg'
 PLUGIN RGAP vResult|APP TASKS|AUTHORIZE

02. Get a task list's details:
 PLUGIN RGAP vResult|APP TASKS|GET_LIST|LIST_ID
 MDAwNzMyNzUyNTA1OTM4MDIyMDA6MDow

03. Edit a task:
 PLUGIN RGAP vResult|APP TASKS|EDIT_TASK|LIST_ID
 MDAwNzMyNzUyNTA1OTM4MDIyMDA6MDow|TASK_ID
 MDAwNzMyNzUyNTA1OTM4MDIyMDA6MDoxNDE0Mzc5MTc0|TITLE Update Meeting Details|
 DUE 05/20/2017

04. Move a task under another task (as a subtask):
 PLUGIN RGAP vResult|APP TASKS|EDIT_TASK|LIST_ID
 MDAwNzMyNzUyNTA1OTM4MDIyMDA6MDow|PARENT_TASK_ID
 MDAwNzMyNzUyNTA1OTM4MDIyMDA6MDoxNjM5MDgxMTcz

4.3 Google Drive

R:GAP identifies files and folders by ID, not by name. It is allowed to have multiple folders or files with the same name in the same level.

Syntax:

```
PLUGIN RGAP vResultVar|APP DRIVE|DriveAction|param1 value1|param2
value2|...|...|...|...
```

Where:

- The vResultVar variable name and parameters must be separated by the pipe character "|".
- If a command fails the vResultVar variable value will contain the error message.

Drive Actions:

Action	Valid Parameters	Description
AUTHORIZE		Authorizes the R:GAP session to use Google Drive. If a prior authorization token is not specified with the GDRIVEAUTH variable, an authorization prompt will be displayed.
GET_DRIVE_INFO		Retrieves drive information as CSV. The CSV values are formatted as: <i>RootFolderID,Quota, QuotaUsed,QuotaUsedInTrash</i>
GET_ROOT_FOLDER_ID		Retrieves the root folder ID
SCAN_FOLDER	FOLDER_ID RECURSIVE FOLDERS_ONLY	Retrieves the list of files and folders as CSV, for a given folder ID. The CSV values are formatted as:

	BARE	<p><i>ID,FileOrDir,Name,Type,Size,ModifiedDate,ParentID</i></p> <p>Note: IDs and Parent IDs can be very long and can easily exceed the variable's capacity. Use the BARE option to reduce the result to basic data, where the CSV values are formatted as:</p> <p><i>ID,FileOrDir,Name,ParentID</i></p> <p>* <i>FileOrDir</i> = F for File and D for Directory</p>
CREATE_FOLDER	FOLDER_NAME PARENT_FOLDER_ID	Creates a folder. The returned value is the folder ID for the created folder.
UPLOAD_FILE	FILE_NAME FOLDER_ID SHOW_PROGRESS	Uploads a local file name to a folder ID where the file will be stored. The returned value is the file ID of the uploaded file.
UPDATE_FILE	FILE_NAME FILE_ID SHOW_PROGRESS	Replaces an existing file, based upon a file ID of the file to be replaced. Any local file can be used. Only the contents will be replaced, not the file name. If successful, the value "OK" is returned.
DOWNLOAD_FILE	FILE_ID LOCAL_DESTINATION SHOW_PROGRESS	Downloads a file based upon the file ID of file to be downloaded. The returned value is the full path of the local file if successful.
SHARE	FILE_ID TYPE	Specifies to share or unshare a file/folder, based upon file/folder ID. Returns a URL for the file if sharing was successful or "OK" if unsharing was successful.
RENAME	FILE_ID NEW_FILE_NAME	Renames a file/folder based upon file/folder ID. If successful, the value "OK" is returned.
MOVE	FILE_ID FOLDER_ID	Moves a file/folder based upon file/folder ID. If successful, the value "OK" is returned.
COPY	FILE_ID FOLDER_ID	Copies a file/folder based upon file/folder ID. If successful, the File ID of the copied file is returned.
DELETE	FILE_ID DELETE_TYPE	Deletes a file/folder based upon file/folder ID. If successful, the value "OK" is returned.
GET_INFO	FILE_ID BARE	<p>Retrieves the file/folder information as CSV, based upon file/folder ID. The CSV values are formatted as:</p> <p><i>ID,FileOrDir,Name,Type,Size,ModifiedDate,ParentID</i></p> <p>Note: IDs and Parent IDs can be very long and can easily exceed the variable's capacity. Use the BARE option to reduce the result to basic data, where the CSV values are formatted as:</p> <p><i>ID,FileOrDir,Name,ParentID</i></p> <p>* <i>FileOrDir</i> = F for File and D for Directory</p>
RESET_DATE	FILE_ID MODIFIED_DATE	Update the modified date of a file/folder based upon file/folder ID. If successful, the value "OK" is returned.

Parameters:

Parameter	Value	Description
FOLDER_ID	value	Specifies a folder ID. An empty values means a root folder.
RECURSIVE	ON OFF	Specifies to scan in subfolders

FOLDERS_ONLY	ON OFF	Specifies to return folders only, no files
BARE	ON OFF	Specifies to return bare (limited) information, dropping the columns type, size, and modified date
PARENT_FOLDER_ID	value	Specifies a folder ID where to create the folder. An empty values means a root folder.
FOLDER_NAME	value	Specifies a folder name
FILE_NAME	value	Specifies the local file name of a file to be uploaded/downloaded. The uploaded file will have the same name.
SHOW_PROGRESS	ON OFF	Specifies to display the progress dialog. The progress dialog allows canceling the file transfer.
LOCAL_DESTINATION	value	Specifies the local file name for a downloaded file
TYPE	NONE READ_ONLY FULL	Specifies the share type. To unshare a file/folder, use NONE.
NEW_FILE_NAME	value	Specifies a new name for the file/folder
DELETE_TYPE	TRASH (Default) ERASE	Specifies the delete type. TRASH moves the file to the trash bin. ERASE deletes the file permanently.
MODIFIED_DATE	value	Specifies a new date/time for a modified date

Examples:

01. Authorize the R:GAP session to access Google Drive for the user, using a prior authorization token:
 SET VAR GDRIVEAUTH TEXT = '1/PMY10c8Givhr8xhCteOhuXPjxayZ5Is36Ofejn7si4jMg'
 PLUGIN RGAP vResult|APP DRIVE|AUTHORIZE

02. Get folders in root drive. The same call can be used for each Folder ID returned to fully scan the drive:
 PLUGIN RGAP vResult|APP DRIVE|SCAN_FOLDER|FOLDERS_ONLY ON|BARE ON|RECURSIVE OFF

03. Upload a file to a folder and show the progress window:
 PLUGIN RGAP vResult|APP DRIVE|UPLOAD_FILE|FILE_NAME C:\FOLDER\FILE.TXT|
 FOLDER_ID 0B28Tim55MOA9ZzdoVmJTb0Y1Z0U|SHOW_PROGRESS ON

04. Download a file to a folder and show the progress window:
 PLUGIN RGAP vResult|APP DRIVE|DOWNLOAD_FILE|FILE_ID
 0B28Tim55MOA9WEQ1cVRUTGNnOUk|LOCAL_DESTINATION C:\FOLDER\FILE.TXT|
 SHOW_PROGRESS ON

05. Share to public as read-only file:
 PLUGIN RGAP vResult|APP DRIVE|SHARE|FILE_ID 0B28Tim55MOA9WEQ1cVRUTGNnOUk|
 TYPE READ_ONLY

06. Unshare to public as read-only file:
 PLUGIN RGAP vResult|APP DRIVE|SHARE|FILE_ID 0B28Tim55MOA9WEQ1cVRUTGNnOUk|
 TYPE NONE

07. Delete a file permanently:
 PLUGIN RGAP vResult|APP DRIVE|DELETE|FILE_ID 0B28Tim55MOA9WEQ1cVRUTGNnOUk|
 DELETE_TYPE ERASE

4.4 Google People

R:GAP features people and groups. A person can have no group or be on multiple groups. When a person is added, it defaults to the 'My People' group. The 'My Contacts' group is a system group and can't be renamed.

Syntax:

```
PLUGIN RGAP vResultVar|APP PEOPLE|PeopleAction|param1 value1|param2
value2|...|...|...|...
```

Where:

- The vResultVar variable name and parameters must be separated by the pipe character "|".
- If a command fails the vResultVar variable value will contain the error message.

People Actions:

Action	Valid Parameters	Description
AUTHORIZE		Authorizes the R:GAP session to use Google Contacts. If a prior authorization token is not specified with the GPEOPLEAUTH variable, an authorization prompt will be displayed.
GET_GROUP_COUNT		Retrieves the number of groups
GET_GROUPS		Retrieves all groups as CSV. The CSV values are formatted as: <i>ID,Name,SystemGroup,MyContactsGroup,ContactCount</i> * SystemGroup (Y/N) created by Google and read-only * MyContactsGroup (Y/N) 'Y' is "My Contacts" group
GET_GROUPS_NO_COUNT		Retrieves groups as CSV, without the number of contacts in the group. The CSV values are formatted as: <i>ID,Name,SystemGroup,MyContactsGroup</i> * SystemGroup (Y/N) created by Google and read-only * MyContactsGroup (Y/N) 'Y' is "My Contacts" group
GET_GROUP	GROUP_ID	Retrieves a group as CSV, based upon a group ID. The CSV values are formatted as: <i>ID,Name,SystemGroup,MyContactsGroup,ContactCount</i> * SystemGroup (Y/N) created by Google and read-only * MyContactsGroup (Y/N) 'Y' is "My Contacts" group
GET_GROUP_NO_COUNT	GROUP_ID	Retrieves a group as CSV without the number of contacts in the

		<p>group, based upon a group ID. The CSV values are formatted as:</p> <p><i>ID,Name,SystemGroup,MyContactsGroup</i></p> <p>* SystemGroup (Y/N) created by Google and read-only * MyContactsGroup (Y/N) 'Y' is "My Contacts" group</p>
ADD_GROUP	NAME	Adds a group. The group ID is returned if successful.
EDIT_GROUP	GROUP_ID NAME	Edits a group name based upon a group ID
DELETE_GROUP	GROUP_ID	Delete a group based upon a group ID, which does not delete the associated contacts
GET_CONTACT_COUNT	GROUP_ID	Retrieves the number of contacts. The group ID is optional, which limits the result to contacts for a group ID, if specified.
GET_CONTACTS	GROUP_ID	<p>Retrieves contacts as CSV. The group ID is optional, which limits the result to contacts for a group ID, if specified. The CSV values are formatted as:</p> <p><i>ID,FirstName,LastName,FullName,Mobile,Phone,EMail,Address,City,State,Postal,Country,FormattedAddress,ICQ,MSN,WebPage,Birthday,Company,JobTitle,BusinessFax,BusinessPhone,BusinessEMail,BusinessWebPage,BusinessAddress,BusinessCity,BusinessState,BusinessPostal,BusinessCountry,BusinessFormattedAddress,BusinessMobile,Notes,UserFieldsCsv*,EventsCsv*,PhonesCsv*,EmailsCsv*,WebPagesCsv*,IMsCsv*</i></p>
GET_CONTACTS_ID_ONLY	GROUP_ID	Retrieves the contact IDs only, based upon a group ID. People info can be very long strings. With this function user can get the IDs then fetch each contact individually (using GET_CONTACT). The group ID is optional. If specified, the contact results are limited to the given group.
GET_CONTACT	CONTACT_ID	<p>Retrieves contact details in CSV format. The CSV values are formatted as:</p> <p><i>ID,FirstName,LastName,FullName,Mobile,Phone,EMail,Address,City,State,Postal,Country,FormattedAddress,ICQ,MSN,WebPage,Birthday,</i></p>

		Company,JobTitle, BusinessFax,BusinessPhone, BusinessEMail, BusinessWebPage, BusinessAddress, BusinessCity, BusinessState, BusinessPostal, BusinessCountry, BusinessFormattedAddress, BusinessMobile,Notes, UserFieldsCsv*,EventsCsv*, PhonesCsv*,EmailsCsv*, WebPagesCsv*,IMsCsv*
ADD_CONTACT	FIRST_NAME LAST_NAME FULL_NAME MOBILE PHONE EMAIL ADDRESS CITY STATE POSTAL COUNTRY FORMATTED_ADDRESS ICQ MSN WEB_PAGE BIRTHDAY COMPANY JOB_TITLE BUSINESS_FAX BUSINESS_PHONE BUSINESS_EMAIL BUSINESS_WEB_PAGE BUSINESS_ADDRESS BUSINESS_CITY BUSINESS_STATE BUSINESS_POSTAL BUSINESS_COUNTRY BUSINESS_FORMATTED_ADDRESS BUSINESS_MOBILE NOTES	Adds a contact. The contact ID is returned if successful.
EDIT_CONTACT	CONTACT_ID FIRST_NAME LAST_NAME FULL_NAME MOBILE PHONE EMAIL ADDRESS CITY STATE POSTAL COUNTRY FORMATTED_ADDRESS ICQ MSN WEB_PAGE BIRTHDAY COMPANY JOB_TITLE BUSINESS_FAX	Edits a contact, based upon a contact ID

	BUSINESS_PHONE BUSINESS_EMAIL BUSINESS_WEB_PAGE BUSINESS_ADDRESS BUSINESS_CITY BUSINESS_STATE BUSINESS_POSTAL BUSINESS_COUNTRY BUSINESS_FORMATTED_ADDRESS BUSINESS_MOBILE NOTES	
DELETE_CONTACT	CONTACT_ID	Deletes a contact, based upon a contact ID
ADD_USER_FIELD	CONTACT_ID FIELD_NAME VALUE	Adds a user defined name/value pair to a contact
DELETE_USER_FIELD	CONTACT_ID FIELD_NAME	Deletes a user defined name based upon a contact ID and name
ADD_EVENT	CONTACT_ID EVENT_NAME DATE	Adds an event/date pair to a contact
DELETE_EVENT	CONTACT_ID EVENT_NAME	Deletes an event/date pair
ADD_PHONE	CONTACT_ID PHONE_TYPE NUMBER	Adds a phone type/number pair to a contact
DELETE_PHONE	CONTACT_ID PHONE_TYPE	Deletes a phone type/number pair
ADD_EMAIL	CONTACT_ID EMAIL_TYPE ADDRESS	Adds an email type/address pair to a contact
DELETE_EMAIL	CONTACT_ID EMAIL_TYPE	Deletes an email type/address pair
ADD_WEB_PAGE	CONTACT_ID PAGE_TYPE ADDRESS	Adds a page type/address pair to a contact
DELETE_WEB_PAGE	CONTACT_ID PAGE_TYPE	Deletes a page type/address pair
ADD_IM	CONTACT_ID IM_TYPE ADDRESS	Adds a Instant Messaging (IM) type/address pair to a contact
DELETE_IM	CONTACT_ID PAGE_TYPE	Deletes a Instant Messaging (IM) type/address pair
GET_CONTACT_GROUPS	CONTACT_ID	Retrieves the Group IDs as CSV where the contact belongs
ADD_TO_GROUP	CONTACT_ID GROUP_ID	Adds a contact to a group (or groups). The group ID can appear multiple times in the command to specify multiple groups.
REMOVE_FROM_GROUP	CONTACT_ID GROUP_ID	Remove a contact from a group (or groups). The group ID can appear multiple times in the command to specify multiple groups.
GET_PHOTO	CONTACT_ID FILE_NAME	Saves the contact's photo to a local file
SET_PHOTO	CONTACT_ID FILE_NAME	Assigns a photo to the contact
DELETE_PHOTO	CONTACT_ID	Deletes a photo for a contact

* UserFieldsCsv = Name1,Value1,Name2,Value2,Name3,Value3,Name4,Value4,...NameN,ValueN

* EventsCsv = Name1,Date1,Name2,Date2,Name3,Date3,Name4,Date4,...NameN,DateN

* PhonesCsv =

Type1,Number1,Type2,Number2,Type3,Number3,Type4,Date4,...TypeN,NumberN

* EmailsCsv =
 Type1,Address1,Type2,Address2,Type3,Address3,Type4,Address4,...TypeN,AddressN
 * WebPagesCsv =
 Type1,Address1,Type2,Address2,Type3,Address3,Type4,Address4,...TypeN,AddressN
 * IMsCsv =
 Type1,Address1,Type2,Address2,Type3,Address3,Type4,Address4,...TypeN,AddressN

Parameters:

Parameter	Value	Description
GROUP_ID	value	Specifies the group ID
NAME	value	Specifies the group name
CONTACT_ID	value	Specifies the contact ID
FIRST_NAME	value	Specifies the contact's first name
LAST_NAME	value	Specifies the contact's last name
FULL_NAME	value	Specifies the contact's full name
MOBILE	value	Specifies the contact's mobile phone number
PHONE	value	Specifies the contact's phone number
EMAIL	value	Specifies the contact's email address
ADDRESS	value	Specifies the contact's address
CITY	value	Specifies the contact's city
STATE	value	Specifies the contact's state
POSTAL	value	Specifies the contact's postal (zip) code
COUNTRY	value	Specifies the contact's country
FORMATTED_ADDRESS	value	Specifies the contact's formatted address
ICQ	value	Specifies the contact's ICQ number
MSN	value	Specifies the contact's info
WEB_PAGE	value	Specifies the contact's web page
BIRTHDAY	value	Specifies the contact's birthday
COMPANY	value	Specifies the contact's company/employer
JOB_TITLE	value	Specifies the contact's job title
BUSINESS_FAX	value	Specifies the contact's business fax
BUSINESS_PHONE	value	Specifies the contact's business phone number
BUSINESS_EMAIL	value	Specifies the contact's business email address
BUSINESS_WEB_PAGE	value	Specifies the contact's business web page
BUSINESS_ADDRESS	value	Specifies the contact's business address
BUSINESS_CITY	value	Specifies the contact's business city
BUSINESS_STATE	value	Specifies the contact's business state
BUSINESS_POSTAL	value	Specifies the contact's business postal (zip) code
BUSINESS_COUNTRY	value	Specifies the contact's business country
BUSINESS_FORMATTED_ADDRESS	value	Specifies the contact's formatted business address
BUSINESS_MOBILE	value	Specifies the contact's business mobile phone number
NOTES	value	Specifies notes for the contact
FIELD_NAME	value	Specifies the name portion of the contact's user defined name/value pair
VALUE	value	Specifies the value portion of the contact's user defined name/value pair
EVENT_NAME	value	Specifies the event portion of the contact's event/date pair
DATE	value	Specifies the date portion of the contact's event/date pair
PHONE_TYPE	ASSISTANT CALLBACK CAR	Specifies a phone type

	COMPANY_MAIN FAX HOME HOME_FAX ISDN MAIN MOBILE OTHER OTHER_FAX PAGER RADIO TELEX TTYTDD WORK WORK_FAX WORK_MOBILE WORK_PAGER CUSTOM For CUSTOM, format should be CUSTOM <CustomTypeName >	
NUMBER	value	Specifies a phone number
EMAIL_TYPE	HOME OTHER WORK CUSTOM For CUSTOM, format should be CUSTOM <CustomTypeName >	Specifies an email type
ADDRESS	value	Specifies an email/web/IM address
PAGE_TYPE	HOME_PAGE BLOG PROFILE HOME WORK OTHER FTP CUSTOM For CUSTOM, format should be CUSTOM <CustomTypeName >	Specifies an web address type
IM_TYPE	AIM MSN YAHOO SKYPE QQ GOOGLE_TALK ICQ JABBER	Specifies an instant message type
FILE_NAME	value	Specifies a file name

Examples

01. Authorize the R:GAP session to access Google People for the user, using a prior authorization token:

```
SET VAR GPEOPLEAUTH TEXT =
'1/PMY1Oc8Givhr8xhCteOhuXPjxayZ5Is36Ofejn7si4jMg'
PLUGIN RGAP vResult|APP PEOPLE|AUTHORIZE
```

02. Get CSV of groups:

```
PLUGIN RGAP vResult|APP PEOPLE|GET_GROUPS
```

03. Get all contacts:

```
PLUGIN RGAP vResult|APP PEOPLE|GET_CONTACTS
```

04. Get contacts in a specific group:

```
PLUGIN RGAP vResult|APP PEOPLE|GET_PEOPLE|GROUP_ID
http://www.google.com/m8/feeds/groups/johndoe%
40domain.com/base/13665258085fc7e1
```

05. Add a contact to multiple groups:

```
PLUGIN RGAP vResult|APP PEOPLE|ADD_TO_GROUP|CONTACT_ID
http://www.google.com/m8/feeds/contacts/johndoe%
40domain.com/full/6500a6fe0a2f8cd3|GROUP_ID
http://www.google.com/m8/feeds/groups/johndoe%
40domain.com/base/13665258085fc7e1|GROUP_ID
http://www.google.com/m8/feeds/groups/johndoe%
40domain.com/base/7ea516d98d1d8ba4
```

06. Add a user defined to a contact:

```
PLUGIN RGAP vResult|APP PEOPLE|ADD_USER_FIELD|CONTACT_ID
http://www.google.com/m8/feeds/contacts/johndoe%
40domain.com/full/6500a6fe0a2f8cd3|FIELD_NAME Preferred Communication|VALUE
Email or SMS
```

07. Delete a user defined field:

```
PLUGIN RGAP vResult|APP PEOPLE|DELETE_USER_FIELD|CONTACT_ID
http://www.google.com/m8/feeds/contacts/johndoe%
40domain.com/full/6500a6fe0a2f8cd3|FIELD_NAME Preferred Communication
```

08. Add a custom phone number to a contact:

```
PLUGIN RGAP vResult|APP PEOPLE|ADD_PHONE|CONTACT_ID
http://www.google.com/m8/feeds/contacts/johndoe%
40domain.com/full/6500a6fe0a2f8cd3|PHONE_TYPE CUSTOM Parking Area|NUMBER
1231231234
```

09. Set a contact's photo:

```
PLUGIN RGAP vResult|APP PEOPLE|SET_PHOTO|CONTACT_ID
http://www.google.com/m8/feeds/contacts/johndoe%
40domain.com/full/6500a6fe0a2f8cd3|FILE_NAME C:\TEMP\PIC.JPG
```

10. Delete a contact's photo:

```
PLUGIN RGAP vResult|APP PEOPLE|DELETE_PHOTO|CONTACT_ID
http://www.google.com/m8/feeds/contacts/johndoe%
40domain.com/full/6500a6fe0a2f8cd3
```

Part



V

5 Technical Support

Please read over the help documentation at least once before seeking support. We have worked very hard to make the help documentation clear and useful, but concise. It is suggested that you reread these instructions once you have become accustomed to using the software, as new uses will become apparent.

If you have further questions, and cannot find the answers in the documentation, you can obtain information from the below sources:

- Email our Technical Support Staff at: support@rbase.com
- Access the R:BASE Technologies Support home page online at <https://www.rbase.com/support>

You may be required to purchase a technical support plan. Several support plans are available to suit the needs of all users. [Available Technical Support Plans](#)

Please be prepared to provide the following:

- The product registration number, which is located on the invoice/order slip for the purchased product
- The type of operating system and hardware in use
- Details regarding your operating environment; such as available memory, disk space, your version of R:BASE, local area network, special drivers, related database structures, application files, and other files that are used or accessed by your application

All provide information will be used to better assist you.

R:BASE Technologies has a number of different services available for R:BASE products. As a registered user, you will receive information about new features for R:BASE and other R:BASE Technologies products. Please remember to register your software. <https://www.rbase.com/register/>

Part

VI

6 Useful Resources

- . R:BASE Home Page: <https://www.rbase.com>
- . Up-to-Date R:BASE Updates: <https://www.rbaseupdates.com>
- . Current Product Details and Documentation: <https://www.rbase.com/rbg11>
- . Support Home Page: <https://www.rbase.com/support>
- . Product Registration: <https://www.rbase.com/register>
- . Official R:BASE Facebook Page: <https://www.facebook.com/rbase>
- . Sample Applications: <https://www.razzak.com/sampleapplications>
- . Technical Documents (From the Edge): <https://www.razzak.com/fte>
- . Education and Training: <https://www.rbase.com/training>
- . Product News: <https://www.rbase.com/news>
- . Upcoming Events: <https://www.rbase.com/events>
- . R:BASE Online Help Manual: <https://www.rbase.com/support/rsyntax>
- . Form Properties Documentation: <https://www.rbase.com/support/FormProperties.pdf>
- . R:BASE Beginners Tutorial: <https://www.rbase.com/support/rtutorial>
- . R:BASE Solutions (Vertical Market Applications): <https://www.rbase.com/products/rbasesolutions>

Part

VII

7 Feedback

Suggestions and Enhancement Requests:

From time to time, everyone comes up with an idea for something they'd like a software product to do differently.

If you come across an idea that you think might make a nice enhancement, your input is always welcome.

Please submit your suggestion and/or enhancement request to the R:BASE Developers' Corner Crew (R:DCC) and describe what you think might make an ideal enhancement. In R:BASE, the R:DCC Client is fully integrated to communicate with the R:BASE development team. From the main menu bar, choose "Help" > "R:DCC Client". If you do not have a login profile, select "New User" to create one.

If you have a sample you wish to provide, have the files prepared within a zip archive prior to initiating the request. You will be prompted to upload any attachments during the submission process.

Unless additional information is needed, you will not receive a direct response. You can periodically check the status of your submitted enhancement request.

If you are experiencing any difficulties with the R:DCC Client, please send an e-mail to rdcc@rbase.com.

Reporting Bugs:

If you experience something you think might be a bug, please report it to the R:BASE Developers' Corner Crew. In R:BASE, the R:DCC Client is fully integrated to communicate with the R:BASE development team. From the main menu bar, choose "Help" > "R:DCC Client". If you do not have a login profile, select "New User" to create one.

You will need to describe:

- What you did, what happened, and what you expected to happen
- The product version and build
- Any error message displayed
- The operating system in use
- Anything else you think might be relevant

If you have a sample you wish to provide, have the files prepared within a zip archive prior to initiating the bug report. You will be prompted to upload any attachments during the submission process.

Unless additional information is needed, you will not receive a direct response. You can periodically check the status of your submitted bug.

If you are experiencing any difficulties with the R:DCC Client, please send an e-mail to rdcc@rbase.com.

Index

- A -

activate 12, 13
Activation Key 13, 18
address 30
administrator 12
authorization 20, 25
authorize 20, 22, 27, 30

- B -

bare 27
business 30

- C -

calendar 22
color 22
color key 22
command 20
company 30
completed 25
Computer ID 13
copy 27
copyright 5
create 27
CSV 22, 25, 27, 30

- D -

date 22
deactivation 18
delete 27
Description 20
download 27
drive 27
due 25

- E -

email 30
event 22, 30

- F -

feedback 42

- G -

group 30

- I -

identifier 25
install 13
intro 5

- K -

key, activation 12
key, license 12

- L -

license 6, 12
License Key 13, 16, 18
license transfer 18
list 25
local 27
location 22

- M -

modified date 27
move 27

- N -

notes 25

- P -

page 30
Parameter 20
parent task 25
people 30
permission 12

phone 30
photo 30
PLUGIN 20
Plugin File 16
privacy 22
progress 27
PROPERTY 16

user 30
User Access Control 12

- V -

Value 20

- R -

R:Compiler 16
register 13
registration number 12
reminder 22
rename 27
replace 27
reset date 27
retrieve 27
Return Value 20
root folder 27
Runtime 16

- S -

scan 27
share 27
share type 27
subfolder 27
support 10, 12
syntax 20
system requirements 12

- T -

task 25
task list 25
title 25
token 20
trash 27

- U -

UAC 12
Uninstall 18
unshare 27
update 27
upload 27

