

# R:WEB Gateway 11



## Help Manual



# **R:WEB Gateway 11**

**Manual**

---

*by R:BASE Technologies, Inc.*

*Automating Your Web Data Import/Export Requirements!*

# Table of Contents

<b>Part I Introduction</b>	<b>5</b>
1 Introducing R:WEB Gateway 11 .....	6
2 Copyrights .....	6
3 License .....	7
4 Complimentary Support .....	10
<b>Part II Installation</b>	<b>11</b>
1 System Requirements .....	12
2 Software Installation .....	12
<b>Part III Command Syntax</b>	<b>13</b>
1 EXPORT .....	14
DB (Paradox) .....	15
DBF (dBASE) .....	16
CSV (Comma Separated Values) .....	17
FIX (Fixed Width) .....	19
HTM (HTML) .....	20
XLS (MS Excel Spreadsheet) .....	22
XLSW (MS Excel Workbook) .....	24
DOC (MS Word Document) .....	27
TAB (Tab Separated Values) .....	28
SLK (Symbolic Link) .....	30
DIF (Data Interchange Format) .....	31
WK1 (Lotus) .....	32
WQ1 (QuattroPro) .....	34
SQL (SQL Script) .....	35
XML (Extended Markup Language) .....	37
RTF (Rich Text Format) .....	38
SAV (SPSS Format) .....	40
PDF (Adobe Acrobat Portable Document) .....	41
LDIF (Data Interchange Format) .....	42
JSON (JavaScript Object Notation) .....	43
ODT (OpenOffice Text Document) .....	45
2 IMPORT .....	46
DB (Paradox) .....	47
DBF (dBASE) .....	48
ASCII Text (*.txt, *.csv, *.tab) .....	49
XLS (MS Excel) .....	51
WKS (Lotus 1-2-3) .....	53
HTM (HTML) .....	54
WKQ (QuattroPro) .....	56
XML (Extended Markup Language) .....	57
MDB (MS Access) .....	58

JSON (JavaScript Object Notation) .....	60
ODS (OpenOffice Spreadsheet) .....	61
<b>Part IV Technical Support</b>	<b>63</b>
<b>Part V Useful Resources</b>	<b>65</b>
<b>Part VI Feedback</b>	<b>67</b>
<b>Index</b>	<b>69</b>

**Part**



# 1 Introduction

## 1.1 Introducing R:WEB Gateway 11

Using R:WEB Gateway, all of your R:BASE table data can be made available locally through an Intranet, or the Internet.

You can automate the entire task of providing desired data formats to your end-users and/or clients from any location where they have Internet access. To use R:WEB Gateway, define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

There are NO limits on importing and exporting numerous records into and out of R:BASE databases with R:WEB Gateway.

This innovative product can be used with any program, such as ASP, ASP.NET, C#, Visual Basic, ColdFusion, JSP, Perl, PHP, or Servlets without R:BASE installed on your workstation or web server.

## 1.2 Copyrights

Information in this document, including URL and other Internet web site references, is subject to change without notice. The example companies, individuals, products, organizations and events depicted herein are completely fictitious. Any similarity to a company, individual, product, organization or event is completely unintentional. R:BASE Technologies, Inc. shall not be liable for errors contained herein or for incidental consequential damages in connection with the furnishing, performance, or use of this material. This document contains proprietary information, which is protected by copyright. Complying with all applicable copyright laws is the responsibility of the user. Without limiting the rights under copyright, no part of this document may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written consent of R:BASE Technologies, Inc. We reserve the right to make changes from time to time in the contents hereof without obligation to notify any person of such revision or changes. We also reserve the right to change the specification without notice and may therefore not coincide with the contents of this document. The manufacturer assumes no responsibilities with regard to the performance or use of third party products.

Products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

The software described in this document is furnished under a license agreement. The software may be used or copied only in accordance with the terms of that agreement. Any unauthorized use or duplication of the software is forbidden.

R:BASE Technologies, Inc. may have patents, patent applications, trademarks, copyrights, or other intellectual property rights covering subject matter in this document. Except as expressly provided in any written license agreement from R:BASE Technologies, Inc., the furnishing of this document does not give you any license to these patents, trademarks, copyrights, or other intellectual property.

### Trademarks

R:BASE®, Oterro®, RAdmin®, R:Scope®, R:Mail®, R:Charts®, R:Spell Checker®, R:Docs®, R:BASE Editor®, R:BASE Plugin Power Pack®, R:Style®, RBZip®, R:Mail Editor®, R:BASE Dependency Viewer®, R:Archive®, R:Chat®, R:PDF Form Filler®, R:FTPClient®, R:SFTPClient®, R:PDFWorks®, R:Magellan®, R:WEB Reports®, R:WEB Gateway®, R:PDFMerge®, R:PDFSearch®, R:Documenter®, RBInstaller®, RBUpdater®, R:AmazonS3®, R:GAP®, R:Mail Viewer®, R:Capture®, R:Synchronizer®, R:Biometric®, R:CAD Viewer®, R:DXF®, R:Twain2PDF®, R:Tango®, R:Scheduler®, R:Scribbler®, R:SmartSig®, R:OutLink®, R:HASH®, R:JobTrack®, R:TimeTrack®, R:Manufacturing®, R:GeoCoder®, R:Code®, R:Fax®, R:QBDataDirect®, R:QBSynchronizer®, R:QBDBExtractor®, and Pocket R:BASE® are trademarks or registered trademarks of R:BASE Technologies, Inc. All Rights Reserved. All other brand, product names, company names and logos are trademarks or registered trademarks of their respective companies.

Windows, Windows 11-10, Windows Server 2022-2012, Bing Maps, Word, Excel, Access, SQL Server, and Outlook are registered trademarks of Microsoft Corporation. OpenOffice is a registered trademark of the Apache Software Foundation.

Printed: April 2024 in Murrysville, PA

First Edition

## 1.3 License

### R:BASE TECHNOLOGIES, INC. LICENSE AGREEMENT

#### R:WEB Gateway 11 Single Server License

This is a legal agreement between you, the end user ("**Licensee**"), and R:BASE Technologies, Inc. ("**RBTI**"). Please read the terms and conditions of this License Agreement before using this software. By you selecting "I accept the license agreement" and clicking "Next" during product installation means you expressly accept the terms and conditions of this Agreement. If you do not accept the terms and conditions of this Agreement, you must stop installing the Product and click "Cancel". Your money will be refunded based upon proof of purchase, and in compliance with the return period described in the LIMITED WARRANTY below. A violation of the License, brings damage both financially and to the reputation of RBTI, and in the occurrence of either, both termination of the license agreement and civil damages will be vigorously sought. Once you have clicked "I accept the license agreement", you are entitled to use the Product under the following terms and conditions of this Agreement:

#### LICENSE

This R:BASE Technologies License Agreement permits you to use one copy of the R:WEB Gateway computer software with associated utilities (the "**Program**") and accompanying user documentation (the "**Documentation**") on any single Web server only one computer at a time. The Program must be used on one WEB Server ONLY. A Program is "being used" on a computer when it is loaded into a temporary memory or installed on a hard drive in the computer. However, a copy of the Program installed on a network server for the sole purpose of distribution to other computers is not "being used." Each user of the Program must have an appropriate license. If you anticipate that the number of users of the Program will exceed the number of your licenses, you must take steps to ensure that the appropriate licenses are obtained for each user.

#### COPYRIGHT AND RESTRICTIONS

RBTI retains full ownership rights in the Program and Documentation. You may make a single copy of the Program; to be used solely for backup or archival purposes, or you may transfer the Program onto a single hard disk provided you keep the original solely for backup or archival purposes. Such copies shall be owned by RBTI. You may not copy any printed material or Documentation without prior permission. You may not decompile, disassemble cross-compile, reverse engineer, or make or distribute any other form of, or derivative work from, the Program. You may not obscure, alter or remove any RBTI copyright, trademark or proprietary rights notices.

#### TRANSFER OF LICENSE

You may not lend, rent or lease the Program or Documentation or any copies to any person. A transfer of license is only authorized through completion of the Consent to Assignment and Assumption of Contract agreement from RBTI. Upon license transfer, you are permanently giving such person possession of all copies of the Program and Documentation, are permanently giving up your right to use the Program and Documentation, and the recipient agrees to the terms of this License Agreement.

#### STEP UPS AND UPGRADE PURCHASES

As the Licensee, you are authorized to use the Program only if you are an authorized user of a qualifying product as determined by RBTI. The new license agreement takes the place of the agreement of the qualifying software you stepped up or upgraded from. After you upgrade, you may no longer use the software from which you upgraded. When you install the upgrade, you must uninstall the copy of the qualifying product.

#### TERM OF LICENSE

The licensing provided in this License Agreement is perpetual unless you violate any of its terms or conditions, at which time the license will automatically terminate. Upon termination you must return all copies of the Program and Documentation to RBTI or certify in writing to RBTI that all such copies have been destroyed and uninstalled from each workstation and/or network server. RBTI reserves the right to, at its expense and without prior notice, conduct periodic inspections for licensing compliance. If licensee is found to be in violation of current agreement, RBTI may commence a civil action seeking fines, damages, attorney's fees and injunctive relief and may also, in appropriate circumstances, seek criminal prosecution.

#### **SOFTWARE SUPPORT**

The availability of software support services is subject to the End of Support (EOS) and End of Life (EOL) product life cycle, and to an active Software Assurance Plan. Where applicable, licensees will be provided with an option to upgrade to the current supported version of a software product.

#### **LIMITED WARRANTY**

RBTI warrants to you, as the initial user, the Program will perform substantially in accordance with the Documentation, provided it is used in unaltered form with functioning equipment and operating systems for which it was designed. RBTI will, at its option, with proof of payment within 30 days of the invoice date and after the Program with Documentation has been deactivated and uninstalled, and software installer, whether provided by download or other means, permanently deleted from all drives and folders, issue a full refund. These are your sole remedies for any breach of warranty. No exceptions will be made.

#### **SERVICES PROVIDED WITH PURCHASE**

##### **1. 30-Day Limited Complimentary Technical Support**

###### **LICENSEE RESPONSIBILITIES**

- To help us expedite the process and provide high quality assistance, the licensee must provide proof of purchase when calling. Proof of purchase is defined as the following: registration number, purchase date, version and build number, and company or individual to which product is registered.
- To have operating system, workstations, and local network installed and functional. RBTI will NOT be responsible for resolving issues not pertaining to the Program.
- Our support staff deals with advanced issues, therefore the person contacting RBTI for assistance should be the system administrator or have other R:BASE/SQL experience and be able to understand and implement the advice given.

###### **R:BASE TECHNOLOGIES, INC. RESPONSIBILITIES**

- To provide quality assistance in a timely manner to aid Licensee in the installation of the product within 30 days of the date of purchase.
- To provide a reasonable solution for any resolvable issue. Not all issues are resolvable, and therefore we will acknowledge the existence of known issues or "bugs" which we are presently aware of, that have no reasonable work-around.

RBTI reserves the right to limit the amount of support time allotted to a maximum of 2 HOURS during the 30-Day Complimentary Technical Support Period. We also reserve the right to limit the quantity of calls from a particular Licensee to 30 MINUTES in a single day. Issues are dealt with on a case-by-case basis, and are handled at the discretion of the support agent assigned to the case. Complimentary Support is limited to INSTALLATION and ELEMENTARY CONVERSION related issues ONLY. Our support hours are from 10am. to 6pm. Eastern Time.

##### **2. Fixes for Known Issues**

RBTI will provide continued product fixes for known issues or "bugs" for 1 YEAR from the software purchase date. After 1 year, users are urged to acquire the necessary Software Assurance Plan to continue with product support and ongoing activations for reinstallations and license transfers.

##### **3. Enhancement Requests**

RBTI will provide continued product enhancements for requested features for 1 YEAR from the software purchase date. After 1 year, users are urged to acquire the necessary Software Assurance Plan to continue with product support and ongoing activations for reinstallations and license transfers.



**NO OTHER WARRANTIES**

Except as explicitly stated above, RBTI makes no express or implied warranties (including any warranties of merchantability or fitness) with respect to the character, function, or capabilities of the program, the documentation or their appropriateness for any user's purposes. RBTI cannot customize product(s) to meet specific needs in all cases. Examples of customization include, but are not limited to: special character sets, foreign language adaptations, specific device drivers or other localization issues. Under no circumstances will RBTI be held responsible for product functionality once alterations have been made to accommodate individual needs.

**DISCLAIMER OF WARRANTY**

The Program and the accompanying files are sold "as is" and without warranties as to performance or merchantability or any other warranties whether expressed or implied. Because of the various hardware and software environments into which the Program may be put, No warranty of fitness for a particular purpose is offered. Good data processing procedure dictates that any program be thoroughly tested with non-critical data before relying on it. The user must assume the entire risk of using the Program. Any liability of the seller will be limited exclusively to product replacement or refund of purchase price.

**HIGH RISK ACTIVITIES**

The Program is not fault-tolerant and is not designed, manufactured or intended for use or resale as on-line control equipment in hazardous environments requiring fail-safe performance, such as in the operation of nuclear facilities, air traffic control, aircraft navigation or communication systems, direct life support machines, or weapons systems, in which the failure of the Program could lead directly to death, personal injury, or severe physical or environmental damage ("High Risk Activities"). RBTI specifically disclaims any expression or implied warranty of fitness for High Risk Activities.

**LIMITATIONS ON LIABILITIES**

RBTI will not be responsible for any costs or damages associated with loss of the use of the Program or any other resources, loss of business or profits, any loss of data, any third-party claims or costs of substitute programs. In no event will RBTI be liable for any incidental, indirect, special, consequential or punitive damages suffered by the user or any other person or entity, whether from the use of the program or documentation, any failure thereof, or otherwise, even if RBTI or its dealers or agents are aware of the possibility of such damages. In no event will RBTI aggregate liability to you or anyone else exceed two times the license fee you paid for the program and documentation in this package. Because some states do not allow the limitation or exclusion of implied warranties and liabilities for consequential or incidental damages, the above limitations may not apply to you.

**GENERAL**

This License Agreement constitutes the full and complete agreement between parties. RBTI retains all rights not specifically granted herein. RBTI shall not be deemed to have waived any of its rights hereunder or under all copyright laws, trade secrecy laws or otherwise. This Agreement is intended as a legally binding agreement which will be enforced to the full extent permitted under applicable law, in whole or in part. If any one provision of this Agreement is declared invalid or unenforceable, all remaining provisions shall never less remain in effect. The laws of the state of Pennsylvania shall govern this Agreement. RBTI reserves the right to amend, alter, or revoke this agreement at any time. All revisions to this license agreement are available for inspection upon request, supersede conditions in all past agreements, and render prior license agreements void and unenforceable. Both parties named in this license will only be bound to the terms of the most current revision of this agreement.

**U.S. GOVERNMENT RESTRICTED RIGHTS**

Use, duplication or disclosure by the Government, its agents or employees is subject to all restrictions imposed by law, regulation or government directive, including but not limited to those restrictions set forth in DFARS 252.227-7013 and 48CFR 52.227-19, as applicable.

R:BASE Technologies, Inc.  
<https://www.rbase.com>  
rbaseinfo@rbase.com

Copyright 1982-2024 R:BASE Technologies, Inc.  
All Rights Reserved  
Revised Friday, April 26, 2024

## 1.4 Complimentary Support

### 30 DAY LIMITED COMPLIMENTARY TECHNICAL SUPPORT

#### A. LICENSEE RESPONSIBILITIES.

1. To help us expedite the process and provide high quality assistance, the licensee must provide proof of purchase. Proof of purchase is defined as the following: registration number, purchase date, version and build number, and company or individual to which product is registered.
2. To have operating system, workstations, and local network installed and functional. R:BASE Technologies will NOT be responsible for resolving issues not pertaining to the software product.
3. Our support staff deals with advanced issues, therefore the person contacting R:BASE Technologies for assistance should be the system administrator or have other R:BASE/SQL experience and be able to understand and implement the advice given.
4. To have the database, application, and command files being reviewed, safely backed-up before attempting assistance. R:BASE Technologies will NOT be held responsible for lost data or corruption as a result of advice given.


#### B. R:BASE TECHNOLOGIES, INC. RESPONSIBILITIES.

1. To provide quality assistance in a timely manner to aid in the installation of the product and elementary conversion of database, application, and command files within 30 days of the date of purchase.
2. To provide a reasonable solution for any solvable issue. Not all issues may be solved, and therefore we will acknowledge the existence of known issues, or bugs, which we are presently aware of, that have no reasonable work-around.

R:BASE Technologies reserves the right to limit the amount of support time allotted to a maximum of 2 HOURS during the 30-Day Complimentary Technical Support period. We also reserve the right to limit the quantity of calls from a particular licensee to 30 MINUTES in a single day. Issues are dealt with on a case-by-case basis, and are handled at the discretion of the support agent assigned to the case. Complimentary Support is limited to INSTALLATION and ELEMENTARY CONVERSION related issues ONLY. Our support hours are Monday through Friday, from 10:00 AM to 6:00 PM (EST).

For application, design, or advanced conversion assistance, R:BASE Technologies offers Technical Support Plans of various types to meet your needs. Please visit the Support page at <https://www.rbase.com/support> for details and pricing.

**Part**



## 2 Installation

### 2.1 System Requirements

The following system specifications are recommended for the optimal use of R:BASE and R:BASE-related software.

#### Workstation Hardware

- 2-Core 2GHz+ CPU
- 2 GB of available RAM (4 GB recommended)
- 2 GB of available hard disk space
- 1024x768 or higher resolution video adapter and display
- Standard mouse or compatible pointing device
- Standard keyboard

#### Server Hardware

- 2-Core 2GHz+ CPU
- 6 GB of available RAM (8 GB recommended)

#### Operating System

- Microsoft Windows 11 (Professional)
- Microsoft Windows 10 (Professional)
- Microsoft Windows Server 2022
- Microsoft Windows Server 2019
- Microsoft Windows Server 2016
- Microsoft Windows Server 2012, 2012 R2

#### Network

- Ethernet infrastructure (Gigabyte recommended)
- Internet connection recommended, but not required, for license activation, software updates, and support
- Anti-virus programs should exclude the R:BASE program, and any add-on product, executable and database files

### 2.2 Software Installation

The installation of R:WEB Gateway is fully automated, and does not require user intervention for the initial configuration.

Run the installer ".exe", provided by download, while physically sitting at the workstation to begin the installation process, and read the installer screens for licensing and other information as the program installs.


#### Installation Directory

C:\RBTI\RWebGateway11

#### Files Installed

RWebGateway11.exe  
RWebGateway11.chm  
RWebGateway11.pdf  
License.rtf  
ReadMe.txt

**Part**



### 3 Command Syntax

To use R:WEB Gateway, define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

```
RWEBGateway11.exe GatewayConfig.cfg
```

The following parameters are available when specifying the R:WEB Gateway program in your Web site script files. For [export](#) and [import](#), additional parameters are available for the specific data transfer method.

Parameter	Value	Description
DATABASE	value	Specifies the database RX1 file name
DSN	value	Specifies the DSN name
USERNAME	value	Specifies the username
PASSWORD	value	Specifies the password
VARIABLE	VarName Type Value	Specifies the variable name, type and value
RUN	value	Specifies an R:BASE command file to run
HOME_DIR	value	Specifies the Home directory name
GATEWAY_TYPE	<a href="#">EXPORT</a> <a href="#">IMPORT</a>	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	value	Specifies the export format
SELECT_CLAUSE	value	Specifies the SELECT statement for file exports
GATEWAY_IMPORT_TYPE	APPEND APPEND_UPDATE CREATE REPLACE	Specifies the import method, by adding imported data to the end of the table, updating the record if it exists; otherwise the record is added, creating a new table, or replacing the rows in a defined table
GATEWAY_IMPORT_FORMAT	value	Specifies the import format
GATEWAY_TABLE_NAME	value	Specifies the table name for file imports
GATEWAY_FILE_NAME	value	Specifies the name of the file to export to, or the file to import
GATEWAY_OPTION		Specifies the additional gateway options as per the selected format

#### 3.1 EXPORT

The following formats are available to export an R:BASE table or view to an external file.

Code	Details
<a href="#">DB</a>	Paradox
<a href="#">DBF</a>	DBASE
<a href="#">CSV</a>	ASCII File, Delimiter Comma, Qualifier Double Quote
<a href="#">FIX</a>	ASCII File, Fixed Width
<a href="#">HTM</a>	HTML
<a href="#">XLS</a>	MS Excel Spreadsheet
<a href="#">XLSW</a>	MS Excel Workbook
<a href="#">DOC</a>	MS Word
<a href="#">TAB</a>	ASCII File, Delimiter Tab, Qualifier None

<a href="#">SLK</a>	SYLK Symbolic Link
<a href="#">DIF</a>	DIF Data Interchange Format
<a href="#">WK1</a>	Lotus 1_2_3
<a href="#">WQ1</a>	QuattroPro
<a href="#">SQL</a>	SQL Script
<a href="#">XML</a>	XML
<a href="#">RTF</a>	Rich Text Format
<a href="#">SAV</a>	SPSS Format
<a href="#">PDF</a>	Adobe Acrobat Portable Document Format
<a href="#">LDIF</a>	LDAP Data Interchange Format
<a href="#">JSON</a>	JavaScript Object Notation
<a href="#">ODT</a>	OpenOffice Text Document

### 3.1.1 DB (Paradox)

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

#### Syntax:

```
RWEBGateway11.exe GatewayConfig.cfg
```

#### Notes:

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".
- This option allows the data transfer using Borland Database Engine (BDE). To use this option, the BDE 32-bit version must be installed on the computer.
- Only ANSI file names are supported for Paradox exports.

#### Parameters:

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the Paradox format. The file extension must be db.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to

	OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
MERGE_DATA	If ON, the exported data will be added to the specified file, if exists. The default is set to OFF. Available Parameters: ON / OFF
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF

**Example:**

```
-- Placing parameters into a configuration file, a DB file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT DB
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.DB
GATEWAY_OPTION BLANK_IF_ZERO ON|BLANK_IF_NULL ON

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

### 3.1.2 DBF (dBASE)

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME DIR	Specifies the Home directory name



GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the dBASE format. The file extension must be dbf.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
MERGE_DATA	If ON, the exported data will be added to the specified file, if exists. The default is set to OFF. Available Parameters: ON / OFF
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF

**Example:**

```
-- Placing parameters into a configuration file, a DBF file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT DBF
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.DBF
GATEWAY_OPTION BLANK_IF_ZERO ON|BLANK_IF_NULL ON

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.1.3 CSV (Comma Separated Values)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the Comma Separated Values format. The file extension must be csv.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
COL_NAMES	If ON, will add a first row with column names. If OFF, will only export data. Available Parameters: ON / OFF
ESCAPE_QUOTES	Specifies if R:BASE exports data and adds an additional double quote character (") if data is encountered where a double quotes exists. The two double quotes allow for greater data compatibility with other program input processes. The default is set to ON. If ESCAPE_QUOTES is set to OFF, double quote characters are exported as is. Available Parameters: ON / OFF
MERGE_DATA	If ON, the exported data will be added to the specified file, if exists. The default is set to OFF. Available Parameters: ON / OFF
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
QUALIFIER	Changing the value of this option you can define any qualifier for fields in the target Comma Separated Values text file. The popular value is Quotes (") but you can define any custom character you wish. Use the keyword PIPE as the value if you wish to use the pipe character as the qualifier. Use the keyword NONE if you wish to specify no text qualifier.
REC_SEP	Defines the separator between lines in the target text file. The popular value is CRLF (#13#10) or CR(#13) but you can define any other custom string. Available Parameters: CR / LF / CRLF
SEPARATOR	Defines the separator of fields in target text file. The popular values are Semicolon (;), Comma (,), Space (#32) but you can define any other character if you wish. If the pipe character is

	needed to be specified as the separator, then use the keyword PIPE as the value.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF

**Example:**

```
-- Placing parameters into a configuration file, a CSV file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT CSV
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.CSV
GATEWAY_OPTION COL_NAMES ON|QUALIFIER "|SEPARATOR ,|REC_SEP CRLF|BLANK_IF_ZERO ON

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.1.4 FIX (Fixed Width)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the fixed width format.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
COL_NAMES	If ON, will add a first row with column names. If OFF, will only export data. Available Parameters: ON / OFF
COL_WIDTHS	Indicates column length specifications for values greater than 10 characters. Without the length specification, the default is 10. The parameter accepts a comma delimited list of integers to specify column widths.
MERGE_DATA	If ON, the exported data will be added to the specified file, if exists. The default is set to OFF. Available Parameters: ON / OFF
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
SPACE_BETWEEN_COLUMNS	If ON, a space will be added between columns. The default is set to OFF. Available Parameters: ON / OFF
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF

**Example:**

```
-- Placing parameters into a configuration file, a FIX file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT FIX
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.txt
GATEWAY_OPTION BLANK_IF_ZERO ON|COL_NAMES ON|COL_WIDTH
10,10,10,16,30,30,20,2,10,12,10,12,12,2,60,60

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.1.5 HTM (HTML)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Notes:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".
- The generated data table will be inserted before the </body> tag.

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the HTML format. The file extension must be either htm or html.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
HTML_PATERN	With this option you can define your own pattern of the HTML file to customize any settings, fonts, colors, metatags, scripts, etc. Using this option you can integrate the generated html_file into a web site. By default, the HTML pattern has a simple structure:  <pre>&lt;html&gt; &lt;head&gt; &lt;meta http_equiv="Content_Type" content="text/html; charset=windows_1251"&gt; &lt;meta name="GENERATOR" content="RBG Gateway"&gt; &lt;title&gt;Data Exported by R:BASE File Gateway&lt;/title&gt; &lt;/head&gt; &lt;body bgcolor="#FFFFFF"&gt; &lt;/body&gt;</pre>
LAYOUT	Specifies the layout in which the exported data is arranged. The columnar option arranges columns across the top. Reversed columnar arranges columns along the left side. The tabular option arranges data that looks like a table. Available Parameters: COLUMNAR / REVERSED_COLUMNAR / TABULAR
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved

	using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF
STYLE	This option adds background color to exported data. Available Parameters:  NORMAL PRICELIST MSMONEY BRICK DESERT EGGPLANT LILAC MAPLE MARINE ROSE SPRUCE WHEAT ZEBRA

**Example:**

-- Placing parameters into a configuration file, a HTM file based upon the Employee tables from the RRBYW20 sample database will be created.

-- file name: gateway.cfg

DSN RRBYW20

GATEWAY\_TYPE EXPORT

GATEWAY\_EXPORT\_FORMAT HTM

SELECT\_CLAUSE SELECT \* FROM Employee WHERE ActivEmp = 'A'

GATEWAY\_FILE\_NAME Employee.htm

GATEWAY\_OPTION BLANK\_IF\_ZERO ON|STYLE SPRUCE

-- Then run the R:WEB Gateway executable followed by the configuration file.

RWEBGateway11.exe gateway.cfg

**3.1.6 XLS (MS Excel Spreadsheet)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Notes:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".
- This option does not use the MS Excel application as the OLE server is faster.

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password

VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the MS Excel Spreadsheet format. The file extension must be xls.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

<b>OPTION Parameter</b>	<b>Description</b>
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
COL_NAMES	If ON, will add a first row with column names. If OFF, will only export data. Available Parameters: ON / OFF
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF
DETECT_FORMULA	Specifies to dismiss equal characters that exist in table values, which are not actual formulas. The default is ON. Available Parameters: ON / OFF
FOOTER_TEXT	The parameter specifies text that will appear as a footer at the bottom of the exported data. Multiple footers can be specified by repeating the parameter.
HEADER_TEXT	The parameter specifies text that will appear as a header on top of the exported data. Multiple headers can be specified by repeating the parameter.
LAYOUT	Specifies the layout in which the exported data is arranged. The columnar option arranges columns across the top. Reversed columnar arranges columns along the left side. The tabular option arranges data that looks like a table. Available Parameters: COLUMNAR / REVERSED_COLUMNAR / TABULAR
MERGE_DATA	If ON, the exported data will be added to the specified file, if exists. The default is set to OFF. Available Parameters: ON / OFF
NAMED_NUM	Specifies to pass a number formula to the Excel Names Manager. A formula name and value is passed with the parameter. The parameter can be repeated if multiple number are to be added.
NAMED_TEXT	Specifies to pass a text formula to the Excel Names Manager. A formula name and value is passed with the parameter. The parameter can be repeated if multiple number are to be added.
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
PASSWORD	Specifies the password for the Excel file. Passwords are case sensitive.
PASSWORD_TO_OPEN	Specifies the password for an existing password protected spreadsheet file, to allow appending to the file with the MERGE_DATA option. Passwords are case sensitive.

ROWS_PER_FILE	Specifies if the records are broken up into separate files based on the quantity of records in each file. If this parameter is not zero, multiple files may be generated.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
STYLE	This option adds background color to exported data.  Available Parameters: NORMAL PRICELIST MSMONEY BRICK DESERT EGGPLANT LILAC MAPLE MARINE ROSE SPRUCE WHEAT ZEBRA
TAB_NAME	If defined, will be used as the label for the first tab on MS Excel Spreadsheet. The specified name cannot exceed 31 characters, have the same name as another tab, set as a blank value, or contain special characters (backward slash, forward slash, question mark, asterisk, left bracket, right bracket, colon).
WRAP_TEXT	Specifies to wrap long text values within the output of the spreadsheet/workbook

**Example:**

```
-- Placing parameters into a configuration file, a XLS file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT XLS
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.xls
GATEWAY_OPTION BLANK_IF_ZERO ON|COL_NAMES ON|HEADER_TEXT 'Employee Information'|
HEADER_TEXT 'September'|FOOTER_TEXT ' '|FOOTER_TEXT 'Prepared by Jane Sullivan'|
STYLE SPRUCE|TAB_NAME Employee List|NAMED_NUM EmployeeDiscount 0.05

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.1.7 XLSW (MS Excel Workbook)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Notes:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".



- Use this option to export data to a MS Excel workbook. The process uses the MS Excel application as OLE server unless the RAW\_GEN parameter is set to ON, or the PASSWORD parameter is specified. If the process uses a password, MS Excel is required.
- When providing a file name to export to, you will be required to specify the complete path.

**Parameters:**

<b>Gateway Parameter</b>	<b>Description</b>
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the MS Excel Workbook format. The file extension must be xls orxlsx.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

<b>OPTION Parameter</b>	<b>Description</b>
ACTIVE_INDEX	Defines the active sheet when the worksheet is opened in Excel. The value is an integer-based index (e.g. 1, 2, etc.).
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
COL_NAMES	If ON, will add a first row with column names. If OFF, will only export data. Available Parameters: ON / OFF
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF
DETECT_FORMULA	Specifies to dismiss equal characters that exist in table values, which are not actual formulas. The default is ON. Available Parameters: ON / OFF
FOOTER_TEXT	The parameter specifies text that will appear as a footer at the bottom of the exported data. Multiple footers can be specified by repeating the parameter.
HEADER_TEXT	The parameter specifies text that will appear as a header on top of the exported data. Multiple headers can be specified by repeating the parameter.
MERGE_DATA	If ON, the exported data will be added to the specified file, if exists. The default is set to OFF. Available Parameters: ON / OFF
NAMED_NUM	Specifies to pass a number formula to the Excel Names Manager. A formula name and value is passed with the parameter. The parameter can be repeated if multiple number are to be added.
NAMED_TEXT	Specifies to pass a text formula to the Excel Names Manager. A formula name and value is passed with the parameter. The parameter can be repeated if multiple number are to be added.

NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
PASSWORD	Specifies the password for the Excel file. Passwords are case sensitive.
PASSWORD_TO_OPEN	Specifies the password for an existing password protected spreadsheet file, to allow appending to the file with the MERGE_DATA option. Passwords are case sensitive.
RAW_GEN	Specifies the program to generate the workbook. When ON, R:BASE will generate the workbook, which performs the export process much faster. When OFF, Excel will generate the workbook as native MS output. When R:BASE creates the output, only the most important content is placed in the file, where the workbook is intended to mimic Excel output. The R:BASE output can be considered non-native, yet less bloated. If the PASSWORD parameter is specified, Excel is always used to generate the workbook, regardless of the RAW_GEN value. The default is set to OFF. Available Parameters: ON / OFF
ROWS_PER_FILE	Specifies if the records are broken up into separate files based on the quantity of records in each file. If this parameter is not zero, multiple files may be generated.
SHEET_INDEX	Specifies the workbook sheet/tab to place the exported data. The index value begins with 1.
SHEET_NAME	Assigns a custom text label to the workbook sheet. The specified name cannot exceed 31 characters, have the same name as another sheet, set as a blank value, or contain special characters (backward slash, forward slash, question mark, asterisk, left bracket, right bracket, colon).
OVERWRITE_SHEET	Specifies that an existing sheet with the same name will be overwritten with the new dataset
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
STYLE	This option adds background color to exported data. Available Parameters:  NORMAL PRICELIST MSMONEY BRICK DESERT EGGPLANT LILAC MAPLE MARINE ROSE SPRUCE WHEAT ZEBRA
TAB_NAME	If defined, will be used as the label for the first tab on MS Excel Spreadsheet. The specified name cannot exceed 31 characters, have the same name as another tab, set as a blank value, or contain special characters (backward slash, forward slash, question mark, asterisk, left bracket, right bracket, colon).
WRAP_TEXT	Specifies to wrap long text values within the output of the spreadsheet/workbook

**Example:**

```
-- Placing parameters into a configuration file, a XLS file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT XLSW
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.xls
GATEWAY_OPTION
BLANK_IF_ZERO ON
COL_NAMES ON
HEADER_TEXT 'Employee Information'
HEADER_TEXT 'September'
FOOTER_TEXT ' '
FOOTER_TEXT 'Prepared by Jane Sullivan'
TAB_NAME Employee List
NAMED_NUM EmployeeDiscount 0.05

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

### 3.1.8 DOC (MS Word Document)

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

#### Syntax:

```
RWEBGateway11.exe GatewayConfig.cfg
```

#### Notes:

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".
- This option uses the MS Word application OLE server to export data and create the DOC file. To use this option, you need to have MS Word installed on your computer. The time lapse for the export process depends on the record sets.
- As a faster method, it is suggested to use the [RTF](#) export option.

#### Parameters:

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the MS Word document format. The file extension must be doc.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
COL_NAMES	If ON, will add a first row with column names. If OFF, will only export data. Available Parameters: ON / OFF
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF
TITLE	If defined, will be the page header on each page of the document.

**Example:**

```
-- Placing parameters into a configuration file, a DOC file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT DOC
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.doc
GATEWAY_OPTION BLANK_IF_ZERO ON|COL_NAMES ON|TITLE Employee List

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.1.9 TAB (Tab Separated Values)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
-------------------	-------------

DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the Tab Separated Values format. The file extension must be tab.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

<b>OPTION Parameter</b>	<b>Description</b>
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
COL_NAMES	If ON, will add a first row with column names. If OFF, will only export data. Available Parameters: ON / OFF
ESCAPE_QUOTES	Specifies if the process exports data and adds an additional double quote character (") if data is encountered where a double quotes exists. The two double quotes allow for greater data compatibility with other program input processes. The default is set to ON. If ESCAPE_QUOTES is set to OFF, double quote characters are exported as is. Available Parameters: ON / OFF
MERGE_DATA	If ON, the exported data will be added to the specified file, if exists. The default is set to OFF. Available Parameters: ON / OFF
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
QUALIFIER	Changing the value of this option you can define any qualifier for fields in the target Comma Separated Values text file. The popular value is Quotes (") but you can define any custom character you wish. Use the keyword PIPE as the value if you wish to use the pipe character as the qualifier. Use the keyword NONE if you wish to specify no text qualifier.
REC_SEP	Defines the separator between lines in the target text file. The popular value is CRLF (#13#10) or CR(#13) but you can define any other custom string. Available Parameters: CR / LF / CRLF
SEPARATOR	Defines the separator of fields in target text file. The popular values are Semicolon (;), Comma (,), Space (#32) but you can define any other character if you wish. If the pipe character is needed to be specified as the separator, then use the keyword PIPE as the value.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF
---------------------	--

**Example:**

```
-- Placing parameters into a configuration file, a FIX file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT TAB
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.tab
GATEWAY_OPTION BLANK_IF_ZERO ON|COL_NAMES ON|QUALIFIER "|SEPARATOR ,|REC_SEP CRLF

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.1.10 SLK (Symbolic Link)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the Symbolic Link format. The file extension must be slk.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF

BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
ROWS_PER_FILE	Specifies if the records are broken up into separate files based on the quantity of records in each file. If this parameter is not zero, multiple files may be generated.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

```
-- Placing parameters into a configuration file, a SLK file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT SLK
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.slk
GATEWAY_OPTION BLANK_IF_ZERO ON|BLANK_IF_NULL ON

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

### 3.1.11 DIF (Data Interchange Format)

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name

GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the Data Interchange Format. The file extension must be dif.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
ROWS_PER_FILE	Specifies if the records are broken up into separate files based on the quantity of records in each file. If this parameter is not zero, multiple files may be generated.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

```
-- Placing parameters into a configuration file, a DIF file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT DIF
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.dif
GATEWAY_OPTION BLANK_IF_ZERO ON|BLANK_IF_NULL ON

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.1.12 WK1 (Lotus)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```



**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the Lotus 1-2-3 format. The file extension must be wk1.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
COL_NAMES	If ON, will add a first row with column names. If OFF, will only export data. Available Parameters: ON / OFF
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF
LAYOUT	Specifies the layout in which the exported data is arranged. The columnar option arranges columns across the top. Reversed columnar arranges columns along the left side. The tabular option arranges data that looks like a table. Available Parameters: COLUMNAR / REVERSED_COLUMNAR / TABULAR
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
ROWS_PER_FILE	Specifies if the records are broken up into separate files based on the quantity of records in each file. If this parameter is not zero, multiple files may be generated.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

```
-- Placing parameters into a configuration file, a WK1 file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT WK1
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.wk1
GATEWAY_OPTION BLANK_IF_ZERO ON|COL_NAMES ON

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

### 3.1.13 WQ1 (QuattroPro)

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

#### Syntax:

```
RWEBGateway11.exe GatewayConfig.cfg
```

#### Note:

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

#### Parameters:

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the Quattro Pro format. The file extension must be wq1.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
COL_NAMES	If ON, will add a first row with column names. If OFF, will only export data. Available Parameters: ON / OFF
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a

	specification file is used. The default is set to OFF. Available Parameters: ON / OFF
LAYOUT	Specifies the layout in which the exported data is arranged. The columnar option arranges columns across the top. Reversed columnar arranges columns along the left side. The tabular option arranges data that looks like a table. Available Parameters: COLUMNAR / REVERSED_COLUMNAR / TABULAR
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
ROWS_PER_FILE	Specifies if the records are broken up into separate files based on the quantity of records in each file. If this parameter is not zero, multiple files may be generated.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

```
-- Placing parameters into a configuration file, a WQ1 file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT WQ1
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.wq1
GATEWAY_OPTION BLANK_IF_ZERO ON|COL_NAMES ON

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.1.14 SQL (SQL Script)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".
- Each record will include INSERT INTO statements which can be executed in the supported SQL compliant databases.

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password

VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using a SQL Script format. The file extension must be sql.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

<b>OPTION Parameter</b>	<b>Description</b>
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
FORMAT	Specifies the database format type. Below lists valid values for the FORMAT parameter. If a FORMAT is not specified or an invalid value is used then a generic SQL format will be used.  DB2 INTERBASE, IB, FIREBIRD, FB MSACCESS, ACCESS MSSQL, SQL, SQLSERVER MYSQL ORACLE POSTGRES, PG SQLITE
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
QUALIFIER	Changing the value of this option you can define any qualifier for fields in the target Comma Separated Values text file. The popular value is Quotes (") but you can define any custom character you wish. Use the keyword PIPE as the value if you wish to use the pipe character as the qualifier. Use the keyword NONE if you wish to specify no text qualifier.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF
STRUCTURE	Adds a CREATE TABLE command in the script. Available Parameters: ON / OFF
TABLE_NAME	Sets a table name different from the table name in the SELECT command. As the source is a query and supports JOINS, the TABLE_NAME parameter is available to specific a table after the FROM keyword is used.

**Example:**

```
-- Placing parameters into a configuration file, a SQL file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT SQL
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.sql
GATEWAY_OPTION BLANK_IF_ZERO ON|FORMAT ORACLE|STRUCTURE ON|TABLE_NAME EmployeeTable

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.1.15 XML (Extended Markup Language)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the XML format. The file extension must be xml.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than

	0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF

**Example:**

-- Placing parameters into a configuration file, a XML file based upon the Employee tables from the RRBYW20 sample database will be created.

-- file name: gateway.cfg

DSN RRBYW20

GATEWAY\_TYPE EXPORT

GATEWAY\_EXPORT\_FORMAT XML

SELECT\_CLAUSE SELECT \* FROM Employee WHERE ActivEmp = 'A'

GATEWAY\_FILE\_NAME Employee.xml

GATEWAY\_OPTION BLANK\_IF\_ZERO ON|BLANK\_IF\_NULL ON

-- Then run the R:WEB Gateway executable followed by the configuration file.

RWEBGateway11.exe gateway.cfg

**3.1.16 RTF (Rich Text Format)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

RWEBGateway11.exe GatewayConfig.cfg

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

<b>Gateway Parameter</b>	<b>Description</b>
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the Rich Text Format. The file extension must be rtf.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
COL_NAMES	If ON, will add a first row with column names. If OFF, will only export data. Available Parameters: ON / OFF
LAYOUT	Specifies the layout in which the exported data is arranged. The columnar option arranges columns across the top. Reversed columnar arranges columns along the left side. The tabular option arranges data that looks like a table. Available Parameters: COLUMNAR / REVERSED_COLUMNAR / TABULAR
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF
STYLE	This option adds background color to exported data. Available Parameters:  NORMAL PRICELIST MSMONEY BRICK DESERT EGGPLANT LILAC MAPLE MARINE ROSE SPRUCE WHEAT ZEBRA
TITLE	If defined, will be the page header on each page of the document.

**Example:**

```
-- Placing parameters into a configuration file, a RTF file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT RTF
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.rtfc
GATEWAY_OPTION BLANK_IF_ZERO ON|COL_NAMES ON|TITLE Employee List|STYLE SPRUCE

-- Then run the R:WEB Gateway executable followed by the configuration file.
```

RWEBGateway11.exe gateway.cfg

### 3.1.17 SAV (SPSS Format)

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

#### Syntax:

RWEBGateway11.exe GatewayConfig.cfg

#### Note:

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

#### Parameters:

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the SPSS format. The file extension must be sav.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF



**Example:**

```
-- Placing parameters into a configuration file, a SAV file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT SAV
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.sav
GATEWAY_OPTION BLANK_IF_ZERO ON|BLANK_IF_NULL ON

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.1.18 PDF (Adobe Acrobat Portable Document)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the Adobe Acrobat Portable Document Format. The file extension must be pdf.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
COL_NAMES	If ON, will add a first row with column names. If OFF, will only export data. Available Parameters: ON / OFF

LAYOUT	Specifies the layout in which the exported data is arranged. The columnar option arranges columns across the top. Reversed columnar arranges columns along the left side. The tabular option arranges data that looks like a table. Available Parameters: COLUMNAR / REVERSED_COLUMNAR / TABULAR
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF

**Example:**

```
-- Placing parameters into a configuration file, a PDF file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT PDF
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.pdf
GATEWAY_OPTION BLANK_IF_ZERO ON|COL_NAMES ON

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.1.19 LDIF (Data Interchange Format)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type

GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the LDAP Data Interchange Format. The file extension must be dif.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
ROWS_PER_FILE	Specifies if the records are broken up into separate files based on the quantity of records in each file. If this parameter is not zero, multiple files may be generated.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

```
-- Placing parameters into a configuration file, a DIF file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT DIF
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.dif
GATEWAY_OPTION BLANK_IF_ZERO ON|BLANK_IF_NULL ON

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.1.20 JSON (JavaScript Object Notation)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the JSON format. The file extension must be json.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
ROWS_PER_FILE	Specifies if the records are broken up into separate files based on the quantity of records in each file. If this parameter is not zero, multiple files may be generated.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

```
-- Placing parameters into a configuration file, a JSON file based upon the Employee tables from the
RRBYW20 sample database will be created.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE EXPORT
GATEWAY_EXPORT_FORMAT JSON
SELECT_CLAUSE SELECT * FROM Employee WHERE ActivEmp = 'A'
GATEWAY_FILE_NAME Employee.json
```

```
GATEWAY_OPTION BLANK_IF_ZERO ON|BLANK_IF_NULL ON
```

```
-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

### 3.1.21 ODT (OpenOffice Text Document)

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

#### Syntax:

```
RWEBGateway11.exe GatewayConfig.cfg
```

#### Note:

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

#### Parameters:

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_EXPORT_FORMAT	Specifies the export format
SELECT_CLAUSE	Specifies the SELECT statement to identify rows of data from a table or view
GATEWAY_FILE_NAME	This parameter defines the file name of the target file with exported data using the JSON format. The file extension must be json.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_UTF8_BOM	Specifies whether to add a UTF8 BOM to an exported UTF8 string. Available Parameters: ON / OFF
BLANK_IF_NULL	If ON, will export NULL values as blank values. If OFF, will export NULL values as the database NULL setting. The default is set to OFF. Available Parameters: ON / OFF
BLANK_IF_ZERO	If ON, will export zero values as blank values. If OFF, will export zero values as zero values. The default is set to OFF. Available Parameters: ON / OFF
COL_NAMES	If ON, will add a first row with column names. If OFF, will only export data. Available Parameters: ON / OFF
DATASET_FIELD_ORDER	Specifies the export will follow the SELECT clause column order, rather than the field order in the specification file, when a specification file is used. The default is set to OFF. Available Parameters: ON / OFF
LAYOUT	Specifies the layout in which the exported data is arranged. The columnar option arranges columns across the top. Reversed columnar arranges columns along the left side. The tabular option arranges data that looks like a table. Available Parameters: COLUMNAR / REVERSED_COLUMNAR / TABULAR
NO_UNICODE_CONVERSION	Exports Unicode data as a UTF8 string to fit in the target field, ensuring no data is lost. If OFF, the Unicode data will be

	converted to ANSI and characters from source that is higher than 0x127 will become '?'. As not all target formats support Unicode and this field is for cases when source is Unicode and destination is normal text field. Available Parameters: ON / OFF
ROWS_PER_FILE	Specifies if the records are broken up into separate files based on the quantity of records in each file. If this parameter is not zero, multiple files may be generated.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

-- Placing parameters into a configuration file, a ODT file based upon the Employee tables from the RRBYW20 sample database will be created.

-- file name: gateway.cfg

DSN RRBYW20

GATEWAY\_TYPE EXPORT

GATEWAY\_EXPORT\_FORMAT ODT

SELECT\_CLAUSE SELECT \* FROM Employee WHERE ActivEmp = 'A'

GATEWAY\_FILE\_NAME Employee.odt

GATEWAY\_OPTION BLANK\_IF\_ZERO ON|BLANK\_IF\_NULL ON

-- Then run the R:WEB Gateway executable followed by the configuration file.

RWEBGateway11.exe gateway.cfg

**Notes:**

- This option uses the OpenOffice application OLE server to export data and create the ODT file. To use this option, you need to have OpenOffice installed on your computer.

## 3.2 IMPORT

The following formats are available to import an external file to an R:BASE table.

<b>Code</b>	<b>Details</b>
<a href="#">DB</a>	Paradox
<a href="#">DBF</a>	dBASE
<a href="#">TXT</a>	ASCII File, Delimiter None, Qualifier None
<a href="#">CSV</a>	ASCII File, Delimiter Comma, Qualifier Double Quote
<a href="#">QSV</a>	ASCII File, Delimiter Comma, Qualifier Single Quote
<a href="#">ISV</a>	ASCII File, Delimiter Semicolon, Qualifier Single Quote
<a href="#">TAB</a>	ASCII File, Delimiter Tab, Qualifier None
<a href="#">TIL</a>	ASCII File, Delimiter Tilde, Qualifier None
<a href="#">CUS</a>	ASCII File, Delimiter and Qualifier based on DB Settings, or custom SEPARATOR and QUALIFIER values
<a href="#">XLS</a>	MS Excel
<a href="#">WKS</a>	Lotus 1-2-3
<a href="#">HTM</a>	HTML
<a href="#">WQ1</a>	QuattroPro
<a href="#">XML</a>	XML Format
<a href="#">MDB</a>	MS Access Database
<a href="#">JSON</a>	JavaScript Object Notation

<a href="#">ODS</a>	OpenOffice Spreadsheet
---------------------	------------------------

### 3.2.1 DB (Paradox)

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

#### Syntax:

```
RWEBGateway11.exe GatewayConfig.cfg
```

#### Notes:

- This option allows the data transfer using Borland Database Engine (BDE). To use this option, the BDE 32-bit version must be installed on the computer.
- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".
- Only ANSI file names are supported for Paradox imports.

#### Parameters:

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_IMPORT_TYPE	Specifies the import method, by adding imported data to the end of the table, updating the record if it exists; otherwise the record is added, creating a new table, or replacing the rows in a defined table
GATEWAY_IMPORT_FORMAT	Specifies the import format
GATEWAY_TABLE_NAME	Specifies the table name for file imports
GATEWAY_FILE_NAME	This parameter defines the file name of target file with data as Paradox format. File extension must be db.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_MAPPING	This parameter assigns a source column to a destination table column, rather than relying on column position.
AUTONUM	This parameter specifies whether the data imported will follow the auto-numbering formula for the table. Available Parameters: ON / OFF
COLUMN_COUNT	This parameter specifies the number of columns to be imported from file. COLUMN_COUNT is only supported when using CREATE in the GATEWAY syntax.
ERROR_FILE	Specifies a file to capture errors encountered during the import process.
FIRST_ROW	This parameter specifies the first row(s) to be used within the file that is being imported into the table.
KEYS	This parameter specifies the matching row to compare for table updates with the APPEND_UPDATE import mode. For multiple key fields to locate a matching row, use a comma separated list of field names.

LAST_ROW	This parameter specifies the last row to be used within the file that is being imported into the table.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

-- Placing parameters into a configuration file, a DB format file will be imported into a newly created ContactsImport tables within the RRBYW20 sample database.

-- file name: gateway.cfg

DSN RRBYW20

GATEWAY\_TYPE IMPORT

GATEWAY\_IMPORT\_TYPE CREATE

GATEWAY\_IMPORT\_FORMAT DB

GATEWAY\_TABLE\_NAME ContactsImport

GATEWAY\_FILE\_NAME Contacts.db

GATEWAY\_OPTION FIRST\_ROW 2|ERROR\_FILE EXCEPT.DAT

-- Then run the R:WEB Gateway executable followed by the configuration file.

RWEBGateway11.exe gateway.cfg

**3.2.2 DBF (dBASE)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

RWEBGateway11.exe GatewayConfig.cfg

**Notes:**

- This option allows the data transfer using Borland Database Engine (BDE). To use this option, the BDE 32-bit version must be installed on the computer.
- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_IMPORT_TYPE	Specifies the import method, by adding imported data to the end of the table, updating the record if it exists; otherwise the record is added, creating a new table, or replacing the rows in a defined table
GATEWAY_IMPORT_FORMAT	Specifies the import format
GATEWAY_TABLE_NAME	Specifies the table name for file imports
GATEWAY_FILE_NAME	This parameter defines the file name of target file with data as dBASE format. File extension must be dbf.



GATEWAY_OPTION	Specifies the additional gateway options as per the selected format
<b>OPTION Parameter</b>	<b>Description</b>
ADD_MAPPING	This parameter assigns a source column to a destination table column, rather than relying on column position.
AUTONUM	This parameter specifies whether the data imported will follow the auto-numbering formula for the table. Available Parameters: ON / OFF
COLUMN_COUNT	This parameter specifies the number of columns to be imported from file. COLUMN_COUNT is only supported when using CREATE in the GATEWAY syntax.
ERROR_FILE	Specifies a file to capture errors encountered during the import process.
FIRST_ROW	This parameter specifies the first row(s) to be used within the file that is being imported into the table.
KEYS	This parameter specifies the matching row to compare for table updates with the APPEND_UPDATE import mode. For multiple key fields to locate a matching row, use a comma separated list of field names.
LAST_ROW	This parameter specifies the last row to be used within the file that is being imported into the table.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

```
-- Placing parameters into a configuration file, a DBF format file will be appended to a the
ContactsImport tables within the RRBYW20 sample database.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE IMPORT
GATEWAY_IMPORT_TYPE APPEND
GATEWAY_IMPORT_FORMAT DBF
GATEWAY_TABLE_NAME ContactsImport
GATEWAY_FILE_NAME Contacts.dbf
GATEWAY_OPTION AUTONUM ON|FIRST_ROW 2|ERROR_FILE EXCEPT.DAT

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.2.3 ASCII Text (\*.txt, \*.csv, \*.tab)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

<b>Gateway Parameter</b>	<b>Description</b>
DATABASE	Specifies the database RX1 file name

DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_IMPORT_TYPE	Specifies the import method, by adding imported data to the end of the table, updating the record if it exists; otherwise the record is added, creating a new table, or replacing the rows in a defined table
GATEWAY_IMPORT_FORMAT	Specifies the import format. Choose one of the ASCII text formats available below.
GATEWAY_TABLE_NAME	Specifies the table name for file imports
GATEWAY_FILE_NAME	This parameter defines the file name of target file with data as ASCII format.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

<b>OPTION Parameter</b>	<b>Description</b>
ADD_MAPPING	This parameter assigns a source column to a destination table column, rather than relying on column position.
AUTONUM	This parameter specifies whether the data imported will follow the auto-numbering formula for the table. Available Parameters: ON / OFF
COLUMN_COUNT	This parameter specifies the number of columns to be imported from file. COLUMN_COUNT is only supported when using CREATE in the GATEWAY syntax.
ERROR_FILE	Specifies a file to capture errors encountered during the import process.
ESCAPE_QUOTES	Specifies if processing distinguishes between double quote characters (") embedded in data and double quote characters used to delimit the fields during the import process. When a CSV file contains a data segment with a double quote character, R:BASE expects it to be doubled (e. g. the data 3"" gasket will be imported as 3" gasket). If ESCAPE_QUOTES is set to OFF, double quote characters in the imported file are always interpreted as field delimiters. The default is set to ON. Available Parameters: ON / OFF
FIRST_ROW	This parameter specifies the first row(s) to be used within the file that is being imported into the table.
KEYS	This parameter specifies the matching row to compare for table updates with the APPEND_UPDATE import mode. For multiple key fields to locate a matching row, use a comma separated list of field names.
LAST_ROW	This parameter specifies the last row to be used within the file that is being imported into the table.
QUALIFIER	Changing the value of this option you can define any qualifier for fields in the target text file. The popular value is Quotes (") but you can define any custom character you wish. Use the keyword PIPE as the value if you wish to use the pipe character as the qualifier, or place double pipes. QUALIFIER is only supported for the CUS import format.
REC_SEP	Specifies the record separator in the target file. The common value is CRLF (carriage return + line feed, which moves the parser down to the next line and then to the beginning of the line. A custom record separator can be specified. Available Parameters: CRLF / CR / LF / <Custom>
SEPARATOR	Defines the separator/delimiter of fields in target text file. The popular values are Semicolon (;), Comma (,), Space (#32) but you can define any other character if you wish. If the pipe character is needed to be specified as the separator, then use the

	keyword PIPE as the value, or place double pipes. SEPARATOR is only supported for the CUS import format.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

### ASCII Text Formats:

<b>Code</b>	<b>Delimiter</b>	<b>Qualifier</b>
<b>TXT</b>	None	None
<b>CSV</b>	Comma	Double Quotes
<b>QSV</b>	Comma	Single Quotes
<b>ISV</b>	Semicolon	Single Quotes
<b>TAB</b>	Tab	None
<b>TIL</b>	Tilde	None
<b>CUS</b>	Database DELIMIT setting or SEPARATOR parameter	Database QUOTES setting or QUALIFIER parameter

### Examples:

-- Placing parameters into a configuration file, a CSV format file will be appended to a the Titles tables within the RRBYW20 sample database.

-- file name: gateway.cfg

```
DSN RRBYW20
```

```
GATEWAY_TYPE IMPORT
```

```
GATEWAY_IMPORT_TYPE APPEND
```

```
GATEWAY_IMPORT_FORMAT CSV
```

```
GATEWAY_TABLE_NAME Titles
```

```
GATEWAY_FILE_NAME TitlesImport.csv
```

```
GATEWAY_OPTION AUTONUM ON|FIRST_ROW 2|ESCAPE_QUOTES ON|ERROR_FILE EXCEPT.DAT
```

-- Then run the R:WEB Gateway executable followed by the configuration file.

```
RWEBGateway11.exe gateway.cfg
```

-- Placing parameters into a configuration file, a tab delimited file will be imported into a newly created ContactsImport tables within the RRBYW20 sample database.

-- file name: gateway.cfg

```
DSN RRBYW20
```

```
GATEWAY_TYPE IMPORT
```

```
GATEWAY_IMPORT_TYPE CREATE
```

```
GATEWAY_IMPORT_FORMAT TAB
```

```
GATEWAY_TABLE_NAME ContactsImport
```

```
GATEWAY_FILE_NAME Contacts.tab
```

```
GATEWAY_OPTION FIRST_ROW 4|ERROR_FILE EXCEPT.DAT
```

-- Then run the R:WEB Gateway executable followed by the configuration file.

```
RWEBGateway11.exe gateway.cfg
```

## 3.2.4 XLS (MS Excel)

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

### Syntax:

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Notes:**

- Use this option to import data from MS Excel file using the MS Excel application as OLE\_server.
- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_IMPORT_TYPE	Specifies the import method, by adding imported data to the end of the table, updating the record if it exists; otherwise the record is added, creating a new table, or replacing the rows in a defined table
GATEWAY_IMPORT_FORMAT	Specifies the import format
GATEWAY_TABLE_NAME	Specifies the table name for file imports
GATEWAY_FILE_NAME	This parameter defines the file name of target file with data as MS Excel format. File extension can be xls,xlsx, xlsxm.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_MAPPING	This parameter assigns a source column to a destination table column, rather than relying on column position.
ADD_MAPPING	This parameter maps the R:BASE column to the spreadsheet column.
AUTONUM	This parameter specifies whether the data imported will follow the auto-numbering formula for the table. Available Parameters: ON / OFF
COLUMN_COUNT	This parameter specifies the number of columns to be imported from file. COLUMN_COUNT is only supported when using CREATE in the GATEWAY syntax.
ERROR_FILE	Specifies a file to capture errors encountered during the import process.
FIRST_ROW	This parameter specifies the first row(s) to be used within the file that is being imported into the table.
LAST_ROW	This parameter specifies the last row to be used within the file that is being imported into the table.
KEYS	This parameter specifies the matching row to compare for table updates with the APPEND_UPDATE import mode. For multiple key fields to locate a matching row, use a comma separated list of field names.
PASSWORD_TO_OPEN	Specifies the possible password for the Excel import file. Passwords are case sensitive.
PERCENT_MODE	Specifies how percentage cells are treated, as the XLS and XLSX store the values differently. Available Parameters: DEFAULT / 100 / RAW <ul style="list-style-type: none"> <li>• DEFAULT - the default behavior is used for importing. XLS stores the value as "9.5" where XLSX stores the value as "0.095".</li> <li>• 100 - the imported data will be "9.5", where the stored value is multiplied by 100.</li> </ul>

	<ul style="list-style-type: none"> <li>• RAW - the imported data will be "0.095". Note that percentage values are stored as (raw) decimals.</li> </ul>
SHEET_INDEX	This parameter is used to specify a specific sheet of the spreadsheet file, starting with 0.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

```
-- Placing parameters into a configuration file, a XLS format file will be appended to a the
ContactsImport tables within the RRBYW20 sample database.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE IMPORT
GATEWAY_IMPORT_TYPE APPEND
GATEWAY_IMPORT_FORMAT XLS
GATEWAY_TABLE_NAME ContactsImport
GATEWAY_FILE_NAME Contacts.xls
GATEWAY_OPTION AUTONUM ON|FIRST_ROW 2|SHEET_INDEX 0|ADD_MAPPING Company=B|
ADD_MAPPING CustAddress=C|ADD_MAPPING CustState=D

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.2.5 WKS (Lotus 1-2-3)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_IMPORT_TYPE	Specifies the import method, by adding imported data to the end of the table, updating the record if it exists; otherwise the record is added, creating a new table, or replacing the rows in a defined table
GATEWAY_IMPORT_FORMAT	Specifies the import format
GATEWAY_TABLE_NAME	Specifies the table name for file imports
GATEWAY_FILE_NAME	This parameter defines the file name of target file with data as Lotus 1-2-3 format. File extension must be wk1.

GATEWAY_OPTION	Specifies the additional gateway options as per the selected format
<b>OPTION Parameter</b>	<b>Description</b>
ADD_MAPPING	This parameter assigns a source column to a destination table column, rather than relying on column position.
AUTONUM	This parameter specifies whether the data imported will follow the auto-numbering formula for the table. Available Parameters: ON / OFF
COLUMN_COUNT	This parameter specifies the number of columns to be imported from file. COLUMN_COUNT is only supported when using CREATE in the GATEWAY syntax.
ERROR_FILE	Specifies a file to capture errors encountered during the import process.
FIRST_ROW	This parameter specifies the first row(s) to be used within the file that is being imported into the table.
LAST_ROW	This parameter specifies the last row to be used within the file that is being imported into the table.
KEYS	This parameter specifies the matching row to compare for table updates with the APPEND_UPDATE import mode. For multiple key fields to locate a matching row, use a comma separated list of field names.
SHEET_INDEX	This parameter is used to specify a specific sheet of the spreadsheet file, starting with 0.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

```
-- Placing parameters into a configuration file, a WKS format file will be appended to a the
ContactsImport tables within the RRBYW20 sample database.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE IMPORT
GATEWAY_IMPORT_TYPE APPEND
GATEWAY_IMPORT_FORMAT WKS
GATEWAY_TABLE_NAME ContactsImport
GATEWAY_FILE_NAME Contacts.wk1
GATEWAY_OPTION AUTONUM ON|FIRST_ROW 2|SHEET_INDEX 0|ERROR_FILE EXCEPT.DAT

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.2.6 HTM (HTML)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_IMPORT_TYPE	Specifies the import method, by adding imported data to the end of the table, updating the record if it exists; otherwise the record is added, creating a new table, or replacing the rows in a defined table
GATEWAY_IMPORT_FORMAT	Specifies the import format
GATEWAY_TABLE_NAME	Specifies the table name for file imports
GATEWAY_FILE_NAME	This parameter defines the file name of target file with data as HTML format. File extension must be htm or html.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_MAPPING	This parameter assigns a source column to a destination table column, rather than relying on column position.
AUTONUM	This parameter specifies whether the data imported will follow the auto-numbering formula for the table. Available Parameters: ON / OFF
COLUMN_COUNT	This parameter specifies the number of columns to be imported from file. COLUMN_COUNT is only supported when using CREATE in the GATEWAY syntax.
ERROR_FILE	Specifies a file to capture errors encountered during the import process.
FIRST_ROW	This parameter specifies the first row(s) to be used within the file that is being imported into the table.
KEYS	This parameter specifies the matching row to compare for table updates with the APPEND_UPDATE import mode. For multiple key fields to locate a matching row, use a comma separated list of field names.
LAST_ROW	This parameter specifies the last row to be used within the file that is being imported into the table.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

-- Placing parameters into a configuration file, a HTM format file will be appended to a the ContactsImport tables within the RRBYW20 sample database.

-- file name: gateway.cfg

DSN RRBYW20

GATEWAY\_TYPE IMPORT

GATEWAY\_IMPORT\_TYPE APPEND

GATEWAY\_IMPORT\_FORMAT HTM

GATEWAY\_TABLE\_NAME ContactsImport

GATEWAY\_FILE\_NAME Contacts.html

GATEWAY\_OPTION AUTONUM ON|FIRST\_ROW 2|ERROR\_FILE EXCEPT.DAT

-- Then run the R:WEB Gateway executable followed by the configuration file.

RWEBGateway11.exe gateway.cfg

### 3.2.7 WKQ (QuattroPro)

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

#### Syntax:

```
RWEBGateway11.exe GatewayConfig.cfg
```

#### Note:

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

#### Parameters:

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_IMPORT_TYPE	Specifies the import method, by adding imported data to the end of the table, updating the record if it exists; otherwise the record is added, creating a new table, or replacing the rows in a defined table
GATEWAY_IMPORT_FORMAT	Specifies the import format
GATEWAY_TABLE_NAME	Specifies the table name for file imports
GATEWAY_FILE_NAME	This parameter defines the file name of target file with data as QuattroPro format. File extension must be wq1.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_MAPPING	This parameter assigns a source column to a destination table column, rather than relying on column position.
AUTONUM	This parameter specifies whether the data imported will follow the auto-numbering formula for the table. Available Parameters: ON / OFF
COLUMN_COUNT	This parameter specifies the number of columns to be imported from file. COLUMN_COUNT is only supported when using CREATE in the GATEWAY syntax.
ERROR_FILE	Specifies a file to capture errors encountered during the import process.
FIRST_ROW	This parameter specifies the first row(s) to be used within the file that is being imported into the table.
KEYS	This parameter specifies the matching row to compare for table updates with the APPEND_UPDATE import mode. For multiple key fields to locate a matching row, use a comma separated list of field names.
LAST_ROW	This parameter specifies the last row to be used within the file that is being imported into the table.
SHEET_INDEX	This parameter is used to specify a specific sheet of the spreadsheet file, starting with 0.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.



**Example:**

```
-- Placing parameters into a configuration file, a WKQ format file will be appended to a the
ContactsImport tables within the RRBYW20 sample database.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE IMPORT
GATEWAY_IMPORT_TYPE APPEND
GATEWAY_IMPORT_FORMAT WKQ
GATEWAY_TABLE_NAME ContactsImport
GATEWAY_FILE_NAME Contacts.wq1
GATEWAY_OPTION
GATEWAY_OPTION AUTONUM ON|FIRST_ROW 2|ERROR_FILE EXCEPT.DAT

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.2.8 XML (Extended Markup Language)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_IMPORT_TYPE	Specifies the import method, by adding imported data to the end of the table, updating the record if it exists; otherwise the record is added, creating a new table, or replacing the rows in a defined table
GATEWAY_IMPORT_FORMAT	Specifies the import format
GATEWAY_TABLE_NAME	Specifies the table name for file imports
GATEWAY_FILE_NAME	This parameter defines the file name of target file with data as XML format. File extension must be xml.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_MAPPING	This parameter assigns a source column to a destination table column, rather than relying on column position.
AUTONUM	This parameter specifies whether the data imported will follow the auto-numbering formula for the table. Available Parameters: ON / OFF

COLUMN_COUNT	This parameter specifies the number of columns to be imported from file. COLUMN_COUNT is only supported when using CREATE in the GATEWAY syntax.
ERROR_FILE	Specifies a file to capture errors encountered during the import process.
FIRST_ROW	This parameter specifies the first row(s) to be used within the file that is being imported into the table.
FLATTEN_STRUCTURE	Specifies the structured records to be flattened, so that the related data appears as one row. Available Parameters: ON / OFF
KEYS	This parameter specifies the matching row to compare for table updates with the APPEND_UPDATE import mode. For multiple key fields to locate a matching row, use a comma separated list of field names.
LAST_ROW	This parameter specifies the last row to be used within the file that is being imported into the table.
NODE_PATH	Specifies the full path of the target node (e.g. Fantasy\BOOKS). If the PATH is invalid or is not provided, the dialog prompt to select a node is displayed. The NODE_PATH value is case sensitive.
PROCESS_ATTRIBUTES	Specifies to process the XML data where attributes are contained within each element. Available Parameters: ON / OFF
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

```
-- Placing parameters into a configuration file, a XML format file will be appended to a the
ContactsImport tables within the RRBYW20 sample database.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE IMPORT
GATEWAY_IMPORT_TYPE APPEND
GATEWAY_IMPORT_FORMAT XML
GATEWAY_TABLE_NAME ContactsImport
GATEWAY_FILE_NAME Contacts.xml
GATEWAY_OPTION AUTONUM ON|FIRST_ROW 2|NODE_PATH Level\Contact|ERROR_FILE EXCEPT.DAT

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

**3.2.9 MDB (MS Access)**

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username

PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_IMPORT_TYPE	Specifies the import method, by adding imported data to the end of the table, updating the record if it exists; otherwise the record is added, creating a new table, or replacing the rows in a defined table
GATEWAY_IMPORT_FORMAT	Specifies the import format
GATEWAY_TABLE_NAME	Specifies the table name for file imports
GATEWAY_FILE_NAME	This parameter defines the file name of target file with data as MDB format. File extension must be mdb or accdb.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_MAPPING	This parameter assigns a source column to a destination table column, rather than relying on column position.
AUTONUM	This parameter specifies whether the data imported will follow the auto-numbering formula for the table. Available Parameters: ON / OFF
COLUMN_COUNT	This parameter specifies the number of columns to be imported from file. COLUMN_COUNT is only supported when using CREATE in the GATEWAY syntax.
ERROR_FILE	Specifies a file to capture errors encountered during the import process.
FIRST_ROW	This parameter specifies the first row(s) to be used within the file that is being imported into the table.
KEYS	This parameter specifies the matching row to compare for table updates with the APPEND_UPDATE import mode. For multiple key fields to locate a matching row, use a comma separated list of field names.
LAST_ROW	This parameter specifies the last row to be used within the file that is being imported into the table.
SOURCE_TABLE	This parameter is used to specify a specific table of the MDB file.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

#### Example:

```
-- Placing parameters into a configuration file, a MDB format file will be appended to a the
ContactsImport tables within the RRBYW20 sample database.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE IMPORT
GATEWAY_IMPORT_TYPE APPEND
GATEWAY_IMPORT_FORMAT MDB
GATEWAY_TABLE_NAME ContactsImport
GATEWAY_FILE_NAME Contacts.mdb
GATEWAY_OPTION AUTONUM ON|FIRST_ROW 2|SOURCE_TABLE NewContacts|ERROR_FILE
EXCEPT.DAT

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

### 3.2.10 JSON (JavaScript Object Notation)

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

#### Syntax:

```
RWEBGateway11.exe GatewayConfig.cfg
```

#### Note:

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

#### Parameters:

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_IMPORT_TYPE	Specifies the import method, by adding imported data to the end of the table, updating the record if it exists; otherwise the record is added, creating a new table, or replacing the rows in a defined table
GATEWAY_IMPORT_FORMAT	Specifies the import format
GATEWAY_TABLE_NAME	Specifies the table name for file imports
GATEWAY_FILE_NAME	This parameter defines the file name of target file with data as JSON format. File extension must be json.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_MAPPING	This parameter assigns a source column to a destination table column, rather than relying on column position.
AUTONUM	This parameter specifies whether the data imported will follow the auto-numbering formula for the table. Available Parameters: ON / OFF
COLUMN_COUNT	This parameter specifies the number of columns to be imported from file. COLUMN_COUNT is only supported when using CREATE in the GATEWAY syntax.
ERROR_FILE	Specifies a file to capture errors encountered during the import process.
FIRST_ROW	This parameter specifies the first row(s) to be used within the file that is being imported into the table.
KEYS	This parameter specifies the matching row to compare for table updates with the APPEND_UPDATE import mode. For multiple key fields to locate a matching row, use a comma separated list of field names.
LAST_ROW	This parameter specifies the last row to be used within the file that is being imported into the table.
NODE_PATH	Specifies the full path of the target node (e.g. Fantasy\BOOKS). If the PATH is invalid or is not provided, the dialog prompt to select a node is displayed. The NODE_PATH value is case sensitive.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved

	using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.
--	--

**Example:**

```
-- Placing parameters into a configuration file, a JSON format file will be appended to a the
ContactsImport tables within the RRBYW20 sample database.
-- file name: gateway.cfg
DSN RRBYW20
GATEWAY_TYPE IMPORT
GATEWAY_IMPORT_TYPE APPEND
GATEWAY_IMPORT_FORMAT JSON
GATEWAY_TABLE_NAME ContactsImport
GATEWAY_FILE_NAME Contacts.json
GATEWAY_OPTION AUTONUM ON|FIRST_ROW 2|NODE_PATH Level\Contact|ERROR_FILE EXCEPT.DAT

-- Then run the R:WEB Gateway executable followed by the configuration file.
RWEBGateway11.exe gateway.cfg
```

### 3.2.11 ODS (OpenOffice Spreadsheet)

Define the desired parameters into a configuration file, then run the R:WEB Gateway executable followed by the configuration file.

**Syntax:**

```
RWEBGateway11.exe GatewayConfig.cfg
```

**Note:**

- GATEWAY\_OPTION parameters must be placed on the same line, and separated with the pipe character "|".

**Parameters:**

Gateway Parameter	Description
DATABASE	Specifies the database RX1 file name
DSN	Specifies the DSN name
USERNAME	Specifies the username
PASSWORD	Specifies the password
VARIABLE	Specifies the variable name, type and value, each separated by the pipe character
RUN	Specifies an R:BASE command file to run
HOME_DIR	Specifies the Home directory name
GATEWAY_TYPE	Specifies the gateway type
GATEWAY_IMPORT_TYPE	Specifies the import method, by adding imported data to the end of the table, updating the record if it exists; otherwise the record is added, creating a new table, or replacing the rows in a defined table
GATEWAY_IMPORT_FORMAT	Specifies the import format
GATEWAY_TABLE_NAME	Specifies the table name for file imports
GATEWAY_FILE_NAME	This parameter defines the file name of target file with data as JSON format. File extension must be json.
GATEWAY_OPTION	Specifies the additional gateway options as per the selected format

OPTION Parameter	Description
ADD_MAPPING	This parameter assigns a source column to a destination table column, rather than relying on column position.
AUTONUM	This parameter specifies whether the data imported will follow the auto-numbering formula for the table. Available Parameters: ON /

	OFF
COLUMN_COUNT	This parameter specifies the number of columns to be imported from file. COLUMN_COUNT is only supported when using CREATE in the GATEWAY syntax.
ERROR_FILE	Specifies a file to capture errors encountered during the import process.
FIRST_ROW	This parameter specifies the first row(s) to be used within the file that is being imported into the table.
KEYS	This parameter specifies the matching row to compare for table updates with the APPEND_UPDATE import mode. For multiple key fields to locate a matching row, use a comma separated list of field names.
LAST_ROW	This parameter specifies the last row to be used within the file that is being imported into the table.
SPECIFICATION_FILE_NAME	This parameter is used to load a prepared specification with all pre-defined settings for exporting. The export must be performed once using the graphic user interface "Export Wizard" and saved using the "Specifications.." button. The specifications will be stored in a file with the .RGW file extension.

**Example:**

-- Placing parameters into a configuration file, a ODS format file will be appended to a the ContactsImport tables within the RRBYW20 sample database.

-- file name: gateway.cfg

DSN RRBYW20

GATEWAY\_TYPE IMPORT

GATEWAY\_IMPORT\_TYPE APPEND

GATEWAY\_IMPORT\_FORMAT ODS

GATEWAY\_TABLE\_NAME ContactsImport

GATEWAY\_FILE\_NAME Contacts.ods

GATEWAY\_OPTION AUTONUM ON|FIRST\_ROW 2|ERROR\_FILE EXCEPT.DAT

-- Then run the R:WEB Gateway executable followed by the configuration file.

RWEBGateway11.exe gateway.cfg

**Part**



## 4 Technical Support

Please read over the help documentation at least once before seeking support. We have worked very hard to make the help documentation clear and useful, but concise. It is suggested that you reread these instructions once you have become accustomed to using the software, as new uses will become apparent.

If you have further questions, and cannot find the answers in the documentation, you can obtain information from the below sources:

- Email our Technical Support Staff at: [support@rbase.com](mailto:support@rbase.com)
- Access the R:BASE Technologies Support home page online at <https://www.rbase.com/support>

You may be required to purchase a technical support plan. Several support plans are available to suit the needs of all users. [Available Technical Support Plans](#)

Please be prepared to provide the following:


- The product registration number, which is located on the invoice/order slip for the purchased product
- The type of operating system and hardware in use
- Details regarding your operating environment; such as available memory, disk space, your version of R:BASE, local area network, special drivers, related database structures, application files, and other files that are used or accessed by your application

All provide information will be used to better assist you.

R:BASE Technologies has a number of different services available for R:BASE products. As a registered user, you will receive information about new features for R:BASE and other R:BASE Technologies products. Please remember to register your software. <https://www.rbase.com/register/>



**Part**



## 5 Useful Resources

- . R:BASE Home Page: <https://www.rbase.com>
- . Up-to-Date R:BASE Updates: <https://www.rbaseupdates.com>
- . Current Product Details and Documentation: <https://www.rbase.com/rbg11>
- . Support Home Page: <https://www.rbase.com/support>
- . Product Registration: <https://www.rbase.com/register>
- . Official R:BASE Facebook Page: <https://www.facebook.com/rbase>
- . Sample Applications: <https://www.razzak.com/sampleapplications>
- . Technical Documents (From the Edge): <https://www.razzak.com/fte>
- . Education and Training: <https://www.rbase.com/training>
- . Product News: <https://www.rbase.com/news>
- . Upcoming Events: <https://www.rbase.com/events>
- . R:BASE Online Help Manual: <https://www.rbase.com/support/rsyntax>
- . Form Properties Documentation: <https://www.rbase.com/support/FormProperties.pdf>
- . R:BASE Beginners Tutorial: <https://www.rbase.com/support/rtutorial>
- . R:BASE Solutions (Vertical Market Applications): <https://www.rbase.com/products/rbasesolutions>

**Part**



## 6 Feedback

### **Suggestions and Enhancement Requests:**

From time to time, everyone comes up with an idea for something they'd like a software product to do differently.

If you come across an idea that you think might make a nice enhancement, your input is always welcome.

Please submit your suggestion and/or enhancement request to the R:BASE Developers' Corner Crew (R:DCC) and describe what you think might make an ideal enhancement. In R:BASE, the R:DCC Client is fully integrated to communicate with the R:BASE development team. From the main menu bar, choose "Help" > "R:DCC Client". If you do not have a login profile, select "New User" to create one.

If you have a sample you wish to provide, have the files prepared within a zip archive prior to initiating the request. You will be prompted to upload any attachments during the submission process.

Unless additional information is needed, you will not receive a direct response. You can periodically check the status of your submitted enhancement request.

If you are experiencing any difficulties with the R:DCC Client, please send an e-mail to [rdcc@rbase.com](mailto:rdcc@rbase.com).

### **Reporting Bugs:**

If you experience something you think might be a bug, please report it to the R:BASE Developers' Corner Crew. In R:BASE, the R:DCC Client is fully integrated to communicate with the R:BASE development team. From the main menu bar, choose "Help" > "R:DCC Client". If you do not have a login profile, select "New User" to create one.

You will need to describe:

- What you did, what happened, and what you expected to happen
- The product version and build
- Any error message displayed
- The operating system in use
- Anything else you think might be relevant

If you have a sample you wish to provide, have the files prepared within a zip archive prior to initiating the bug report. You will be prompted to upload any attachments during the submission process.

Unless additional information is needed, you will not receive a direct response. You can periodically check the status of your submitted bug.

If you are experiencing any difficulties with the R:DCC Client, please send an e-mail to [rdcc@rbase.com](mailto:rdcc@rbase.com).

# Index

## - A -

Access 35  
Acrobat Portable Document 41  
ASCII 49

## - C -

Comma Separated Values 17  
copyright 6  
CSV 17, 49  
CUS 49

## - D -

Data Interchange Format 31, 42  
DB 15, 47  
DB2 35  
dBASE 16, 48  
DBF 16, 48  
Delimiter 49  
DIF 31  
DOC 27  
Document 27

## - E -

EXPORT 15, 16, 17, 19, 20, 22, 24, 27, 28, 30, 31,  
32, 34, 35, 37, 38, 40, 41, 42, 43, 45  
Extended Markup Language 37, 57

## - F -

feedback 68  
Firebird 35  
FIX 19  
fixed width 19

## - H -

HTM 20, 54  
HTML 20, 54

## - I -

IMPORT 47, 48, 49, 51, 53, 54, 56, 57, 58, 60, 61  
install 12  
intro 6  
ISV 49

## - J -

JavaScript 43, 60  
JavaScript Object Notation 43, 60  
JSON 43, 60

## - L -

LDIF 42  
license 7  
Lotus 32, 53

## - M -

MDB 58  
MS Access 58  
MS Excel 51  
MySQL 35

## - O -

ODS 61  
ODT 45  
OpenOffice 45, 61  
Oracle 35

## - P -

Paradox 15, 47  
parameters 14  
PDF 41  
PosgreSQL 35

## - Q -

QSV 49  
Qualifier 49

QuattroPro 34, 56

## - R -

Rich Text Format 38

RTF 38

## - S -

SAV 40

SLK 30

Spreadsheet 22

SPSS Format 40

SQL 35

SQL Script 35

SQL Server 35

SQLite 35

support 10

Symbolic Link 30

system requirements 12

## - T -

TAB 28, 49

Tab Separated Values 28

TXT 49

## - W -

WK1 32

WKQ 56

WKS 53

Workbook 24

WQ1 34, 56

## - X -

XLS 22, 24, 51

XLSW 24

XML 37, 57

Back Cover