



www.rbase.com

## What's New in R:BASE 11 (Version 11.0)

### UPDATE 2

### Official Release Version

Build: 11.0.2.20415

Tuesday, April 15, 2025

Requested Enhancements	10/09/2024 - 04/15/2025
------------------------	-------------------------

Item	Date Implemented	Description
------	------------------	-------------

*Release Build: 11.0.2.20415*

- |     |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 01. | 04/08/2025 | Forms - The Tile Menu control and Action Bar tab has been enhanced with "Duplicate" and "Edit Custom EEP" buttons to easily reuse and modify Action Bar items.                                                                                                                                                                                                                                                                                  |
| 02. | 04/02/2025 | BLOB Editor - The RBBEDIT command supports editing BLOB data directly from a SELECT query. The syntax uses the SQL keyword prior to the query syntax<br><br>RBBEDIT '<SQL SELECT ContPhoto FROM Contact WHERE ContID = 1001>'                                                                                                                                                                                                                   |
| 03. | 03/20/2025 | Forms - Using the DB Tree View, it can take time to build the tree when the form is run. It would be nice to have a hourglass or loading indicator so the user knows the tree is building and the program is not frozen.                                                                                                                                                                                                                        |
| 04. | 03/13/2025 | R:BASE Editor - Added "EEPs" menu bar option when editing Custom EEPs and actions (Custom Form Actions, On Before Design Action, etc.) where the R:BASE Editor allows the editing/browsing of other code within the form/report/label without leaving the current editor session. The EEPs menu bar options allow for nested instances of the editor, where each instance places the control or action description in the editor's caption bar. |
| 05. | 03/05/2025 | Utilities - The Scratch Pad tool is not available when reviewing the Form, Report, Label "Find in" search results. It would be helpful for the Scratch Pad to be available, where the user is not forced to use some other utility for copy/paste of code/text.                                                                                                                                                                                 |
| 06. | 03/05/2025 | Menus - Provide the option to toggle between hidden and visible characters when entering a password, allowing users to preview the input string before submission. This includes any password Dialog box as well as the R:BASE prompt for a user's database password.                                                                                                                                                                           |

Password edit boxes now have a button on the right side. When clicked, the password is shown on when the mouse button is clicked down, then hidden again when the mouse button is released.

07. 03/05/2025 Commands - The NULLSET command has been implemented to set variable values to NULL for individual variables, or a variable list.
- NULLSET VAR vCost, vReportName
- NULLSET VAR vCust%
- NULLSET ALL VAR EXCEPT vOutput
08. 03/04/2025 Data Dictionary - When using the Data Dictionary in MDI mode, it would be nice to be able to just double click on the table name, column name, etc. to paste the value.
09. 03/04/2025 Form Designer - A new Value toolbar has been implemented where a control's caption/text can be edited directly from the toolbar. The Value toolbar is included in the "View > Toolbars" option list.
10. 02/25/2025 Database Explorer - Please implement a way to access and modify EEPs in a form without having to open the designer.
- Within the Forms, Reports, Labels, and External Forms areas, the "EEP Quick Edit" menu option has been added where the object's EEPs may be reviewed and modified without having to open it in the designer.
11. 02/18/2025 Data Browser - The Show Column and Hide Column dialogs have been enhanced with a filter field, where the column names may be filtered within the list, to quickly locate the desired column.
12. 02/17/2025 Data Browser - The column name search (Move to) utility has been enhanced so a specific column may be filtered within a list, to quickly locate the column in a large list of column names. Once the column is selected and the "OK" button is clicked, the column name will be highlighted. The enhanced "Find Column (Ctrl+F8)" options (toolbar and menu bar) have also been moved to appropriate locations.
13. 02/17/2025 Data Designer - A "Find Column" search utility has been implemented within the "Columns" area where a specific column may be located quickly in a large list of column names. Once the column is selected and the "OK" button is clicked, the column name will be highlighted. The dialog also provides the column comments.
14. 02/17/2025 Database Explorer - The Tables and Views group bar options have been enhanced to include search utilities to locate column names in tables and views.
15. 02/17/2025 Forms - Auto-Arrange buttons have been implemented to offer a quick and simple method to arrange the tab order for a group of controls in a container, where the controls' X and Y pixel coordinates ("Top" and "Left" properties) dictates the tab order. The control locations would only need to be placed in the desired coordinates needed for the tab focus movement, and the single button would assign the tab order to either the "Left-Right, Top-Down" or "Top-Down, Left-Right" order.
16. 02/11/2025 Settings - A new NUMROUND setting has been introduced which rounds any excess scale digits for numeric data types.
- The default value is OFF, which means that numeric values must follow the definition for the maximum number of digits to the right of the decimal (the scale).
- If NUMROUND is ON, then as long as the number would round to a valid numeric with that precision and scale, R:BASE will accept the value. This means that if you entered 0.237 with NUMROUND set to ON, it will be allowed, and the stored value will be 0.24.
17. 02/04/2025 Database Explorer - An additional unload menu option has been added for views, stored procedures, forms, reports, and labels where one or more selected item is placed into a separate file.

*Release Build: 11.0.2.20415*

18. 01/29/2025 Printing Reports/Labels - In R:BASE 11, the Report/Label Designer displays the Preview output in the center of the screen. In R:BASE 10.5, the Preview output is shown in the top left corner of the screen. The R:BASE 10.5 behavior is a bug because as soon as the zoom settings are changed or the other predefined zoom buttons in the toolbar, the report will be rendered in the center of the screen. That left-aligned view only applies when clicking the 100% button in the toolbar of 10.5 (and prior releases).
- However, if you love the classic behavior, implement the following new setting on the application startup:
- ```
PROPERTYREPORT CLASSIC_100PCT_PREVIEW ON
```
19. 01/29/2025 Settings - A new PARSESEMI setting has been introduced which controls the parsing of semi colon characters in the processing of ampersand variables. The default value is OFF, which means R:BASE ignores semi colons in ampersand variables. If PARSESEMI is set to ON, then you can have semicolons inside an ampersand variable to stack multiple commands.
20. 01/20/2025 Functions - When connected to a database with no User Privileges defined, the TINFO function returns "SELECT, UPDATE, INSERT, DELETE, ALTER, REFERENCE" permissions even though the USER name does not exist. The function was enhanced to return a NULL value if there are no users defined.
21. 01/20/2025 In-memory Tables/Commands - The limit on In-memory tables has been increased from 10 to 25.

*Release Build: 11.0.2.20107*

22. 12/18/2024 Commands - Support has been added for temporary tables that are stored in memory, instead of a temporary file. In memory tables may be created with the CREATE TABLE, INTERSECT, JOIN, PROJECT, SUBTRACT, and UNION commands. The command syntax allows the INMEMORY keyword to be used where TEMPORARY is normally located.
- ```
CREATE INMEMORY TABLE NewTable1 +  
(NewColumn1 INTEGER, NewColumn2 TEXT 8)
```
- When such a table is created, nothing is written to the temporary file 2 for the data rows. The table and rows are in memory. R:BASE initially allocates 32,000 bytes for each INMEMORY table, whereas the table grows, the space will increase as needed. R:BASE currently limits databases to twenty-five (25) INMEMORY tables. If any keys are built for an INMEMORY table, the key data will be written to the temporary file 3. When using the LIST command, INMEMORY tables will have an (I) in front of the name, instead of (T).
23. 12/16/2024 Functions - The TINFO function has been enhanced to allow the OWNER to specify a USER name for the first parameter.
- ```
SET VAR vUserPermission = (TINFO('Mary',41,-1))  
SHOW VAR vUserPermission  
SELECT, UPDATE, INSERT, DELETE, REFERENCE
```
24. 12/11/2024 Forms - A new column-level SHOWEDITOR property was added to launch the BLOB Editor for a specific column.
- ```
PROPERTY TABLE_COLUMN[ContactCallNotes->CallNotes] SHOWEDITOR ' '
```

25. 12/10/2024 Reports/Labels - Image support has been implemented for the Advanced Rich Text control's "Mail Merge" feature. With the enhancement, VARBIT fields/variables are automatically interpreted as images. For non-VARBIT fields/variables, the name must be appended with the 'IMAGEFILE' displayformat. The 'IMAGEFILE' displayformat is applicable to values containing the path of the image file.
- Mail Merge Example Uses:
- ```
<ContPhoto>
<ContLName>, <ContFName>

<ContPhotoPath|IMAGEFILE>
<ContLName>, <ContFName>

{ContPhotoVarBit}
<ContLName>, <ContFName>

{ContPhotoPath|IMAGEFILE}
<ContLName>, <ContFName>
```
26. 12/05/2024 Forms - The DB Tree List was enhanced with additional properties for selecting a specific node. The TOPNODE property sets the topmost node passing the node's key value. If the value is empty, the very first node in the tree is used. The SELECTNODEBYID property sets the selected node by an ID value.
- ```
PROPERTY DBTreeList TOPNODE ''
PROPERTY DBTreeList SELECTNODEBYID 'Value'
```
27. 12/05/2024 Forms - Sub-directory support was added to the File List Box control, where it is possible to view and traverse sub-directories when listing files in the File List Box. The control also was updated to provide a '..' entry within the list box, to move one directory up. To enable such, the Object Inspector may be used to alter the properties. However, the property editor did not have an option to enable Directories in the list box.
- The File List Box was enhanced to provide a File Type option with file type attributes to include/exclude from the list box: Read Only, Hidden, System Directory, Archive, Normal. The below FILETYPE properties may also be added/removed within the property set, using the following syntax:
- ```
PROPERTY RBFileBox1 FILETYPE '+ DIRECTORY'
PROPERTY RBFileBox1 FILETYPE '+ NORMAL'
PROPERTY RBFileBox1 FILETYPE '+ READONLY'
PROPERTY RBFileBox1 FILETYPE '- HIDDEN'
PROPERTY RBFileBox1 FILETYPE '- ARCHIVE'
PROPERTY RBFileBox1 FILETYPE '- SYSTEM'
```
28. 12/04/2024 Data Browser - In View as Grid mode, highlighting a cell should also highlight its entire row, as is already done with the View as Tree Grid mode. This is especially important when there are too many columns to display without scrolling horizontally, or when using an ultrawide monitor where the small black triangle to the right of the row number is not directly in view.
29. 11/20/2024 Utilities - In the color/font color editor, pressing the [F6] key will switch the hex entry textbox between Delphi style RGB (\$) and HTML style RGB (#). The utility makes it easier to use colors from online sources (which are mostly HTML style RGB).

30. 11/12/2024 Forms - Added form-level ENABLEDATASETSCROLL property to disable processing when the dataset is scrolled. An example is when a dataset is loaded in a grid, where partial or all rows in the dataset are traversed. During the traversal, there are processes performed for each dataset row to synchronize things (e.g. variables, control states, etc.).
- If EnableDatasetScroll is FALSE, these processes are not performed, making faster response times. The feature is particularly useful in grid-like controls where multiple rows are loaded. The default value is TRUE.
- PROPERTYRBASE\_FORM EnableDatasetScroll 'FALSE'
31. 10/30/2024 Forms - The File List Box control was enhanced to optionally include the file Size, Creation Time, Last Access Time, and Last Write Time values.
32. 10/10/2024 Data Dictionary - The utility was enhanced with an incremental search feature for the list view display mode. While focused on a list view, pressing the [/] key will show the Find dialog. Typing into the entry box will auto-locate a match. Note that the incremental search feature only works when the [/] key is pressed, and not when [Ctrl+N] is pressed.
33. 10/09/2024 Data Dictionary - Optimizations have been implemented when loading the Data Dictionary, which will open faster than prior builds.

| Item                               | Date Fixed | Description                                                                                                                                                                                                                                                                                                                            |
|------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Release Build: 11.0.2.20415</i> |            |                                                                                                                                                                                                                                                                                                                                        |
| 01.                                | 04/11/2025 | Forms - When initiating a drag and drop operation with the first level node of a DB Tree List control an error is encountered.                                                                                                                                                                                                         |
| 02.                                | 04/10/2025 | Form Designer - When floating, the Control Palette toolbar width can be decreased to almost nothing and increased to as far as the monitor display allows.                                                                                                                                                                             |
| 03.                                | 04/09/2025 | Form Designer - The Control Palette is assigned a default height value that is not large enough for the initial display.                                                                                                                                                                                                               |
| 04.                                | 04/08/2025 | File Gateway - When an exception file is specified with the GATEWAY syntax (ERROR_FILE exception.log), not all errors are logged within the file for why the data is not inserted.                                                                                                                                                     |
| 05.                                | 04/08/2025 | R:BASE Editor - When a command file is open in R:BASE Editor, and the Find in Files utility is opened from the "Utilities > Find in Files" option, when a Ctrl+V paste operation is made, the clipboard contents incorrectly appear in the command file, and not the focused field in the Find in Files dialog.                        |
| 06.                                | 04/07/2025 | R:BASE Editor - When performing search and replace operations for a single command file, any subsequent search and replace operations after the first does not work, where the values selected in the drop-downs are not recognized.                                                                                                   |
| 07.                                | 04/07/2025 | File Gateway - When importing data from an HTML file, not all records are brought into the table when compared with prior versions. The difference is with INTEGER columns, where when a value does not meet the data type requirements, the entire row is not loaded. In prior releases only that value is not loaded into the table. |
| 08.                                | 04/04/2025 | Reports - When altering the CrossTab Title value, the header of the tabulated column is not saved permanently.                                                                                                                                                                                                                         |
| 09.                                | 04/04/2025 | Reports - When printing a report with a CrossTab control, there is a large amount of space across the lower end of page 1 for the report. On the report's 2nd page, the remaining portion of the CrossTab is printed, which can fit on Page 1.                                                                                         |
| 10.                                | 04/04/2025 | Report Designer - When objects are defined outside of the report margins and the red notification lines appear to note the object's invalid placement, the red lines do not adjust when the designer is zoomed in/out.                                                                                                                 |
| 11.                                | 04/03/2025 | Reports/Labels - When a system variable object is defined as a Date value for a report/label, the display format does not follow the database's date format.                                                                                                                                                                           |
| 12.                                | 04/02/2025 | Report Designer - When designing a report and adding a JPG image with the transparent setting applied, there is a noticeable delay when selecting different objects on the report. If the image type is changed to a PNG file, the Report Designer is back to the normal response when the objects are highlighted.                    |
| 13.                                | 04/01/2025 | Data Designer - When defining a default value for a column, where the value contains higher ASCII characters, the displayed value is incorrect.                                                                                                                                                                                        |
| 14.                                | 03/25/2025 | Commands - When creating an in-memory table with a PROJECT command including an ORDER BY, the initial allocated memory is less than what is required for the sort.                                                                                                                                                                     |
| 15.                                | 03/20/2025 | Forms - Using a DB Tree View with a search utility on the bottom of the form works correctly, but sometimes when the FINDNEXTNODE command runs, it does not show the node on the screen. The user must scroll down to see it.                                                                                                          |

16. 03/17/2025 Report/Label Designer - When initially opening a report or label in the designer and opening either "Find in Custom EEPs" or "Find in Control Properties" menu (or hot keys Ctrl+F/Ctrl+L), the search dialog does appear. Only after an object is selected and unselected does either utility appear.
17. 03/14/2025 Error Messages - If an attempt to connect to a password protected database, with no PUBLIC account, is left at error message 2318, the database is in a state where no user can connect to it.
18. 03/13/2025 Form Designer - When Undo is used for a Split View control change the form clears to an empty white background.
19. 03/12/2025 Forms- When a form contains a Tab Control object, each time the R:BASE display is switched to another module (R> Prompt, R:BASE Editor, etc.) and then back to the form, the form incorrectly lowers/scrolls down.
20. 03/12/2025 External Forms - When opening an EEP from an External Form, the EEP Editor does not display. R:BASE may also close unexpectedly.
21. 03/12/2025 Forms - When the Object List toolbar is floating and the Parented List button is clicked, the toolbar disappears.
22. 03/11/2025 Reports/Labels - When printing a report to a PDF file, a Variable Label's text is no longer truncated where the characters overflow into other labels and off the page.
23. 03/11/2025 Forms - When designing a form, several objects will disappear when editing an EEP and using the Data Dictionary. The Data Dictionary must be opened in the EEP with the Form Component IDs tab as the default, with MDI set to ON.
24. 03/10/2025 Reports/Labels - Variables are calculated incorrectly when a report is set to Two Pass.
25. 03/07/2025 Data Browser - When a table is opened in the Data Browser and various columns are sorted, Edit Mode incorrectly becomes disabled.
26. 03/07/2025 Commands - When using the GETPROPERTYRBASE\_FORM WINDOW\_STATE 'vState' command to capture the window state, the value of "maximized" is not captured when in NATIVE\_FORMS OFF mode.
27. 03/05/2025 Forms - When a PDF Viewer control is placed inside of an Enhanced Tab control, the PDF Viewer displays outside of the tab control when the form is run.
28. 03/04/2025 External Form Designer - There is a background color difference between the Form Designer and External Form Designer toolbars when the toolbars are floating.
29. 02/27/2025 Form Designer - A form cannot be modified and saved if the rbase.sch scheme file is not found.
30. 02/26/2025 Database Explorer - When running forms or printing reports/labels and opening the WHERE History, the initial focus is no longer on the WHERE History items but is on the Search field. Functionality was also added to allow pressing the down arrow key from the Search edit box to automatically move the focus to the History Items list box, allowing the scroll-based selection.
31. 02/26/2025 Report/Label Designer - When a new text Label object is added to a report/label, selection of the characters within the Edit field is not immediately possible.
32. 02/21/2025 Forms - When a Variable Date and Time Edit control is set with the size as locked, the control automatically resizes to the default width when the form is run.
33. 02/21/2025 Forms - When a control's size is locked, right click and select "Lock Size" from the popup menu, the form is not dirty. Some other change is required in order to save the form.

- |     |            |                                                                                                                                                                                                                                                                                           |
|-----|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 34. | 02/20/2025 | Data Designer - When reviewing column names and after clicking on several names down the list, the default value will incorrectly appear as the column name when the mouse button is dicked and held down in the white space.                                                             |
| 35. | 02/13/2025 | Commands - When a multiple columns index includes several NOTE data type columns, R:BASE was not properly incrementing the pointer to the next comparison value, which made the comparison with the integer graduation value does not look at the correct location.                       |
| 36. | 02/13/2025 | Forms - When dragging an item in the Tab Order list, the items are incorrectly swapped (drag item and dragged destination), instead of moving the dragged item to the new location and pushing the rest of the items.                                                                     |
| 37. | 02/11/2025 | Data Designer - When text is incorrectly assigned as the default value for an integer column, no error is detected when saving the table.                                                                                                                                                 |
| 38. | 02/10/2025 | Labels - When UINOTIF is set to OFF and after a new label is created, an error appears stating the label does not exist.                                                                                                                                                                  |
| 39. | 02/10/2025 | Forms - When UINOTIF is set to OFF and after the Form Wizard is used to create a new form, an error appears stating the form does not exist. The error may also appear after creating a new form without the wizard, and a command is used referencing the form (FORMS, EDIT USING, etc.) |
| 40. | 01/30/2025 | Forms - When custom colors are assigned to the selected row of an Enhanced DB Grid, the text values for some column cells are not visible.                                                                                                                                                |
| 41. | 01/23/2025 | R:BASE Editor - When a file is open in the editor and the Structure toolbar is displayed to see the command names in the file, a save of the file refreshes the toolbar where all assigned commands are no longer listed.                                                                 |
| 42. | 01/20/2025 | Commands - When adding an index to an INMEMORY table errors can be encountered based upon the SCRATCH file path.                                                                                                                                                                          |
| 43. | 01/17/2025 | Reports/Labels - When changing an PDF Annotation control type to Note, it reverts to Comment after the report is closed and reopened.                                                                                                                                                     |
| 44. | 01/17/2025 | Reports/Labels - When selecting "Format > Fill Color" for a table cell, the cell is not filled completely.                                                                                                                                                                                |
| 45. | 01/17/2025 | Reports/Labels - When specifying an EMF image file within the Advanced Rich Text control, the image does not fit within the control's borders.                                                                                                                                            |
| 46. | 01/15/2025 | Reports/Labels - When Mail Merge is enabled, right clicking within the Advanced Rich Text Editor lists the "Insert" options for DB/Variables Labels twice.                                                                                                                                |
| 47. | 01/14/2025 | Reports/Labels - After altering the PDF Annotation's Contents value, the report does not become dirty.                                                                                                                                                                                    |
| 48. | 01/14/2025 | Reports/Labels - The PDF Annotation > Subject does not display the variable value when a variable is defined for the Subject.                                                                                                                                                             |
| 49. | 01/14/2025 | Data Browser - When hiding columns in the Data Browser and then printing the data, the hidden columns appear to be mushed together where they are located in the table.                                                                                                                   |
| 50. | 01/10/2025 | Report/Label Designer - When toggling the Mail Merge option for the Advanced Rich Text control, the report does not become dirty.                                                                                                                                                         |
| 51. | 01/10/2025 | Forms - When a list view is sorted by date, selecting an item reorders the records within each date.                                                                                                                                                                                      |



52. 12/17/2024 Forms - When altering the data in an Enhanced DB Grid, the font in use when editing is very small, which differs from the behavior in prior versions.
53. 12/11/2024 Forms - After adding a column to an Enhanced DB Grid and moving that column up the column list in the grid before a column with Predefined Values, the list of Predefined Values had their list incorrectly moved one another column (to the left).
54. 12/09/2024 Commands - When updating VARCHAR column data from a VARCHAR variable, which is populated from a table SELECT, the resulting updated data is lost.
55. 12/06/2024 Data Designer - When a table is switched to be temporary in the Tables section of the Data Designer, the text for the "Temporary Table" check box changes to look odd after the warning message is confirmed, and the box is unchecked.
56. 12/06/2024 R:BASE Editor - When R:Style is run for a command file residing in a long path and file name, the file path string in the status dialog is truncated.
57. 12/06/2024 Printing Reports/Labels - The FIND\_TEXT\_IN\_PREVIEW PROPERTY command parameter does not hide the display of the "Find Text" button before the output is printed.
- PROPERTYREPORT FIND\_TEXT\_IN\_PREVIEW 'OFF'
58. 12/06/2024 Report/Label Designer - When the Edit toolbar is docked to the left or right side of the designer, and various object types are selected, the toolbar displays odd text on the toolbar.
59. 12/05/2024 Forms - A form fails to open when a File List Box control's default directory is defined incorrectly. The form opens in prior releases.
60. 12/05/2024 Commands - When comparing a VARCHAR variable to a text value in IF and WHILE commands R:BASE can close abruptly.
61. 12/04/2024 Commands - When a long VARCHAR was used to update a value and its length was over 40,000 characters, the variable name was stored, not the value.
62. 11/20/2024 Forms - When an Enhanced DB Grid has an expression defined for a column, where the expression is based upon a table which has a table comment, the table comment is incorrectly being evaluated in the query string.
63. 11/20/2024 Expression Builder - R:BASE does not catch and display an error when a variable comment is defined in the Expression Builder with unbalanced braces.
64. 11/11/2024 Commands - When using the IsPortOpen GETPROPERTY parameter the return value is blank.
65. 11/07/2024 File Gateway - When a Specification File is in use within the File Gateway utility, the file name is displayed in the bottom left corner but is trimmed across the bottom where the characters are not 100% visible.
66. 11/06/2024 Form Designer - When resizing form objects, the width and/or height coordinates appear as a hint once a handlebar is selected and changed, as the mouse is dragged. The coordinate hint flickers as the object is resized. Please remedy the flickering behavior.
67. 11/06/2024 File Gateway - When saving changes to an existing File Gateway specification file, the file name field is filled with non-English characters.
68. 11/05/2024 Database Explorer - When searching for text in rich text controls (not Advanced) for reports/labels, the results do not include the expected objects when "Whole Word" is enabled as a search option.
69. 10/29/2024 Error Messages - When an empty file is used with the LOAD command, the returned error reports the file is not found.

70. 10/29/2024 Forms/Reports/Labels - When selecting to copy/paste variables in the Expression Builder, the paste operation places the name, data type, expression, and table incorrectly.
71. 10/29/2024 Error Messages - When a LOAD command is successfully used for adding data from a file, and then later when the LOAD is used again but when the prior path has been deleted, the "File not found" error message displays odd characters for the now invalid path.
72. 10/28/2024 Reports/Labels - When a transparent PNG is defined for a DB Image object on a report, the image does not appear in the expected location on the PDF output when it is placed on top of an Advanced Rich Text label.
- Important: When opening a report with image-type objects overlaying Advanced Rich Text in the Report Designer, the images may be misaligned. If so, those image objects must be repositioned due to the rendering correction of the Advanced Rich Text object, to match the final output.
73. 10/25/2024 Commands - After the RBSYNC command is used to recreate the .RX3 index file, a lock is placed on the newly created file which prevents connecting to the database.
74. 10/24/2024 Reports/Labels - When an Advanced Rich Text label is defined with a bullet list, the bullets do not display in the Report Designer. When the report is previewed, printed, or opened in the Advanced Rich Text Editor, the list is visible.
75. 10/24/2024 Data Designer - The Description text within the "Columns" group is no longer wrapped.
76. 10/22/2024 Forms - When a DB Edit control is defined with a format mask, the mask characters do not display when the form is run in Edit mode unless the focus is on the control.
77. 10/22/2024 Commands - When executing a VARCHAR data type ampersand variable in a WHILE the command is not recognized. Outside of the WHILE loop, the ampersand variable execution works as expected.
78. 10/22/2024 Forms - Using a Variable Edit control to display the Cue Banner feature, the hint does not appear using the property editor settings. Only using the PROPERTY command does the banner appear.
79. 10/21/2024 Reports/Labels - When the Auto Display setting is enabled for a DB Image object, the setting incorrectly controls if the image appears when running the report. The setting should only affect visibility during design time.
80. 10/17/2024 Database Explorer - With the Command Files sorted by date in descending order, after a file is modified, and the Database Explorer is viewed, the newly saved file is not visible, and is just above the viewed list. The display must be scrolled to see the newly saved file.
81. 10/16/2024 R:BASE Editor - When the "Create Backup Files" setting is enabled, the backup file is incorrectly created with the tilde in place of the period. Also, the backup file name was updated to insert the tilde after the period, and to retain the entire file extension.
82. 10/16/2024 Database Explorer - Under the Command Files, the "Browse..." menu option, which was in version X.5, is missing from R:BASE 11.
83. 10/15/2024 Data Browser - When selecting "Replace All Column Values" for DATE, CURRENCY, and perhaps other data types, you can no longer have the values replaced.
84. 10/15/2024 R:BASE Editor - When opening a file within the editor, the available file list within the "Objects of Type" menu had a "All Files (\*.\*)" option in prior releases, to open any file type.
85. 10/15/2024 Error Message/Reason - When passing too many characters or items in a command, the error states "10,000 characters or 400 items", but the reason states "5,000 characters or 400 items".

- 86. 10/15/2024 Functions - A view created with a LISTOF (DISTINCT ColName) function opens with "New Value Will be Truncated" warning messages.
- 87. 10/15/2024 Functions - When creating a temporary view with LIST, rather than the correct function LISTOF, the "Error in FUNCTION RListofTables" error appears when viewing the tables and views at the Database Explorer.
- 88. 10/14/2024 Forms - When a Group Bar is located within an Enhanced Tab Control, the group bar images do not display.
- 89. 10/10/2024 Form Designer - Flickering on image objects may appear when dragging and dropping objects on a form