

R:BASE X.5 and R:BASE X.5 Enterprise Function Index



The Programmer's Guide to Building
R:BASE Databases and Custom Applications



R:BASE X.5 and R:BASE X.5 Enterprise

Function Index

by R:BASE Technologies, Inc.

R:BASE provides a wide range of predefined functions. A function differs from an operator in that a function provides a predefined complex expression to evaluate standard mathematical, trigonometric, financial, or logical functions without requiring the user to enter the formula in a complete R:BASE expression. Function names are reserved words.

R:BASE X.5 and R:BASE X.5 Enterprise Function Index

Copyright © 1982-2024 R:BASE Technologies, Inc.

Information in this document, including URL and other Internet web site references, is subject to change without notice. The example companies, individuals, products, organizations and events depicted herein are completely fictitious. Any similarity to a company, individual, product, organization or event is completely unintentional. R:BASE Technologies, Inc. shall not be liable for errors contained herein or for incidental consequential damages in connection with the furnishing, performance, or use of this material. This document contains proprietary information, which is protected by copyright. Complying with all applicable copyright laws is the responsibility of the user. Without limiting the rights under copyright, no part of this document may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written consent of R:BASE Technologies, Inc. We reserve the right to make changes from time to time in the contents hereof without obligation to notify any person of such revision or changes. We also reserve the right to change the specification without notice and may therefore not coincide with the contents of this document. The manufacturer assumes no responsibilities with regard to the performance or use of third party products.

Products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

The software described in this document is furnished under a license agreement. The software may be used or copied only in accordance with the terms of that agreement. Any unauthorized use or duplication of the software is forbidden.

R:BASE Technologies, Inc. may have patents, patent applications, trademarks, copyrights, or other intellectual property rights covering subject matter in this document. Except as expressly provided in any written license agreement from R:BASE Technologies, Inc., the furnishing of this document does not give you any license to these patents, trademarks, copyrights, or other intellectual property.

Trademarks

R:BASE®, Oterro®, RBAAdmin®, R:Scope®, R:Mail®, R:Charts®, R:Spell Checker®, R:Docs®, R:BASE Editor®, R:BASE Plugin Power Pack®, R:Style®, RBZip®, R:Mail Editor®, R:BASE Dependency Viewer®, R:Archive®, R:Chat®, R:PDF Form Filler®, R:FTPClient®, R:SFTPClient®, R:PDFWorks®, R:Magellan®, R:WEB Reports®, R:WEB Gateway®, R:PDFMerge®, R:PDFSearch®, R:Documenter®, RBInstaller®, RBUpdater®, R:AmazonS3®, R:GAP®, R:Mail Viewer®, R:Capture®, R:Synchronizer®, R:Biometric®, R:CAD Viewer®, R:DXF®, R:Twain2PDF®, R:Tango®, R:Scheduler®, R:Scribbler®, R:SmartSig®, R:OutLink®, R:HASH®, R:JobTrack®, R:TimeTrack®, R:Manufacturing®, R:GeoCoder®, R:Code®, R:Fax®, R:QBDataDirect®, R:QBSynchronizer®, R:QBDBExtractor®, and Pocket R:BASE® are trademarks or registered trademarks of R:BASE Technologies, Inc. All Rights Reserved. All other brand, product names, company names and logos are trademarks or registered trademarks of their respective companies.

Windows, Windows 11-10, Windows Server 2022-2012, Bing Maps, Word, Excel, Access, SQL Server, and Outlook are registered trademarks of Microsoft Corporation. OpenOffice is a registered trademark of the Apache Software Foundation.

Printed: May 2024 in Murrysville, PA

First Edition

Table of Contents

Part I Function Index

12

1	Function Categories	13
2	A	14
	ABS	14
	ACOS	14
	ADDDAY	14
	ADDFRC	14
	ADDHR	15
	ADMIN	15
	ADDMON	15
	ADDSEC	15
	ADDYR	15
	AIN	15
	ANINT	15
	ASIN	16
	ATAN	16
	ATAN2	16
3	B	16
	BRND	16
4	C	16
	CHAR	16
	CHKCUR	17
	CHKFILE	17
	CHKFUNC	17
	CHKKEY	17
	CHKTABLE	18
	CHKVAR	18
	COS	18
	COSH	18
	CTR	19
	CTXT	19
	CVAL	19
	AND	22
	ANSI	22
	ANSIOUTPUT.....	22
	AUTOCOMMIT.....	22
	AUTODROP.....	22
	AUTOSKIP.....	22
	BELL	22
	BOOLEAN.....	22
	BLANK	22
	BUILD	23
	CASE	23
	CHECKPROP.....	23
	CLEAR	23

CLIPBOARDTEXT.....	23
CMPAUSE	23
COLCHECK.....	23
COLOR	23
COMPUTER.....	24
CONNECTIONS.....	24
CURRDIR	24
CURRDRV	24
CURRENCY.....	24
CURRENTPRINTER.....	24
DATABASE.....	25
DATE	25
DATE CENTURY	25
DATE FORMAT.....	25
DATE SEQUENCE.....	25
DATE YEAR.....	25
DBPATH	25
DEBUG	26
DELIMIT	26
DRIVES	26
ECHO	26
EDITOR	26
EOFCHAR	26
EQNULL	27
ERROR	27
ERROR DETAIL.....	27
ERROR MESSAGE.....	27
ERROR VARIABLE.....	27
ESCAPE	27
EXPLODE	27
FASTFK	28
FASTLOCK.....	28
FEEDBACK.....	28
FILES	28
FIXED	28
GUID	28
HEADINGS.....	28
IDQUOTES.....	28
INSERT	29
INTENSITY	29
INTERVAL	29
ISOWNER	29
LAST BLOCK TABLE.....	29
LAST ERROR.....	29
LAYOUT	29
LINEEND	29
LINES	30
LOOKUP	30
MANOPT	30
MANY	30
MAXTRANS.....	30
MDI	30
MESSAGES.....	30

MIRROR	30
MULTI	30
NAME	31
NAMEWIDTH.....	31
NETGROUP.....	31
NETLOCALGROUP.....	31
NETUSER	31
NOCALC	31
NOTE_PAD.....	31
NULL	31
OFFMESS	31
OLDLINE	32
ONLINE	32
OUTPUT	32
PAGELOCK.....	32
PAGEMODE.....	32
PASSTHROUGH.....	32
PLATFORM.....	32
PLUS	33
PORTS	33
POSFIXED	33
PRINTERS	33
PRN_COLLATION.....	33
PRN_COLORMODE.....	33
PRN_COPIES.....	33
PRN_DUPLEXMODE.....	33
PRN_ORIENTATION.....	34
PRN_QUALITY.....	34
PRN_SIZE	34
PRN_SOURCE.....	34
PRN_STATUS.....	34
PROGRESS.....	34
QUALCOLS.....	34
QUOTES	34
RADMIN	34
REFRESH	35
REVERSE	35
ROWCOUNT.....	35
ROWLOCKS.....	35
RULES	36
SCRATCH	36
SCREENSIZE.....	36
SELMARGIN.....	36
SEMI	36
SERVER	36
SHORTNAME.....	36
SINGLE	36
SORT	36
SORTMENU.....	37
STATICDB	37
TABLELOCKS.....	37
TIME	37
TIME FORMAT.....	37

TIME SEQUENCE.....	37
TIMEOUT	37
TOLERANCE.....	37
TRACE	38
TRANSACTION.....	38
UINOTIF	38
USER	38
USERAPP	38
USERDOMAIN.....	38
USERID	38
UTF8	38
VERIFY	38
VERSION	39
VERSION BITS.....	39
VERSION BUILD.....	39
VERSION SYSTEM.....	39
VIEWLOCKS.....	39
WAIT	39
WALKMENU.....	40
WAREKI	40
WHILEOPT.....	40
WIDTH	40
WINAUTH	40
WINBEEP	40
WINDOWSPRINTER.....	40
WRAP	40
WRITECHK.....	40
ZERO	41
ZOOMEDIT.....	41
CVTYPE	41
5 D	42
DATETIME	42
DECRYPT	42
DELFUNC	42
DEXTRACT	42
DIM	42
DLCALL	43
DLFREE	48
DLLOAD	48
DNW	48
DWE	48
DWRD	49
6 E	50
ENCRYPT	50
ENVVAL	50
EXP	50
7 F	50
FILENAME	50
FINDFILE	51
FLOAT	51
FORMAT	51
FORMAT2	54


	FSTATUS	54
	FV1	55
	FV2	55
8 G	55
	GETDATE	55
	GETKEY	58
	GETPROPERTY	58
	GETVAL	59
	CheckMessageStatus	60
	GetDriveReady	60
	GetIPAddress	60
	GetLock	61
	GetLockType	61
	GetMACAddr	62
	GetVolumeID	63
	PlayAndExit	63
	PlayAndWait	64
9 H	64
	HZC	64
	HTML	64
10 I	64
	ICAP	64
	ICAP1	64
	ICAP2	65
	ICAP3	65
	IFCASEEQ	65
	ICHAR	65
	IDAY	66
	IDIM	66
	IDOY	66
	IDWK	66
	IFEQ	66
	IFEXISTS	67
	IFF	67
	IFGE	68
	IFGT	68
	IFLE	68
	IFLT	68
	IFNE	68
	IFNULL	69
	IFRC	69
	IFWINDOW	69
	IHASH	69
	IHR	70
	IINFO	70
	ILY	74
	IMIN	74
	IMON	74
	INT	75
	ISALPHA	75
	ISDIGIT	75
	ISEC	75

	ISLOWER	75
	ISSPACE	75
	ISTAT	76
	CURRNUMALLOC.....	76
	CURSORCOL.....	76
	CURSORROW.....	77
	DBSIZE	77
	DISKSPACE.....	77
	FORM_CONTROL_TYPE.....	77
	FORM_DIRTY_FLAG.....	77
	ISRUNTIME.....	78
	LIMITNUMALLOC.....	78
	MAXFREE	78
	MAXNUMALLOC.....	78
	MEMORY	78
	MOUSECOL.....	78
	MOUSEROW.....	78
	PAGECOL	79
	PAGEROW.....	79
	RB1SIZE	79
	RB2SIZE	79
	RB3SIZE	79
	RB4SIZE	80
	RX1SIZE	80
	RX2SIZE	80
	RX3SIZE	80
	RX4SIZE	80
	TOTALALLOC.....	81
	TOTALFREE.....	81
	TOTALLOCKS.....	81
	TOTALREADS.....	81
	TOTALWRITES.....	81
	ISTR	81
	ISUPPER	82
	ITEMCNT	82
	IWOY	82
	IYR	83
	IYR4	84
11 J		84
	JDATE	84
	JDWK	85
	JIDX	85
12 L		85
	LASTKEY	85
	LASTMOD	85
	LAVG	85
	LJS	86
	LMAX	86
	LMIN	86
	LOG	86
	LOG10	87
	LSTDEV	87

	LSUM	87
	LTRIM	87
	LUC	87
	LVARIANCE	88
13 M		88
	MAKEUTF8	88
	MOD	88
14 N		89
	NEXT	89
	NINT	89
15 P		89
	PMT1	89
	PMT2	89
	PV1	90
	PV2	90
16 R		90
	RANDOM	90
	RATE1	90
	RATE2	90
	RATE3	91
	RDATE	91
	REVERSE	91
	RJS	91
	RNDDOWN	91
	RNDUP	92
	ROUND	93
	RTIME	93
	RTRIM	94
	RWP	94
17 S		94
	SFIL	94
	SGET	94
	SIGN	95
	SIN	95
	SINH	95
	SKEEP	95
	SKEEPI	96
	SLEN	96
	SLOC	96
	SLOCI	97
	SLOCP	97
	SMOVE	97
	SOUNDEX	98
	SPUT	98
	SQRT	98
	SRPL	98
	SSTRIP	99
	SSTRIPI	99
	SSUB	99
	SSUBCD	100
	STRIM	100

18 T	100
TAN	100
TANH	100
TDWK	101
TERM1	101
TERM2	101
TERM3	101
TEXTTRACT	101
TINFO	101
TMON	103
TRANSLATE	103
TRIM	103
19 U	103
UDF (User-Defined Functions)	103
Sample UDF	105
ULC	114
20 W	114
WINUDF	114
21 Y	115
YWRD	115
22 Z	115
ZHC	115
ZHCX	115
Part II Aggregate Functions	116
Part III Useful Resources	118
Part IV Feedback	120
Index	122

Part



1 Function Index

1.1 Function Categories

Arithmetic and Mathematical Functions

ABS	AVG	BRND	COUNT
DIM	EXP	LAVG	LISTOF
LMAX	LMIN	LOG	LOG10
LSTDEV	LSUM	LVARIANCE	MAX
MIN	MOD	PSTDEV	PVARANCE
RANDOM	RNDDOWN	RNDUP	ROUND
SIGN	SQRT	STDEV	SUM
VARIANCE			

Conversion Functions

AINT	ANINT	CHAR	CTXT
DWRD	FLOAT	HTML	HZC
ICHAR	IHASH	INT	MAKEUTF8
NINT	SOUNDEX	YWRD	ZHC
ZHCX			

Database Utility Functions

CVAL	IINFO	TINFO
----------------------	-----------------------	-----------------------

Date and Time Functions

ADDDAY	ADDFRC	ADDHR	ADMIN
ADDMON	ADDSEC	ADDYR	DATETIME
DEXTRACT	DNW	DWE	GETDATE
IDAY	IDIM	IDOY	IDWK
IFRC	IHR	ILY	IMIN
IMON	ISEC	IWOY	IYR
IYR4	JDATE	JDWK	RDATE
RTIME	TDWK	TEXTRACT	TMON

Encryption Functions

DECRYPT	ENCRYPT
-------------------------	-------------------------

Financial Functions

FV1	FV2	PMT1	PMT2
PV1	PV2	RATE1	RATE2
RATE3	TERM1	TERM2	TERM3

Keyboard and Environment Functions

ENVVAL	CVAL	CHKCUR	CHKFILE
CHKFUNC	CHKKEY	CHKTABLE	CHKVAR
CVTYPE	DELFUNC	DLCALL	DLFREE
DLLOAD	FILENAME	FINDFILE	FSTATUS
IFWINDOW	ISTAT	GETKEY	GETPROPERTY
LASTKEY	LASTMOD		

Logical Functions

IFCASEEQ	IFEQ	IFEXISTS	IFF
IFGE	IFGT	IFLE	IFLT
IFNE	IFNULL		

String Manipulation Functions

CTR	FORMAT	FORMAT2	ICAP
ICAP1	ICAP2	ICAP3	ISALPHA
ISDIGIT	ISLOWER	ISSPACE	ISTR
ISUPPER	ITEMCNT	JIDX	LJS
LTRIM	LUC	REVERSE	RJS
RTRIM	SFIL	SGET	SKEEP
SKEEPI	SLEN	SLOC	SLOCI
SLOCP	SMOVE	SPUT	SRPL
SSTRIP	SSTRIP1	SSUB	SSUBCD
STRIM	TRANSLATE	TRIM	ULC

Trigonometric Functions

ACOS	ASIN	ATAN	ATAN2
COS	COSH	SIN	SINH
TAN	TANH		

Custom Functions

UDF	WINUDEF
---------------------	-------------------------

1.2 A**1.2.1 ABS****(ABS(*arg*))**

Returns the absolute or positive value of *arg* (a value with a DOUBLE, REAL, NUMERIC, or INTEGER data type).

In the following example, the value of *vabs* is 2.

```
SET VAR vnum = -2
SET VAR vabs = (ABS(.vnum))
```

1.2.2 ACOS**(ACOS(*arg*))**

Computes the arccosine of *arg* where *arg* is in the range -1 to 1. The result is an angle in radians between 0 and pi (where pi = 3.14159265358979).

In the following example, the value of *vacos* is 2.094395, the arccosine of -0.5.

```
SET VAR vacos = (ACOS(-0.5))
```

1.2.3 ADDDAY**(ADDDAY(*date,int*))**

Adds the specified number of days to a date or datetime value. Functions that result in an invalid date, for example, February 30, will return NULL.

1.2.4 ADDFRC**(ADDFRC(*time,int*))**

Adds the specified number of milliseconds to a time or datetime value.

1.2.5 ADDHR

(ADDHR(*time*,*int*))

Adds the specified number of hours to a time or datetime value.

1.2.6 ADDMIN

(ADDMIN(*time*,*int*))

Adds the specified number of minutes to a time or datetime value.

1.2.7 ADDMON

(ADDMON(*date*,*int*))

Adds the specified number of months to a date or datetime value.

1.2.8 ADDSEC

(ADDSEC(*time*,*int*))

Adds the specified number of seconds to a time or datetime value.

1.2.9 ADDYR

(ADDYR(*date*,*int*))

Adds the specified number of years to a date or datetime value.

1.2.10 AINT

(AINT(*arg*))

Truncates the decimal fraction, returning a whole number in the original REAL, NUMERIC, or DOUBLE data type.

In the following example, the value of *vaint* is 1.

```
SET VAR vaint = (AINT(1.8))
```

1.2.11 ANINT

(ANINT(*arg*))

Rounds the decimal fraction to the nearest integer, returning a whole number in the original REAL, NUMERIC, or DOUBLE data type.

In the following example, the value of *vanint1* is 3.0 and the value of *vanint2* is 4.0.

```
SET VAR vanint1 = (ANINT(2.6))  
SET VAR vanint2 = (ANINT(4.45))
```

1.2.12 ASIN

(ASIN(*arg*))

Computes the arcsine of *arg* where *arg* is in the range -1 to 1. The result is an angle in radians between -pi/2 and pi/2.

In the following example, the value of *vasin* is -0.5236 (-pi/6 radians)

```
SET VAR vasin = (ASIN(-0.5))
```

1.2.13 ATAN

(ATAN(*arg*))

Computes the arctangent of *arg* in radians where *arg* is any amount. The result is an angle in radians between -pi/2 and pi/2.

In the following example, the value of *vatan* is 0.7854 (pi/4 radians).

```
SET VAR vatan = (ATAN(1))
```

1.2.14 ATAN2

(ATAN2(*x*,*y*))

Computes the arctangent of *x/y*. The result is the angle in radians between -pi/2 and pi/2.

In the following example, the value of *vatan2* is 0.7854.

```
SET VAR vatan2 = (ATAN2(1,1))
```

1.3 B

1.3.1 BRND

(BRND(*arg1*,*arg2*,*arg3*))

Rounds REAL, DOUBLE, or CURRENCY data to a specific number of decimal places and allows specification of the number of significant digits to return. *Arg1* is the value to be rounded. *Arg2* is the number of significant digits to return, and *arg3* is the precision. The precision is specified as a decimal number, for example, .01 rounds to two decimal places.

In the following example, the value of *vresult* is 1234.57.

```
SET VAR vresult = (BRND(1234.5678342,8,.01))
```

1.4 C

1.4.1 CHAR

(CHAR(*integer*))

Converts an ASCII integer value to its corresponding character. This is not the same as the CHAR data type.

In the following example, the value of *vchar1* is A and the value of *vchar2* is a.


```
SET VAR vchar1 = (CHAR(65))
SET VAR vchar2 = (CHAR(97))
```

See also:

ASCII Character Chart

1.4.2 CHKCUR

(CHKCUR('cursorname'))

Checks to see if a cursor is declared and is not dropped. The function returns an integer value of 1 if the name exists and is not dropped, and 0 if it is not declared or dropped.

1.4.3 CHKFILE

(CHKFILE('filespec'))

Checks to see if a file or folder name exists. If no path is specified, the function checks for the file or folder name in the current directory. Otherwise, the function checks for the file or folder name in the specified location.

The function returns a 1 if the file or folder name is found, and 0 if it is not found. Wild cards in the filename will produce unpredictable results.

1.4.4 CHKFUNC

(CHKFUNC('function_name'))

Checks to see if a DLL function exists or not. If the DLL function exists, a 1 is returned. If the DLL function does not exist, a 0 is returned.

Example:

```
SET VAR v1 = (CHKFUNC('FunctionName'))
```

See Also:

[DELFUNC](#)
[DLLCALL](#)
[DLLOAD](#)
[DLFREE](#)

LIST FUNCTIONS

1.4.5 CHKKEY

(CHKKEY(0))

Returns an integer value of 1 if there are keystrokes available in the type-ahead buffer. Returns 0 if no keystrokes are available. Use CHKKEY before [GETKEY](#) to determine if a key is available.

CHKKEY does nothing with the zero that you enter in parentheses; CHKKEY returns a value without receiving one.

1.4.6 CHKTABLE

(CHKTABLE('tblview'))

Checks to see if a table/view exists. The function returns a value based upon the permanent or temporary nature of a table or view, and if a table is attached as a server or dBASE table.

Return Value	Status
0	table/view does not exist
1	permanent table
2	temporary table
3	server table
4	dBASE table
5	permanent view
6	temporary view

Examples:

Example 01:

```
SET VAR vCheckTable INTEGER = (CHKTABLE('Contact'))
SHOW VAR vCheckTable
1
```

Example 02:

```
SET VAR vCheckTable INTEGER = (CHKTABLE('QuarterlySummary'))
SHOW VAR vCheckTable
5
```

1.4.7 CHKVAR

(CHKVAR('varname'))

Checks to see if a variable name exists. The function returns an integer value of 1 if the variable name exists or declared, and 0 if it is not found or declared.

1.4.8 COS

(COS(*angle*))

Returns the trigonometric cosine of *angle*. The result is between -1 and 1.

In the following example, the value of *vcos* is 0.5002.

```
SET VAR vcos = (COS(1.047))
```

1.4.9 COSH

(COSH(*angle*))

Returns the hyperbolic cosine of *angle*.

In the following example, the value of *vcosh* is 1.6000.

```
SET VAR vcosh = (COSH(1.047))
```

1.4.10 CTR

(CTR(*text,width*))

Centers *text* in *width* characters, returning a text string.

In the following example, the value of *vctr* is `ABCD` .

The text string is centered in a 10-character field.

```
SET VAR vctr = (CTR('ABCD',10))
```

1.4.11 CTXT

(CTXT(*arg*))

Converts an internal value, returning a text string.

In the following example, the value of *vctxt1* is the value 37.6 and is a REAL data type. The value of *vctxt2* is the value 37.6 and is a TEXT data type. If you attempt to use *vctxt2* in a mathematical function, it will fail.

```
SET VAR vctxt2 = (CTXT(.vctxt1))
```

1.4.12 CVAL

(CVAL('showkeyword'))

Returns the current value or setting of '*showkeyword*'. You must either enclose the SHOW keyword in quotation marks or use a dot variable that has a TEXT data type to which you have assigned the SHOW keyword. You can use all SHOW keywords with CVAL, as well as DATABASE, DBPATH, CURRDIR.

The following keywords can be used for (CVAL('keyword')):

- [AND](#)
- [ANSI](#)
- [ANSIOUTPUT](#)
- [AUTOCOMMIT](#)
- [AUTODROP](#)
- [AUTOSKIP](#)
- [BELL](#)
- [BLANK](#)
- [BUILD](#)
- [CASE](#)
- [CHECKPROP](#)
- [CLEAR](#)
- [CLIPBOARDTEXT](#)
- [CMPAUSE](#)
- [COLCHECK](#)
- [COLOR](#)
- [COMPUTER](#)
- [CONNECTIONS](#)
- [CURRDIR](#)
- [CURRDRV](#)
- [CURRENCY](#)
- [CURRENTPRINTER](#)
- [DATABASE](#)
- [DATE](#)
- [DATE CENTURY](#)
- [DATE FORMAT](#)
- [DATE SEQUENCE](#)
- [DATE YEAR](#)

- [DBPATH](#)
- [DEBUG](#)
- [DELIMIT](#)
- [DRIVES](#)
- [ECHO](#)
- [EDITOR](#)
- [EOFCHAR](#)
- [EQNULL](#)
- [ERROR](#)
- [ERROR_DETAIL](#)
- [ERROR_VARIABLE](#)
- [ESCAPE](#)
- [EXPLODE](#)
- [FASTFK](#)
- [FASTLOCK](#)
- [FEEDBACK](#)
- [FILES](#)
- [FIXED](#)
- [GUID](#)
- [HEADINGS](#)
- [IDQUOTES](#)
- [INSERT](#)
- [INTENSITY](#)
- [INTERVAL](#)
- [ISOWNER](#)
- [LAST_BLOCK_TABLE](#)
- [LAST_ERROR](#)
- [LAYOUT](#)
- [LINEEND](#)
- [LINES](#)
- [LOOKUP](#)
- [MANOPT](#)
- [MANY](#)
- [MAXTRANS](#)
- [MDI](#)
- [MESSAGES](#)
- [MIRROR](#)
- [MULTI](#)
- [NAME](#)
- [NAMEWIDTH](#)
- [NETGROUP](#)
- [NETLOCALGROUP](#)
- [NETUSER](#)
- [NOCALC](#)
- [NOTE_PAD](#)
- [NULL](#)
- [OLDLINE](#)
- [ONELINE](#)
- [OUTPUT](#)
- [PAGELOCK](#)
- [PAGEMODE](#)
- [PASSTHROUGH](#)
- [PLATFORM](#)
- [PLUS](#)
- [POSFIXED](#)
- [PORTS](#)
- [PRINTERS](#)
- [PRN_Collation](#)
- [PRN_ColorMode](#)
- [PRN_Copies](#)
- [PRN_DuplexMode](#)
- [PRN_Orientation](#)
- [PRN_Quality](#)
- [PRN_Size](#)
- [PRN_Source](#)

- [PRN_Status](#)
- [PROGRESS](#)
- [QUALCOLS](#)
- [QUOTES](#)
- [RADMIN](#)
- [REFRESH](#)
- [REVERSE](#)
- [ROWCOUNT](#)
- [ROWLOCKS](#)
- [RULES](#)
- [SCRATCH](#)
- [SCREENSIZE](#)
- [SELMARGIN](#)
- [SEMI](#)
- [SERVER](#)
- [SINGLE](#)
- [SORT](#)
- [SORTMENU](#)
- [STATICDB](#)
- [TABLELOCKS](#)
- [TIME](#)
- [TIME FORMAT](#)
- [TIME SEQUENCE](#)
- [TIMEOUT](#)
- [TOLERANCE](#)
- [TRACE](#)
- [TRANSACTION](#)
- [UINOTIF](#)
- [USER](#)
- [USERAPP](#)
- [USERDOMAIN](#)
- [USERID](#)
- [UTF8](#)
- [VERIFY](#)
- [VERSION](#)
- [VERSION BITS](#)
- [VERSION BUILD](#)
- [VERSION SYSTEM](#)
- [WAIT](#)
- [WALKMENU](#)
- [WHILEOPT](#)
- [WIDTH](#)
- [WINAUTH](#)
- [WINBEEP](#)
- [WINDOWSPRINTER](#)
- [WRAP](#)
- [WRITECHK](#)
- [ZERO](#)
- [ZOOMEDIT](#)

Examples:

In the following example, the value of *vcval* is *OFF* if the value of *MULTI* is set to off.

```
SET VAR vcval = (CVAL('MULTI'))
```

In the following example, the user keyword is loaded into a variable and then the variable is used in the CVAL function. It returns the current user identifier.

```
SET VAR vword text = 'USER'  
SET VAR vuser = (CVAL(.vword))
```

For more information about SHOW keywords, see SHOW.

1.4.12.1 AND**(CVAL('AND'))**

Returns the status of the AND command parameter (ON/OFF).

1.4.12.2 ANSI**(CVAL('ANSI'))**

Returns the status of the ANSI command parameter (ON/OFF).

1.4.12.3 ANSIOUTPUT**(CVAL('ANSIOUTPUT'))**

Returns the status of the ANSIOUTPUT command parameter (ON/OFF).

1.4.12.4 AUTOCOMMIT**(CVAL('AUTOCOMMIT'))**

Returns the status of the AUTOCOMMIT command parameter (ON/OFF).

1.4.12.5 AUTODROP**(CVAL('AUTODROP'))**

Returns the status of the AUTODROP display control (ON/OFF).

1.4.12.6 AUTOSKIP**(CVAL('AUTOSKIP'))**

Returns the status of the AUTOSKIP command parameter (ON/OFF).

1.4.12.7 BELL**(CVAL('BELL'))**

Returns the status of the BELL command parameter (ON/OFF).

1.4.12.8 BOOLEAN**(CVAL('BOOLEAN'))**

Returns the status of the BOOLEAN operating condition (ON/OFF).

1.4.12.9 BLANK**(CVAL('BLANK'))**

Returns an empty variable value.

BLANK is similar to a null value, but is not based on your database NULL setting.

1.4.12.10 BUILD

(CVAL('BUILD'))

Returns the build number of the R:BASE executable (front-end).

See also:

[\(CVAL\('VERSION'\)\)](#)
[\(CVAL\('VERSION BUILD'\)\)](#)
SHOW BUILD
SHOW VERSION

1.4.12.11 CASE

(CVAL('CASE'))

Returns the status of the CASE command parameter (ON/OFF).

1.4.12.12 CHECKPROP

(CVAL('CHECKPROP'))

Returns the status of the CHECKPROP command parameter (ON/OFF).

1.4.12.13 CLEAR

(CVAL('CLEAR'))

Returns the status of the CLEAR command parameter (ON/OFF).

1.4.12.14 CLIPBOARDTEXT

(CVAL('CLIPBOARDTEXT'))

Returns the contents of the Windows Clipboard.

The below example can be used to check the clipboard contents.

```
SET VAR vCheckClipboard = (CVAL('CLIPBOARDTEXT'))
```

1.4.12.15 CMPAUSE

(CVAL('CMPAUSE'))

Returns the status of the CMPAUSE command parameter (ON/OFF).

1.4.12.16 COLCHECK

(CVAL('COLCHECK'))

Returns the status of the COLCHECK command parameter (ON/OFF).

1.4.12.17 COLOR

(CVAL('COLOR'))

Returns the value for the foreground and background COLOR of data displays.

This CVAL parameter is specific to R:BASE for DOS.

1.4.12.18 COMPUTER

(CVAL('COMPUTER'))

Returns the name of your computer.

Example:

```
SET VAR vComp = (CVAL('COMPUTER'))
```

1.4.12.19 CONNECTIONS

(CVAL('CONNECTIONS'))

Returns the number of users currently connected to the current database or 0 if not connected. In the event of a non-graceful disconnect R:BASE will not be able to decrement the connections count. This can occur if the network session terminates unexpectedly, or if the users operating system crashes. If this happens the count will be inaccurate until all users disconnect from the database. This works because the last session of R:BASE will be able to tell that NO users are connected and will reset the count to zero. Unfortunately, due to file system limitations, R:BASE is only able to tell if a database is open by any users or not at all, and is not able to tell, except by this count, how many users are connected.

1.4.12.20 CURRDIR

(CVAL('CURRDIR'))

Returns the current directory. This is the same information returned by using the CD command at the R> Prompt.

1.4.12.21 CURRDRV

(CVAL('CURRDRV'))

Returns the current drive. The drive is in X: format with the drive letter followed by a colon.

1.4.12.22 CURRENCY

(CVAL('CURRENCY'))

The CURRENCY data type holds monetary values of up to 23 digits represented in the currency format, established using SET CURRENCY. Amounts are in the range $\pm\$99,999,999,999.99$. Commas or the current delimiter can be used. If no decimal point is included, .00 is assumed.

Data is stored as two long integer values, reserving four bytes of internal storage.

1.4.12.23 CURRENTPRINTER

(CVAL('CURRENTPRINTER'))

This parameter returns the current printer for the R:BASE session.

1.4.12.24 DATABASE

(CVAL('DATABASE'))

Returns a text string containing the current connected database or NULL if the user is not connected to a database. This can be used to ensure that the user is connected before trying to execute some code. The example below shows how this might work.

```
SET VAR vDB = (CVAL('DATABASE'))
IF vDB IS NULL THEN
    CONNECT MyDB
ENDIF

SET VAR vDB = (CVAL('DATABASE'))
IF vDB IS NULL THEN
    PAUSE 2 USING 'MyDB is currently unavailable'
ENDIF
```

The check is repeated to ensure that the attempt to connect to the database was successful before continuing with the command file.

1.4.12.25 DATE

(CVAL('DATE'))

Returns the DATE format of the currently connected database.

1.4.12.26 DATE CENTURY

(CVAL('DATE CENTURY'))

Returns the default DATE CENTURY of the currently connected database.

1.4.12.27 DATE FORMAT

(CVAL('DATE FORMAT'))

Returns the default DATE FORMAT of the currently connected database.

1.4.12.28 DATE SEQUENCE

(CVAL('DATE SEQUENCE'))

Returns the default DATE SEQUENCE of the currently connected database.

1.4.12.29 DATE YEAR

(CVAL('DATE YEAR'))

Returns the default DATE YEAR of the currently connected database.

1.4.12.30 DBPATH

(CVAL('DBPATH'))

DBPATH returns the full path to the current connected database, or NULL if no database is connected.

1.4.12.31 DEBUG**(CVAL('DEBUG'))**

Returns the status of the DEBUG command parameter (ON/OFF).

1.4.12.32 DELIMIT**(CVAL('DELIMIT'))**

Returns the value of the DELIMIT character setting.

1.4.12.33 DRIVES**(CVAL('DRIVES'))**

Returns a list of available drives.

Example:

```
SET VAR vDrives = (CVAL('Drives'))
```

vDrives will include the list of ALL drives!

Result: aCDeF

In that list of drives, drives with CAPITAL letters, such as C,D or F would be the hard disk drive, and drives with lower case letters would be removable drives, such as a or e.

a = floppy disk drive
C = Hard Disk
D = Hard Disk/CD-ROM/DVD
e = zip disk
F = Hard Disk/CD-ROM/DVD or even mapped network drive

All hard drives, including CD-ROM/DVD and network mapped drives would be CAPITAL letters.

All removable drives, including floppy disk drives and zip drives would be lower case letters.

1.4.12.34 ECHO**(CVAL('ECHO'))**

Returns the status of the ECHO command parameter (ON/OFF).

1.4.12.35 EDITOR**(CVAL('EDITOR'))**

Returns the current text editor used by R:BASE.

The default editor is RBEDIT.

1.4.12.36 EOFCHAR**(CVAL('EOFCHAR'))**

Returns the status of the EOFCHAR command parameter (ON/OFF).

1.4.12.37 EQNULL

(CVAL('EQNULL'))

Returns the status of the EQNULL command parameter (ON/OFF).

1.4.12.38 ERROR

(CVAL('ERROR'))

Returns the status of the ERROR MESSAGES display control (ON/OFF).

1.4.12.39 ERROR DETAIL

(CVAL('ERROR DETAIL'))

When an -ERROR- occurs, you can track additional information including the name of the file being run and the byte offset within the file. If the thing being run is a procedure it saves information on the select used to fetch the procedure too. We have implemented a new method of simple "stack" to keep the last three errors. To see the information tracked use this new CVAL option.

```
SET VAR vError = (CVAL('ERROR DETAIL'))
```

Each time you call this particular CVAL function the stack pointer decrements so successive calls allow you to see all three errors. Call it a fourth time and you will see the first one again, etc.

1.4.12.40 ERROR MESSAGE

(CVAL('ERROR MESSAGE'))

When an -ERROR- occurs, users are able to get the error message using this function. The function also return the error message when from an SQL data source.

```
SET VAR vErrorMsg = (CVAL('ERROR MESSAGE'))
```

1.4.12.41 ERROR VARIABLE

(CVAL('ERROR VARIABLE'))

Returns the value of the current ERROR VARIABLE.

1.4.12.42 ESCAPE

(CVAL('ESCAPE'))

Returns the status of the ESCAPE command parameter (ON/OFF).

1.4.12.43 EXPLODE

(CVAL('EXPLODE'))

Returns the status of the EXPLODE command parameter (ON/OFF).

Used with R:BASE for DOS only. When EXPLODE is set on, dialog boxes are displayed in full size instantly. When EXPLODE is set off, dialog boxes are displayed in an expanding fashion from the center.

1.4.12.44 FASTFK**(CVAL('FASTFK'))**

Returns the status of the FASTFK command parameter (ON/OFF).

1.4.12.45 FASTLOCK**(CVAL('FASTLOCK'))**

Returns the status of the FASTLOCK command parameter (ON/OFF).

1.4.12.46 FEEDBACK**(CVAL('FEEDBACK'))**

Returns the status of the FEEDBACK command parameter (ON/OFF).

1.4.12.47 FILES**(CVAL('FILES'))**

Returns the value of the FILES operating condition.

1.4.12.48 FIXED**(CVAL('FIXED'))**

Returns the status of the FIXED command parameter (ON/OFF).

1.4.12.49 GUID**(CVAL('GUID'))**

Returns a globally unique identifier value. This function is specific to R:BASE X.5 Enterprise.

Example:

```
SET VAR vNewGUID = (CVAL('GUID'))
SHOW VAR
vNewGUID = BEDA7594-F6C1-44BD-A732-4BB72F17A1DA      TEXT
```

1.4.12.50 HEADINGS**(CVAL('HEADINGS'))**

Returns the status of the HEADINGS display control (ON/OFF).

1.4.12.51 IDQUOTES**(CVAL('IDQUOTES'))**

Returns the value of the IDQUOTES character setting.

1.4.12.52 INSERT

(CVAL('INSERT'))

Returns the status of INSERT display control (ON/OFF).

1.4.12.53 INTENSITY

(CVAL('INTENSITY'))

Returns the status of INTENSITY display control (ON/OFF).

Used with R:BASE 6.5++ for Windows only.

1.4.12.54 INTERVAL

(CVAL('INTERVAL'))

Returns value of the INTERVAL command parameter (ON/OFF).

1.4.12.55 ISOWNER

(CVAL('ISOWNER'))

Returns the value of YES when the current user has OWNER permissions, and NO when the user does not.

1.4.12.56 LAST BLOCK TABLE

(CVAL('LastBlockTable'))

Tells you which table holds the last block in File 2.

If the last block table contains significant dead space, packing it should free up space at the end of File 2.

1.4.12.57 LAST ERROR

(CVAL('LAST ERROR'))

Returns the last error encountered.

This is an alternative to the SET ERROR VARIABLE method of -ERROR- trapping.

When using (CVAL('LAST ERROR')) the variable used to capture the error must be explicitly cleared, as opposed to SET ERROR VARIABLE, which is automatically cleared after each command, requiring error trapping logic immediately after each command. Furthermore, the SET ERROR VARIABLE method does not allow error trapping in nested code segments or large blocks of code.

1.4.12.58 LAYOUT

(CVAL('LAYOUT'))

Returns the status of the LAYOUT display control (ON/OFF).

1.4.12.59 LINEEND

(CVAL('LINEEND'))

Returns the value of the LINEEND character setting.

1.4.12.60 LINES**(CVAL('LINES'))**

Returns value of the LINES display control.

1.4.12.61 LOOKUP**(CVAL('LOOKUP'))**

Returns the value of the LOOKUP command parameter (ON/OFF).

1.4.12.62 MANOPT**(CVAL('MANOPT'))**

Returns value of the MANOPT command parameter (ON/OFF).

1.4.12.63 MANY**(CVAL('MANY'))**

Returns the value of the MANY character setting.

1.4.12.64 MAXTRANS**(CVAL('MAXTRANS'))**

Returns value of the MAXTRANS operating condition.

1.4.12.65 MDI**(CVAL('MDI'))**

Returns the value of the MDI operating condition (ON/OFF).

1.4.12.66 MESSAGES**(CVAL('MESSAGES'))**

Returns the status of the MESSAGES display control (ON/OFF).

1.4.12.67 MIRROR**(CVAL('MIRROR'))**

Returns the value of the MIRROR operating condition.

1.4.12.68 MULTI**(CVAL('MULTI'))**

Returns the value of the MULTI operating condition (ON/OFF).

1.4.12.69 NAME**(CVAL('NAME'))**

Returns the currently logged-in R:BASE user NAME.

1.4.12.70 NAMEWIDTH**(CVAL('NAMEWIDTH'))**

Returns the value of the NAMEWIDTH operating condition.

1.4.12.71 NETGROUP**(CVAL('NETGROUP'))**

Returns a list of global groups to which the current logged-in user belongs.

1.4.12.72 NETLOCALGROUP**(CVAL('NETLOCALGROUP'))**

Returns a list of local groups to which the current logged-in user belongs.

1.4.12.73 NETUSER**(CVAL('NETUSER'))**

Returns the currently logged-in network user name.

1.4.12.74 NOCALC**(CVAL('NOCALC'))**

Returns the value of the NOCALC operating condition (ON/OFF).

1.4.12.75 NOTE_PAD**(CVAL('NOTE_PAD'))**

Returns value of the NOTE_PAD operating condition.

1.4.12.76 NULL**(CVAL('NULL'))**

Returns the value of the NULL character setting.

1.4.12.77 OFFMESS**(CVAL('OFFMESS'))**

Return a text string, separated by a comma, with a list of all turned off -ERROR- message numbers in a current R:BASE session.

See SET ERROR MESSAGE.

1.4.12.78 OLDLINE**(CVAL('OLDLINE'))**

Returns the value of the OLDLINE operating condition (ON/OFF).

Used with R:BASE 6.5++ for Windows only. Allows the ability to have presentation objects, such as lines, cross multiple sections in Reports.

1.4.12.79 ONELINE**(CVAL('ONELINE'))**

Returns the value of the ONELINE operating condition (ON/OFF).

Used with R:BASE for DOS only. When set to ON NOTE and TEXT fields will never wrap to the next line in Reports and SELECTS. Instead they will be truncated at the end of the column.

1.4.12.80 OUTPUT**(CVAL('OUTPUT'))**

Returns the current output value. The default is SCREEN.

If the screen is being used, SCREEN is returned. If the printer is being used, PRINTER will be returned. If a file is being used, the file name is returned. If more than one output is being used at a time, the values are returned in a comma-separated string.

1.4.12.81 PAGELOCK**(CVAL('PAGELOCK'))**

Returns the value of the PAGELOCK operating condition (ON/OFF).

1.4.12.82 PAGEMODE**(CVAL('PAGEMODE'))**

Returns the value of the PAGEMODE operating condition (ON/OFF).

1.4.12.83 PASSTHROUGH**(CVAL('PASSTHROUGH'))**

Returns the value of the PASSTHROUGH operating condition (ON/OFF).

1.4.12.84 PLATFORM**(CVAL('PLATFORM'))**

Returns the platform number and version for Windows and DOS based operating systems.

```
SET VAR vPlatform TEXT = (CVAL('PLATFORM'))
```

```
SHOW VAR vPlatform  
WIN64 OS=Windows 10 Enterprise Build=19043
```


1.4.12.85 PLUS**(CVAL('PLUS'))**

Returns the value of the PLUS character setting.

1.4.12.86 PORTS**(CVAL('PORTS'))**

Returns the list of all available printer ports, separated by comma, on that workstation.

Example:

```
SET VAR vAvailablePorts = (CVAL('PORTS'))  
SHOW VARIABLE vAvailablePorts
```

Will return the text string with a list of all printer ports that are available on that workstation. Each item in the list will be separated by comma (or the database character settings for comma).

1.4.12.87 POSFIXED**(CVAL('POSFIXED'))**

Returns the value of the POSFIXED operating condition.

1.4.12.88 PRINTERS**(CVAL('PRINTERS'))**

Returns the list of all installed printers.

1.4.12.89 PRN_COLLATION**(CVAL('PRN_COLLATION'))**

Captures the printer collation.

1.4.12.90 PRN_COLORMODE**(CVAL('PRN_COLORMODE'))**

Captures the printer color mode.

1.4.12.91 PRN_COPIES**(CVAL('PRN_COPIES'))**

Captures the printer copy count.

1.4.12.92 PRN_DUPLEXMODE**(CVAL('PRN_DUPLEXMODE'))**

Captures the printer duplex mode.

1.4.12.93 PRN_ORIENTATION**(CVAL('PRN_ORIENTATION'))**

Captures the printer orientation.

1.4.12.94 PRN_QUALITY**(CVAL('PRN_QUALITY'))**

Captures the printer print quality (DPI).

1.4.12.95 PRN_SIZE**(CVAL('PRN_SIZE'))**

Captures the printer paper size.

1.4.12.96 PRN_SOURCE**(CVAL('PRN_SOURCE'))**

Captures the printer paper source.

1.4.12.97 PRN_STATUS**(CVAL('PRN_STATUS'))**

Captures the printer status.

1.4.12.98 PROGRESS**(CVAL('PROGRESS'))**

Returns the value of the PROGRESS operating condition.

1.4.12.99 QUALCOLS**(CVAL('QUALCOLS'))**

Returns the value of the QUALCOLS operating condition.

1.4.12.10 QUOTES**(CVAL('QUOTES'))**

Returns the value of the QUOTES character setting.

1.4.12.10 RBADMIN**(CVAL('RBADMIN'))**

Returns the value of the RBADMIN operating condition.

1.4.12.10:REFRESH**(CVAL('REFRESH'))**

Returns the value of the REFRESH operating condition.

1.4.12.10:REVERSE**(CVAL('REVERSE'))**

Returns the value of the REVERSE operating condition.

1.4.12.10:ROWCOUNT**(CVAL('ROWCOUNT'))**

Assigns line numbers for SELECT command output.

Example:

```
SELECT (INT(CVAL('ROWCOUNT')) AS LineNo,Company=40 FROM Customer
```

LineNo	Company
1	RAM Data Systems, Inc.
2	Johnson Technologies
3	MIS by Design
4	Barton & Associates
5	The Data Shop
6	Microcomputer Distribution
7	Bytes & Words
8	Lanufacturers Discount Computers
9	Modular Software, Inc.
10	Open Systems I/O
11	Data Solutions
12	Compumasters Computer Supply
13	Datacrafters Infosystems
14	Olympic Sales
15	State University
16	Computer Medical Ctr.
17	Microtech University - II
18	Softech Database Design
19	Compdat Computer Consulting
20	Nordan Distributors, Inc.
21	Midtown Computer Co.
22	Computer Warehouse - II
23	PC Consultation And Design
24	Industrial Concepts Inc.
25	Computer Mountain Inc.
26	Industrial Computers Inc.
27	Microtech University - I
28	Computer Warehouse - I

1.4.12.10:ROWLOCKS**(CVAL('ROWLOCKS'))**

Returns the value of the ROWLOCKS operating condition.

1.4.12.10~~RULES~~**(CVAL('RULES'))**

Returns the value of the RULES operating condition.

1.4.12.10~~SCRATCH~~**(CVAL('SCRATCH'))**

Returns the value of the SCRATCH operating condition.

1.4.12.10~~SCREENSIZE~~**(CVAL('SCREENSIZE'))**

Returns the screen area in pixels.

1.4.12.10~~SELMARGIN~~**(CVAL('SELMARGIN'))**

Returns the value of the SELMARGIN operating condition.

1.4.12.11~~SEMI~~**(CVAL('SEMI'))**

Returns the value of the SEMI operating condition.

1.4.12.11~~SERVER~~**(CVAL('SERVER'))**

Returns the value of the SERVER operating condition.

1.4.12.11~~SHORTNAME~~**(CVAL('SHORTNAME'))**

Returns the value of the SHORTNAME operating condition.

1.4.12.11~~SINGLE~~**(CVAL('SINGLE'))**

Returns the value of the SINGLE operating condition.

1.4.12.11~~SORT~~**(CVAL('SORT'))**

Returns the value of the SORT operating condition.

1.4.12.11!SORTMENU**(CVAL('SORTMENU'))**

Returns the value of the SORTMENU operating condition.

1.4.12.11!STATICDB**(CVAL('STATICDB'))**

Returns the value of the STATICDB operating condition.

1.4.12.11!TABLELOCKS**(CVAL('TABLELOCKS'))**

Returns a delimited text string for all tables with a lock.

Example:

```
SET VAR vTableLocks VARCHAR = (CVAL('TABLELOCKS'))
```

```
SHOW VAR vTableLocks  
Contact, Customer, InvoiceDetail, InvoiceHeader
```

1.4.12.11!TIME**(CVAL('TIME'))**

Returns the TIME format of the currently connected database.

1.4.12.11!TIME FORMAT**(CVAL('TIME FORMAT'))**

Returns the default TIME FORMAT of the currently connected database.

1.4.12.12!TIME SEQUENCE**(CVAL('TIME SEQUENCE'))**

Returns the default TIME SEQUENCE of the currently connected database.

1.4.12.12!TIMEOUT**(CVAL('TIMEOUT'))**

Returns the value of the TIMEOUT operating condition.

1.4.12.12!TOLERANCE**(CVAL('TOLERANCE'))**

Returns the value of the TOLERANCE operating condition.

1.4.12.12TRACE**(CVAL('TRACE'))**

Returns the status of the TRACE command parameter (ON/OFF).

1.4.12.12TRANSACT**(CVAL('TRANSACT'))**

Returns the value of the TRANSACT operating condition.

1.4.12.12UINOTIF**(CVAL('UINOTIF'))**

Returns the value of the UINOTIF operating condition.

1.4.12.12USER**(CVAL('USER'))**

Returns the R:BASE USER identifier.

1.4.12.12USERAPP**(CVAL('USERAPP'))**

Returns the file extensions to be displayed in the Object Manager.

Used with R:BASE 6.5++ for Windows only. You can specify which files display in the Object Manager after you click the Apps tab. Your choices are saved in the RBASE.CFG file. You can specify a maximum of three extensions.

1.4.12.12USERDOMAIN**(CVAL('USERDOMAIN'))**

Returns the name of the logged-in network domain. If the computer is not logged into a domain, the return value will be NULL.

1.4.12.12USERID**(CVAL('USERID'))**

Returns the Windows User ID.

1.4.12.13UTF8**(CVAL('UTF8'))**

Returns the value of the UTF8 operating condition.

1.4.12.13VERIFY**(CVAL('VERIFY'))**

Returns the value of the VERIFY operating condition.

1.4.12.13\VERSION**(CVAL('VERSION'))**

Returns the product name, version, and build number of the R:BASE program.

See also:

[\(CVAL\('BUILD'\)\)](#)
[\(CVAL\('VERSION BUILD'\)\)](#)
SHOW BUILD
SHOW VERSION

1.4.12.13\VERSION BITS**(CVAL('VERSION BITS'))**

Returns the database file pointer version (32 or 64), based upon the R:BASE version in use.

1.4.12.13\VERSION BUILD**(CVAL('VERSION BUILD'))**

Returns the build number for the R:BASE engine DLL.

The function may be useful in determining which features are available to you.

See also:

[\(CVAL\('BUILD'\)\)](#)
[\(CVAL\('VERSION'\)\)](#)
SHOW BUILD
SHOW VERSION

1.4.12.13\VERSION SYSTEM**(CVAL('VERSION SYSTEM'))**

Returns the value WIN or DOS.

1.4.12.13\VIEWLOCKS**(CVAL('VIEWLOCKS'))**

Returns a delimited text string for all views with a lock.

Example:

```
SET VAR vViewLocks VARCHAR = (CVAL('VIEWLOCKS'))
```

```
SHOW VAR vViewLocks  
InvoicesMaster,ProductInvoice,StaffByDept
```

1.4.12.13\WAIT**(CVAL('WAIT'))**

Returns the value of the WAIT operating condition.

1.4.12.13~~WALKMENU~~**(CVAL('WALKMENU'))**

Returns the value of the WALKMENU operating condition.

1.4.12.13~~WAREKI~~**(CVAL('WAREKI'))**

Returns the value of the WAREKI operating condition.

1.4.12.14~~WHILEOPT~~**(CVAL('WHILEOPT'))**

Returns the value of the WHILEOPT operating condition (ON/OFF).

1.4.12.14~~WIDTH~~**(CVAL('WIDTH'))**

Returns the value of the WIDTH operating condition.

1.4.12.14~~WINAUTH~~**(CVAL('WINAUTH'))**

Returns the value of the WINAUTH operating condition. This function is specific to R:BASE X.5 Enterprise.

1.4.12.14~~WINBEEP~~**(CVAL('WINBEEP'))**

Returns the value of the WINBEEP operating condition.

1.4.12.14~~WINDOWSPRINTER~~**(CVAL('WINDOWSPRINTER'))**

This parameter returns the windows default printer.

1.4.12.14~~WRAP~~**(CVAL('WRAP'))**

Returns the value of the WRAP operating condition (ON/OFF).

1.4.12.14~~WRITECHK~~**(CVAL('WRITECHK'))**

Returns the value of the WRITECHK operating condition (ON/OFF).

1.4.12.14 ZZERO**(CVAL('ZERO'))**

Returns the value of the ZERO operating condition (ON/OFF).

1.4.12.14 ZOOMEDIT**(CVAL('ZOOMEDIT'))**

Returns the value of the ZOOMEDIT operating condition (ON/OFF).

1.4.13 CVTYPE**(CVTYPE('colvarname',flag))**

Returns the data type for a given column or variable name.

To return the data type for a given column, a zero "0" flag must be used. To return the data type for a given variable, the one "1" flag must be used.

Example 01.

```
SET VAR vCustIDType TEXT = (CVTYPE('CustID',0))
SET VAR vEmpCity TEXT = (CVTYPE('EmpCity',0))
```

SHOW VARIABLES

Variable	= Value	Type
vCustIDType	= INTEGER	TEXT
vEmpCity	= TEXT,20	TEXT

Example 02.

```
SET VAR vCustIDType TEXT = (CVTYPE('CustID',0))
SET VAR vVarInquiry TEXT = (CVTYPE('vCustIDType',1))
```

SHOW VARIABLES

Variable	= Value	Type
vEmpCity	= TEXT,20	TEXT
vVarInquiry	= TEXT,7	TEXT

Notes:

- When using the zero flag to return column data types, you must be connected to a database.
- When returning a TEXT data type, the length is included and is separated with a comma. When returning a NUMERIC data type, the precision and scale are separated with commas.

1.5 D

1.5.1 DATETIME

(DATETIME(*date,time*))

Concatenates date and time variables or constants.

The following expression concatenates the #DATE and #TIME values into a variable (*vdatetime*) that has a DATETIME data type.

```
SET VAR vdatetime=(DATETIME( .#DATE, .#TIME))
```

1.5.2 DECRYPT

(DECRYPT('string','password'))

Returns the original string that was encrypted using the [ENCRYPT](#) function. A password must be specified to return the original string.

```
SET VAR vDecryptNumber TEXT = (DECRYPT('1CCF2D7B765F4715415D53471641','laser'))
SHOW VAR vDecryptNumber
8005552368
```

If the password specified with DECRYPT is not correct, the result will be a NULL valued string.

1.5.3 DELFUNC

(DELFUNC('function_name'))

Deletes a declared DLL function. If the DLL function is successfully deleted, a 1 is returned. If the DLL function is not deleted, a 0 is returned.

Example:

```
SET VAR v1 = (DELFUNC('FunctionName'))
```

See Also:

[CHKFUNC](#)
[DLLCALL](#)
[DLLOAD](#)
[DLFREE](#)
LIST FUNCTIONS

1.5.4 DEXTRACT

(DEXTRACT(*datetime*))

Returns the date portion of a value that has a DATETIME data type.

In the following example, the value of *vdextract* is 06/12/93.

```
SET VAR vdextract = (DEXTRACT('06/12/93 12:15:30.123'))
```

1.5.5 DIM

(DIM(*arg1,arg2*))

Returns the positive difference between *arg1* and *arg2*. *Arg1* must be a value with a DOUBLE, REAL, NUMERIC, or INTEGER data type. *Arg2* must be any value with a DOUBLE, REAL, NUMERIC, or INTEGER

data type other than 0. The result is always positive or zero. If the result is less than or equal to zero, DIM returns 0.

In the following example, the value of *vdim1* is 0; *vdim2* is 2; *vdim3* is 2; *vdim4* is 0.

```
SET VAR vdim1 = (DIM(2,4))
SET VAR vdim2 = (DIM(4,2))
SET VAR vdim3 = (DIM(-2,-4))
SET VAR vdim4 = (DIM(-4,-2))
```

1.5.6 DLDCALL

The DLDCALL Function calls any Windows dynamic link library (DLL) and loads it into memory for use with R:BASE.

Syntax for External DLL:

(DLDCALL('libraryname.ext', 'FunctionOrProcedureName', [arg],[arg],[.....]))

Syntax for Windows API:

(DLDCALL('libraryname', 'FunctionOrProcedureName', [arg],[arg],[.....]))

External DLLs must have the file name listed with the extension, such as 'MyLibrary.dll'.

Windows APIs require only the name of the Library, without the extension, such as: 'Kernel32' or 'User32'.

The DLLs must be created as Standard Windows 32-bit DLLs. Any number of functions or procedures can be used in a single DLL. Functions or Procedures to be used with DLDCALL must be Exported in the DLL. No special code is necessary in the DLL for it to be used by R:BASE.

DLL Location:

DLLs can be located in the Legal Windows Search Path, and if elsewhere, then specify the FullPathName in DLoad.

Search Path Used by Windows to Locate a DLL

With both implicit and explicit linking, Windows first searches for "known DLLs", such as Kernel32.dll and User32.dll. Windows then searches for the DLLs in the following sequence:

1. The directory where the executable module for the current process is located.
2. The current directory.
3. The Windows system directory. The GetSystemDirectory function retrieves the path of this directory.
4. The Windows directory. The GetWindowsDirectory function retrieves the path of this directory.
5. The directories listed in the PATH environment variable.

When or If DLLOAD is Used:

[DLLOAD](#) may be called "anytime" during the Session to Load the Library into Memory OR as a subsequent call to determine if the Library is Loaded.

In any event, DLLOAD is called internally when the Library is first referenced by DLDCALL, and THEN the Library remains in memory until either the R:BASE session is ended OR [DLFREE](#) is called.

Data Type Rules:

Data types in the functions must be of the same storage size as the corresponding R:BASE data types.

Example: 32-bit Win32 Integer = 4 bytes of storage vs 32-bit R:BASE Integer = 4 bytes of storage

Declaration Logic:

Calls to a function OR procedure from ANY DLL must be declared at Least ONCE in the session in which they will be referenced.

Two Calling Conventions are supported, using the STDCALL and CDECL Keyword in the Declaration.

STDCALL

Function Declaration using STDCALL:

```
STDCALL FUNCTION 'functionName' (PTR VARCHAR (SIZE), ..... ) : VARCHAR (SIZE)
STDCALL FUNCTION 'functionName' ALIAS 'functionAliasName' (PTR TEXT
(SIZE), ..... ) : TEXT (SIZE)
```

Procedure Declaration using STDCALL:

```
STDCALL VOID FunctionOrProcedureThatHasNoReturnValue (PTR TEXT (SIZE))
```

Windows API Declaration using STDCALL:

```
STDCALL FUNCTION 'GetCurrentDirectoryA' ALIAS 'GetCurrentDir' (PTR TEXT, INTEGER )
: INTEGER
```

CDECL

Function Declaration using CDECL:

```
CDECL FUNCTION 'functionName' (INTEGER) : INTEGER
CDECL FUNCTION 'functionName' ALIAS 'functionAliasName' (PTR DOUBLE) : DOUBLE
```

Procedure Declaration using CDECL

```
CDECL VOID FunctionOrProcedureThatHasNoReturnValue (PTR TEXT (SIZE))
```

Parameters

'SIZE' applies to TEXT and VARCHAR data types.

Important Notes:

- A. Parameters in the Declaration are in the REVERSE order from the Actual Function or Procedure in the DLL.
Parameters can be 0 to n Parameters of any legal R:BASE data type.
- B. Function Names ARE CASE SENSITIVE in the DECLARATION ONLY.
The Case must match the casing used in the DLL.
Case is INSENSITIVE when used in DLDCALL.

Remarks:

- For best results, TEXT and VARCHAR data should be passed with the PTR (Pointer) Attribute and ANY VARCHAR data type Larger than 32K as a Parameter, MUST be passed as PTR.
- VARCHAR data type as a Return Value restricted to 32K, but Any SIZE up to 256MB can be passed as a Pointer to the R:BASE Variable. Modification of the Data Passed as Pointer must be on the data pointed to.
- It is important that the SIZE parameter on TEXT and VARCHAR be Specified to avoid creating excess buffer space that has to be created from the Declaration.

For Example:

If the Function is Declared like this:

```
STDCALL function 'somefunction' ( ptr varchar (nn)) : integer  
Then nn <= 256Mb.
```

If the Function is Declared like this:

```
STDCALL function 'somefunction' ( ptr varchar ) : integer  
Then because SIZE is omitted, the buffer for VARCHAR will have default SIZE = 256MB.  
* AVOID THIS UNLESS THAT IS THE ACTUAL SIZE OF THE DATA TO BE PASSED!
```

If the Function is Declared like this:

```
STDCALL function 'somefunction' ( integer ) : varchar(nn)  
Then because SIZE is Specified, nn bytes <= 32K will be returned.
```

If the Function is Declared like this:

```
STDCALL function 'somefunction' ( integer ) : varchar  
Then because SIZE is omitted, the buffer for VARCHAR will have default SIZE = 32K.
```

When SIZE is Specified, the data passed as parameter or as return value, if Greater than the SIZE, will be truncated to SIZE.

Example of a DLL created in Delphi exporting three functions:

```
// Begin Dll Code  
library DemoLib;  
  
uses  
    SysUtils, Classes;  
  
{ $R *.res }  
  
function MultInt (NumIN : Integer) : Integer; stdcall;  
begin  
    Result := (NumIN * 2);  
end;  
  
function MultDbl (NumDbl : Double) : Double; stdcall;  
begin  
    Result := (NumDbl * 2);  
end;  
  
procedure LCaseByREF(DataIN : PChar); stdcall;  
begin  
    ansiStrLower(DataIN);  
end;  
  
function LCaseByVAL (DataIN : PChar) : PChar; Stdcall;  
begin  
    Result := ansiStrLower(DataIN);  
end;  
  
Exports MultInt, LCaseByREF, LCaseByVAL;  
  
begin  
  
end.  
// End Dll Code
```

Example Usage From Within R:BASE:

```
-- BEGIN Demo.rmd
-- Declare the functions to be used from the DLL
STDCALL function 'MultInt' ( Integer ) : Integer
STDCALL VOID 'LCaseByREF' (ptr TEXT (30))
STDCALL function 'LCaseByVAL' (ptr TEXT (60)) : TEXT (60)

--Set somme variables for use
Set VAR vTEXT TEXT = 'RBASE TECHNOLOGIES'
SET VAR vINT INTEGER = 128
SET VAR v1 INTEGER = 0

-- OPTIONALLY CALL DLLOAD
SET VAR v1 = (DLLOAD('DemoLib.dll'))
IF v1 = 0 THEN
    PAUSE 2 USING 'DemoLib.dll NOT LOADED.. EXITING'
    RETURN
ENDIF

SET VAR V1 = (dlcall('demolib.dll', 'changeCase', vtext))

{ The Value for v1 will be null because ChangeCase is a procedure and
doesn't
    RETURN A RESULT, but the value of vTEXT which is passed as a POINTER has
been
    changed to 'rbase technologies'}

SET VAR v1 = (DLCALL('demolib.dll', 'MultInt', vINT))

--The value for v1 will be 256 the value returned from the function.

-- running the following against RRBYW20
SELECT (DLCALL('demolib.dll','lcasebyval', Company))=60 FROM +
Customer WHERE LIMIT = 2

{Yields the following output:
(DLCALL('demolib.dll','lcasebyval', Company)
-----
computer warehouse - ii
microtech university - i
}

SELECT ((ICAP2((DLCALL('demolib.dll','lcasebyval', Company)))) = 60 +
FROM Customer WHERE LIMIT = 2

{Yields the following output:
((ICAP (DLCALL('demolib.dll','lcasebyval',
-----
Computer Warehouse - Ii
Microtech University - I
}
```

```
-- Optionally CALL DLFREE
SET VAR v1 = (DLFREE('DemoLib.dll'))

-- END Demo.rmd
```

Example of a DLL created in C++ Exporting three functions:

```
// BEGIN C++ DLL
// loaddll.cpp : Defines the entry point for the DLL application.
//
#include <windows.h>
#include <stdio.h>

BOOL APIENTRY DllMain( HANDLE hModule,
                      DWORD  ul_reason_for_call,
                      LPVOID lpReserved
                      )
{
    return TRUE;
}
#ifdef __cplusplus    // If used by C++ code,
extern "C" {          // we need to export the C interface
#endif

__declspec(dllexport) int cfunc1(int i){
    return i;
}
__declspec(dllexport) double cfunc2(double *inp){
    double rtn = *inp;
    rtn++;
    return rtn;
}
__declspec(dllexport) char * cfunc3(char *inp){
    strcat(inp," + ");
    return inp;
}

#ifdef __cplusplus
}
#endif

// END C++ DLL
```

See Also:[CHKFUNC](#)[DELFUNC](#)[DLLOAD](#)[DLFREE](#)

LIST FUNCTIONS

Special thanks to:

Mike Byerley (Fort Wayne, Indiana) for his contribution to the introduction, implementation and testing of the DLCALL function in R:BASE.

1.5.7 DLFREE

(DLFREE('libraryname.ext'))

Checks to see if a given library file can be freed.

The function returns an integer value of 1 if the library is freed and 0 if a given library is not freed.

Example:

```
SET VARIABLE vFreePlugin = (DLFREE('RchartsX5.RBM'))
```

See Also:

[CHKFUNC](#)

[DELFUNC](#)

[DLLCALL](#)

[DLLOAD](#)

LIST FUNCTIONS

1.5.8 DLLOAD

(DLLOAD('libraryname.ext'))

Checks to see if a given library file is loaded.

The function returns an integer value of 1 if the library is loaded and 0 if a given library is not loaded.

Example:

```
SET VARIABLE vLoadPlugin = (DLLOAD('RchartsX5.RBM'))
```

See Also:

[CHKFUNC](#)

[DELFUNC](#)

[DLLCALL](#)

[DLFREE](#)

LIST FUNCTIONS

1.5.9 DNW

(DNW(*date*))

Returns the date value for the next working (business) day.

This function recognizes Monday through Friday as business days and does not recognize Saturday or Sunday. Holidays are not considered.

1.5.10 DWE

(DWE(*date*))

Returns the date value for the next weekend day.

This function recognizes Saturday or Sunday as weekend days and does not recognize Monday through Friday. Holidays are not considered.

1.5.11 DWRD

(DWRD(value)) or **(DWRD(value,arg))**

Converts a currency value to its word representation.

The DWRD function results will differ based upon the CURRENCY symbol value.

With the CURRENCY symbol set to the dollar character (\$), the DWRD results include "dollars" and "cents" in the word representation. With the CURRENCY symbol set to any other currency symbol (euro, franc, peso, etc.) including a blank, the DWRD results display fractional whole dollars in the word representation.

The *arg* parameter is optional, which allows for fractional whole dollars to be returned for the cents portion of the amount, even if the currency symbol is set to the dollar character. The *arg* value as 0 will return "dollars" and "cents" in the word representation. The *arg* value as 1 will return fractional whole dollars in the word representation. Using the DWRD *arg* parameter, users are not required to alter the CURRENCY symbol to display fractional whole dollars. Omitting the optional parameter is the same as 0 for the optional parameter. A non-zero optional parameter provides the fractional whole dollars.

Examples

Example 01:

```
-- Uses the dollar CURRENCY symbol
SET CURRENCY '$'
SET VAR vAmount CURRENCY = 10.50
SET VAR v1 TEXT = (DWRD(.vAmount))
SHOW VAR v1
ten dollars and fifty cents
```

Example 02:

```
-- Uses a blank CURRENCY symbol
SET CURRENCY ' '
SET VAR vAmount CURRENCY = 10.50
SET VAR v2 TEXT = (DWRD(.vAmount))
SHOW VAR v2
ten and 50/100
```

Example 03:

```
-- Uses the dollar CURRENCY symbol and returns fractional whole dollars
SET CURRENCY '$'
SET VAR vAmount CURRENCY = 10.50
SET VAR v3 TEXT = (DWRD(.vAmount,1))
SHOW VAR v3
ten and 50/100 dollars
```

Example 04:

```
-- Uses the dollar CURRENCY symbol and returns the word representation with the ICAP3
function
SET CURRENCY '$'
SET VAR vAmount CURRENCY = 10.50
SET VAR v3 TEXT = (ICAP3(DWRD(.vAmount,0)))
SHOW VAR v3
Ten Dollars and Fifty Cents
```

1.6 E

1.6.1 ENCRYPT

(ENCRYPT('string','password'))

Returns an encrypted string of HEX characters, which is twice as long as the original string, plus 8 more characters. A password must be specified to use with the [DECRYPT](#) function in order to return the original string.

```
SET VAR vEncryptNumber TEXT = (ENCRYPT('8005552368','laser'))
SHOW VAR vEncryptNumber
1CCF2D7B765F4715415D53471641
```

Once a value is encrypted, users cannot tell what the value is by selecting the raw encrypted value. If a form retrieves the encrypted value, it can then call the DECRYPT function the value to get the original value.

1.6.2 ENVVAL

(ENVVAL('environmentvar'))

Returns the current value of the specified DOS environment variable. You must either enclose the name of the environment variable in quotation marks or use a text variable to which you have assigned the environment variable.

First, assume you have the command below in your AUTOEXEC.BAT file.

```
SET workstat=10
```

Now, in R:BASE, you can use ENVVAL to find the value of that environment variable, as shown in the example below. The value of *vworkstat* will be the text value *10*.

```
SET VAR vworkstat = (ENVVAL('workstat'))
```

1.6.3 EXP

(EXP(arg))

Raises *e* to the *arg* power (where *e* = 2.71828182845905 and *arg* is any value with a DOUBLE, REAL, NUMERIC, or INTEGER data type). By raising *e* to an exponent, EXP performs the inverse operation of [LOG](#).

In the following example, the value of *vexp* is 2.71828182845905.

```
SET VAR vexp = (EXP(1))
```

1.7 F

1.7.1 FILENAME

(FILENAME(0))

Generates a unique filename with a .\$\$\$ extension, and creates the file in the current SCRATCH directory.

1.7.2 FINDFILE

(FINDFILE('filename'))

Returns the location of a file. The function looks first in the current directory and then searches the DOS path for the file. If the file is found, the full path name is returned, if it isn't found, a NULL is returned. Wildcards in the filename will produce unpredictable results.

1.7.3 FLOAT

(FLOAT(arg))

Converts a number with a TEXT, INTEGER, or CURRENCY data type to a value with a REAL or DOUBLE data type. This is not the same as the FLOAT data type.

In the following example, the value of *vfloat1* is 2., a number that has a REAL data type, and the value of *vfloat2* is also 2., a number that has a DOUBLE data type. If a variable is not assigned a data type, it becomes DOUBLE.

```
SET VAR vfloat1 REAL = (FLOAT(2))
SET VAR vfloat2 = (FLOAT(2))
```

1.7.4 FORMAT

(FORMAT (value,'picture-format'))

Prints picture formats to a variable, rather than only to the screen. You can use FORMAT anywhere that you can use a function. The result of the FORMAT function is always text.

In the syntax for this function, *value* is the value you want to be displayed in a particular format; it can be a column, variable, or a constant value. '*Picture-format*' is the picture format you establish.

The FORMAT function can be useful in several ways:

- Aligning decimals
- Capturing date and time using system variables
- Formatting currency
- Formatting text
- Punctuating long numbers

The characters you can use to format your data are listed below.

For All Data

[<]	Data is left justified.
[>]	Data is right justified.
[^]	Data is centered.

For Numbers

[-]	Places a minus sign to the right of a negative number.
[DB]	Places DB to the right of a negative number.
[()]	Encloses a negative number in parentheses.
[CR]	Places CR to the right of a positive number.
9	Fills unused space with blanks.
0	Fills unused space with zeros.
*	Fills unused space with asterisks.

For Text

_	Letters are uppercase; other characters are blank.
	Letters are lowercase; other characters are blank.
%	Letters are uppercase; other characters are unchanged.
?	Letters are lowercase; other characters are unchanged.

For Dates

MMDDYYYY	Displays the month, day, and year
MM	Displays the month
DD	Displays the day
YYYY	Displays the year
WWW	Displays the day name, with a 3-letter abbreviation
WWW+	Displays the full name for the day of the week
MMM	Displays the month name, with a 3-letter abbreviation
MMM+	Displays the full name for the month
CC	Displays the century, AD or BC
<i>any combination</i> Any combination of the month, day and year can be used.	

For Times

HHMMSS	Displays the hour, minute, and second
HH	Displays the hour
MM	Displays the minute
SS	Displays the second
.SSS	Displays thousandths of a second
AP	Displays AM or PM when using a 12-hour format
<i>any combination</i> Any combination of the hours, minutes, and seconds can be used.	
NN	Displays minutes (when capturing date and time using #NOW)

Samples:**Aligning Decimals**

The following example shows how you can use the FORMAT function to align decimal points in a column:

```
SELECT (FORMAT(bonuspct, '99.000')) FROM salesbonus
```

The following example shows the effect of the FORMAT function on the above SELECT statement:

Using FORMAT	Without FORMAT
0.003	0.003
0.002	0.002
0.000	0
0.001	0.001

Formatting Currency

The following example shows how you can use the FORMAT function to only display whole dollars:

```
SELECT (FORMAT(netamount, '[>]$999,999')) FROM salesbonus
```

This SELECT statement displays data as right justified whole dollars, as shown below:

Using FORMAT	Without FORMAT
\$176,000	\$176,000.00
\$87,500	\$87,000.00

Formatting Text

You must include a format character for each text character. The following example shows how you can use the FORMAT function to display text in uppercase:

```
SELECT (FORMAT(empfname, '_____')) FROM employee
```

Using FORMAT	Without FORMAT
JUNE	June

ERNEST	Ernest
PETER	Peter

Punctuating Long Numbers

The following example shows how you can use the FORMAT function to include a comma after the thousand's place:

```
SELECT (FORMAT(transid,'999,999')) FROM transmaster
```

The following shows the effect of the FORMAT function on the above SELECT statement:

Using FORMAT	Without FORMAT
104	104
2,002	2002
39,765	39765

Capturing Date and Time Using System Variables

Here's a simple routine to create a unique file name by capturing the date and time using R:BASE system variables:

-- Example 01: (Using .#DATE and .#TIME as two separate variables)

```
CLS
CLEAR VARIABLES vDateTxt,vTimeTxt,vFileName
SET VAR vDateTxt TEXT = NULL
SET VAR vTimeTxt TEXT = NULL
SET VAR vFileName TEXT = NULL
SET VAR vDateTxt = (FORMAT(.#DATE,'MMDDYYYY'))
SET VAR vTimeTxt = (FORMAT(.#TIME,'HHMM'))
SET VAR vFileName = +
((CVAL('DATABASE'))+'_'+vDateTxt+'_'+vTimeTxt+'.BKP')
CLEAR VARIABLES vDateTxt,vTimeTxt
RETURN
```

-- vFileName will return the text variable as:

-- RRBYW20_12302020_1630.BKP

-- Database Name, Date and Time will vary on your end

-- Example 02: (Using .#DATE and .#TIME as one variable in expression)

```
CLS
CLEAR VARIABLES vFileName
SET VAR vFileName TEXT = NULL
SET VAR vFileName = +
((CVAL('DATABASE'))+'_'+(FORMAT(.#DATE,'MMDDYYYY'))+ +
'_'+(FORMAT(.#TIME,'HHMM'))+'.BKP')
RETURN
```

-- vFileName will return the text variable as:

-- RRBYW20_12302020_1630.BKP

-- Database Name, Date and Time will vary on your end

-- Example 03: (Using .#NOW) - Short and Swift

```
CLS
CLEAR VARIABLES vFileName
SET VAR vFileName TEXT = NULL
SET VAR vFileName = +
((CVAL('DATABASE'))+'-' + (FORMAT(.#NOW,'MMDDYYYY_HHNN'))+'.BKP')
RETURN
```

-- Notice the "NN" for minutes when using .#NOW (not a typo)

-- vFileName will return the text variable as:

-- RRBYW20_12302020_1630.BKP

-- Database Name, Date and Time will vary on your end

Now that you have successfully created a unique file name, you may use the following routine to make a backup of your live database, on demand! Here's how:

```
OUTPUT .vFileName
UNLOAD ALL
OUTPUT SCREEN
```

The resulting two files will be created in the same folder, unless a different folder name is specified:

- RRBYW20_12302020_1630.BKP
- RRBYW20_12302020_1630.LOB

1.7.5 FORMAT2

(FORMAT2(arg,nchar1,nchar2,fill))

Formats a numeric value to a text string allowing a fill character to be loaded to the left of the numeric value. The two width arguments are used specify the total text string width and the characters to preserve right of decimal, including the decimal itself.

(FORMAT2(value, width1, width2, fill)) width1 = total width, width2 = one more than characters to right of decimal, fill = left fill character

Example 01:

```
SET VAR vFormatString TEXT = (FORMAT2(379.2418,14,3,'.'))
SHOW VAR vFormatString
.....379.24
```

Example 02:

```
SET VAR vFormatString TEXT = (FORMAT2(625.79,20,5,'*'))
SHOW VAR vFormatString
*****625.7900
```

1.7.6 FSTATUS

(FSTATUS('filespec'))

Checks to see if a file or folder name exists, and also returns the status for a file. If no path is specified, the function checks for the file or folder name in the current directory. Otherwise, the function checks for the file or folder name in the specified location.

Return Value	Status
0	file/folder does not exist
1	file/folder exists, but cannot be read or written to. Folders will return this value, as well as file name searches with wild cards.
2	file is marked as a read only
3	file is not marked as read only, but can only read it at this time (the file is opened by another program)
4	file can be read and written to
+10	If the file is marked as hidden, the return value will be incremented by 10; 12 = read only and hidden 14 = can read and write and hidden

Examples:

Example 01 (The brates.xlsx file exists, is marked hidden, and is opened):

```
SET VAR vFileStatus INTEGER = (FSTATUS('brates.xlsx'))
SHOW VAR vFileStatus
13
```

Example 02 (The CheckVersion.rmd file exists and is marked as read only):

```
SET VAR vFileStatus INTEGER = (FSTATUS('CheckVersion.rmd'))
SHOW VAR vFileStatus
2
```

1.7.7 FV1**(FV1(*pmt*,*int*,*per*))**

Returns the future value of a series of equal payments of the amount, *pmt*, periodic interest rate, *int*, and compounding periods, *per*.

In the following example, FV1 returns the ending balance in your savings account if you deposit \$300 each month for four years with an annual interest rate of 6.25%. The value of *vf1* (the balance) is \$16,311.90.

```
SET VAR vf1 = (FV1(300, (.0625/12), (4 * 12)))
```

1.7.8 FV2**(FV2(*pv*,*int*,*per*))**

Returns the future value of an amount, *pv*, invested at a periodic interest rate, *int*, for compounding periods, *per*.

In the following example, FV2 returns your ending balance for a savings account where you have deposited \$1,800 with an annual interest rate of 5.5% compounded monthly (simple interest divided by compounding periods) for seven years (12 periods times seven years). The value of *vf2* (the balance) is \$2,642.98.

```
SET VAR vf2 = (FV2(1800, (.055/12), (7 * 12)))
```

1.8 G**1.8.1 GETDATE****(GETDATE('parameters'))**

GETDATE will display a graphic calendar interface with today's date circled. After a day is selected, the date is returned to the variable. Based on the calendar type, different methods are used to navigate the months and years.

Parameters	Values	Description
<i>calendar caption</i>	value	specifies a caption for the calendar window
CALENDAR_TYPE	STANDARD ENHANCED	specifies the calendar type. STANDARD will display the default calendar for the operating system. ENHANCED will display a custom calendar.
CALENDAR_FONT_NAME	value	specifies the font name for the calendar
CALENDAR_FONT_SIZE	value	specifies the font size for the calendar
FONT_NAME	value	specifies the font name for the calendar and buttons
FONT_SIZE	value	specifies the font size for the calendar and buttons


INIT_VAR	variable	specifies the initial value variable assigned with the default date
SHOW_TODAY_CIRCLE	ON OFF	specifies whether to display the circle for today's date
THEMENAME	value	specifies a theme that will be applied to the calendar window

Notes:


- The parameters must be enclosed in quotes.
- The parameters must be separated with the pipe character "|".
- By default, the CALENDAR_TYPE is STANDARD and SHOW_TODAY_CIRCLE is ON.
- Using the enhanced calendar, an additional "Clear" button is available to clear the selection. Both calendar types allow to select a today option and use today's date as the selected value.

Examples:


```
-- Example 01 (Standard calendar with a default date, font name, and font size):
SET VAR vDate DATE = NULL
SET VAR vDefaultDate DATE = 07/31/2020
SET VAR vDate = (GETDATE('Select Date|INIT_VAR vDefaultDate|FONT_NAME Georgia|
FONT_SIZE 14'))
RETURN
```



```
-- Example 02 (Enhanced calendar with a default date, theme, and custom font size):
SET VAR vDefaultDate DATE = 07/31/2020
SET VAR vDate = +
(GETDATE('Select Date|INIT_VAR vDefaultDate|CALENDAR_TYPE ENHANCED|THEMENAME QNX|
FONT_SIZE 14'))
RETURN
```

```
-- Example 03 (Dynamic approach using global variables)
SET VAR vDate DATE = NULL
SET VAR vCaption TEXT = 'Select Date'
SET VAR vCalendarType TEXT = 'ENHANCED'
SET VAR vThemeName TEXT = 'Vista CG'
SET VAR vQuotes = (CVAL('QUOTES'))
SET VAR vFontSize TEXT = '12'
SET VAR vFontName TEXT = 'Verdana'
SET VAR vString TEXT = +
('SET VAR vDate = (GETDATE('+.vQuotes+.vCaption+ +
'| CALENDAR_TYPE '+.vCalendarType+ +
'| THEMENAME '+.vThemeName+ +
'| FONT_SIZE '+.vFontSize+ +
'| FONT_NAME '+.vFontName+.vQuotes+'))')
&vString
CLEAR VARIABLE vCaption,vCalendarType,vThemeName,+
vQuotes,vString,vFontSize,vFontName
RETURN
```



1.8.2 GETKEY

(GETKEY(0))

Gets the text value, in brackets, of the first key available in the type-ahead buffer. If a key is not available, GETKEY waits for the next keystroke. Since R:BASE normally checks the buffer for the [Ctrl] + [Break] keys, you must set ESCAPE to off for GETKEY to work properly. Use [CHKKEY](#) before GETKEY to determine if a key is available. GETKEY does nothing with the zero that you enter in parentheses; GETKEY returns a value without receiving one.

If you are executing a process that takes several minutes to complete, you can use the CHKKEY and GETKEY functions to tell R:BASE what to do next, even while the process is executing.

1.8.3 GETPROPERTY

(GETPROPERTY('arg1','arg2'))

The GETPROPERTY function captures the current properties of forms, form controls, applications, reports, report controls, labels, and label controls. The function behaves just as the GETPROPERTY command.

arg1 is the Component ID value or the APPLICATION, RBASE_FORM, REPORT, or RBA_FORM keyword that the property is being captured from.

arg2 is the name of the object's property you wish to get the value for.

APPLICATION

Specifies to capture an application property such as the CAPS lock status, if it is compiled, or the title

Component ID

Specifies the unique identifier assigned to a control (e.g. DB Edit). The Component ID within the GETPROPERTY function must match the unique identifier listed in the control properties. The "Component ID" field is located in the Object Properties for all forms, reports, labels and controls. A "Component ID" option is also located in the speed menu list when you right click on a report/label control.

RBA_FORM

Specifies to capture an application form property such as the current theme, the enabled status for an action, or a caption

RBASE_FORM

Specifies to capture a form property such as height, width, etc.

REPORT

Specifies to capture a report property such as the report name, the total page count, or the number of tables used in the report

Tips:

- The properties of any form control objects can be captured with assigned Component ID values ONLY.
- Always use the current QUOTES character around the variable name.
- The resulting variable value will be TEXT. To manipulate any values to INTEGER, use the [INT](#), [FLOAT](#), or other conversion function.
- To change any property of a form control after the form is displayed, use the PROPERTY command(s) within the "On After Start" EEP section of the Form Properties.

Notes:

- The complete list of GETPROPERTY command parameters are available within the **FormProperties.pdf** and **FormProperties_TOC.pdf** PDF documents, which are provided within the R:BASE program directory and are available for download at the R:BASE Technologies Support page: <http://www.rbase.com/support/>
- An optional syntax builder add-on product called [R:Docs](#), containing all PROPERTY/GETPROPERTY commands and parameters constructed in an R:BASE application, is also available. Please contact the R:BASE Technologies Sales Staff at sales@rbase.com if you wish to acquire an annual subscription to the stand-alone R:Docs database and application.

Examples:

Example 01.

-- To check an applied "Column Sort" setting value (ON or OFF) for a Variable Lookup List View and alter the control properties for the List View and a button object.

```
IF (GETPROPERTY('VarLookupListView','COLUMN_SORT')) = 'TRUE' THEN
    PROPERTY VarLookupListView COLUMN_SORT 'FALSE'
    PROPERTY Btn_ShowSortStatus FONT_COLOR 'GREEN'
    PROPERTY Btn_ShowSortStatus CAPTION 'Enable Column Sort'
ELSE
    PROPERTY VarLookupListView COLUMN_SORT 'TRUE'
    PROPERTY Btn_ShowSortStatus FONT_COLOR 'RED'
    PROPERTY Btn_ShowSortStatus CAPTION 'Disable Column Sort'
ENDIF
```

Example 02.

-- Captures the value for a report label

```
SET VARIABLE vCoverPageTot = (FLOAT((GETPROPERTY('CoverPageInvoiceTotal','VALUE'))))
```

Example 03.

-- Captures the form caption

```
SET VAR vCaption TEXT = (GETPROPERTY('RBASE_FORM','CAPTION'))
```

Example 04.

-- Checks if the program is an R:BASE compiled application

```
SET VAR vIsCompiled TEXT = (GETPROPERTY('APPLICATION','ISCOMPILED'))
```

Example 05.

-- Captures the page count for a report

```
SET VAR vPageCount = (GETPROPERTY('REPORT','TOTALPAGECOUNT'))
```

1.8.4 GETVAL

(GETVAL('arg1','arg2'))

Gets a value based on the argument data provided. The following GETVAL arguments are available:

- [CheckMessageStatus](#)
- [GetDriveReady](#)
- [GetIPAddress](#)
- [GetLock](#)
- [GetMACAddr](#)
- [GetVolumeID](#)
- [PlayAndExit](#)
- [PlayAndWait](#)

1.8.4.1 CheckMessageStatus

(GETVAL('CheckMessageStatus','###'))

Example:

```
SET VAR vStatus TEXT = NULL
SET VAR vStatus = (GETVAL('CheckMessageStatus','2038'))
```

Variable vStatus will return the text value of the current message status (ON/OFF) for error message 2038.

1.8.4.2 GetDriveReady

(GETVAL('GetDriveReady','driveletter'))

Example:

```
SET VAR vReady = (GETVAL('GetDriveReady','A'))
```

Result: False if not ready, True if ready.

1.8.4.3 GetIPAddress

(GETVAL('GetIPAddress','n'))

Where 'n' is the parameter to either retrieve the number of active network adapters or to retrieve the IP address of a given active network adapter. Use '0' to retrieve the number of active network adapters and 1-9 to retrieve the IP address(es) of active network adapter(s) of a given network workstation/server.

Example:

```
-- Start
-- GetIPAddress.RMD
CLS
CLEAR VARIABLE vActiveAdapters,vIPAddress1,vIPAddress2, +
vIPAddress3,vIPAddress4,vPauseMessage,vCaption
SET VAR vActiveAdapters TEXT = NULL
SET VAR vIPAddress1 TEXT = NULL
SET VAR vIPAddress2 TEXT = NULL
SET VAR vIPAddress3 TEXT = NULL
SET VAR vIPAddress4 TEXT = NULL
SET VAR vPauseMessage TEXT = NULL
SET VAR vCaption TEXT = 'Understanding New GETVAL Function'

-- To retrieve the number of active network adapters
SET VAR vActiveAdapters = (GETVAL('GetIPAddress','0'))

-- To retrieve the IP address of first active network adapter
SET VAR vIPAddress1 = (GETVAL('GetIPAddress','1'))
```

```

-- To retrieve the IP address of second active network adapter
SET VAR vIPAddress2 = (GETVAL('GetIPAddress','2'))

-- To retrieve the IP address of third active network adapter
SET VAR vIPAddress3 = (GETVAL('GetIPAddress','3'))

-- To retrieve the IP address of fourth active network adapter
SET VAR vIPAddress4 = (GETVAL('GetIPAddress','4'))

SET VAR vPauseMessage = +
('Number of Active Adapter(s):'+(CHAR(009))&.vActiveAdapters+ +
 (CHAR(009))+(CHAR(013))+ +
 'IP Address of Active Adapter 1:'+(CHAR(009))&.vIPAddress1+ +
 (CHAR(009))+(CHAR(013))+ +
 'IP Address of Active Adapter 2:'+(CHAR(009))&.vIPAddress2+ +
 (CHAR(009))+(CHAR(013))+ +
 'IP Address of Active Adapter 3:'+(CHAR(009))&.vIPAddress3+ +
 (CHAR(009))+(CHAR(013))+ +
 'IP Address of Active Adapter 4:'+(CHAR(009))&.vIPAddress4+ +
 (CHAR(009))+(CHAR(013)))

CLS
PAUSE 2 USING .vPauseMessage CAPTION .vCaption +
ICON APP +
Button 'Yes, this is the R:BASE you have always wanted!' +
OPTION BACK_COLOR WHITE +
|MESSAGE_COLOR WHITE +
|MESSAGE_FONT_COLOR GREEN +
|BUTTON_COLOR WHITE
CLS
CLEAR VARIABLE vActiveAdapters,vIPAddress1,vIPAddress2, +
vIPAddress3,vIPAddress4,vPauseMessage,vCaption
RETURN
-- end

```

1.8.4.4 GetLock

(GETVAL('GetLock','tableviewname'))

GetLock is the first required parameter and the table/view name is the name of the table or view. Use this function to find the LOCK status of a table or view. The returning value is ON or OFF, depending on whether a lock is in place upon the table or view.

Example:

```
SET VAR vCheckLock = (GETVAL('GetLock','Customer'))
```

vCheckLock will return the value of ON or OFF for the *Customer* table

1.8.4.5 GetLockType

(GETVAL('GetLockType','tableviewname'))

GetLockType is the first required parameter and the table/view name is the name of the table or view. Use this function to find the lock type of a table or view. The returning value may be one of the following: None, Local, Remote, Cursor, Row

Example:

```
SET VAR vCheckLockType TEXT = (GETVAL('GetLockType','Customer'))
```

vCheckLockType may return the value of "Cursor" for the *Customer* table if a DECLARE CURSOR lock is on the table.

1.8.4.6 GetMACAddr

Use (GETVAL('GetMACAddr','n')) to retrieve the number of active network adapter(s) on workstation/server as well as the physical MAC (Media Access Control) address(es) of active network adapter(s).

Media Access Control address is a physical hardware address that uniquely identifies each node of a network. In IEEE 802 networks, the Data Link Control (DLC) layer of the OSI Reference Model is divided into two sub-layers: the Logical Link Control (LLC) layer and the Media Access Control (MAC) layer. The MAC layer interfaces directly with the network media. Consequently, each different type of network media requires a different MAC layer.

```
<GETVAL('GetMACAddr','n')>
```

Where 'n' is the parameter to either retrieve the number of active network adapters or to retrieve the MAC address of given active network adapter. Use '0' to retrieve the number of active network adapters and 1-9 to retrieve the MAC address of active network adapter(s) on given network station/server.

Examples:

Example 01: To get the number of active network adapter(s)

```
SET VAR vActiveAdapters = (GETVAL('GetMACAddr','0'))
```

The variable *vActiveAdapters* will return the number of active network adapters on that workstation/server.

Example 02: To retrieve the MAC address of first active adapter

```
SET VAR vMACAddress = (GETVAL('GetMACAddr','1'))
```

The variable *vMACAddress* will return the value of first active network adapter on that workstation.

Example 03: To retrieve the MAC address of second active adapter

```
SET VAR vMACAddress = (GETVAL('GetMACAddr','2'))
```

The variable *vMACAddress* will return the value of second active network adapter on that workstation.

Example 04: To retrieve the MAC address of third active adapter

```
SET VAR vMACAddress = (GETVAL('GetMACAddr','3'))
```

The variable *vMACAddress* will return the value of third active network adapter on that workstation.

Practically, this new (GETVAL('GetMACAddr','n')) function can be used to customize access to your R:BASE for Windows Applications. Consequently, you can use this function to customize the properties of any control and/or settings of form using the PROPERTY command based on unique MAC address of workstation.

Example 05: Disabling/Hiding Application Menus based on MAC Address

Assuming your application includes 6 main menu options, namely Customers, Contacts, Employees, Products, Sales, Quarterly Sales Reports, General Inquiry (Read Only) with Component IDs

MM_Customers, MM_Contacts, MM_Employees, MM_Products, MM_Sales, MMQuarterlyReports, MM_GeneralInquiry accordingly.

In a secure work environment, suppose only one workstation or notebook can have access to all menus with MAC address 00-0D-43-2B-D6-B4 and everyone else can only access to General Inquiry (Read Only) menu.

If you would like to disable Customers, Contacts, Employees, Products, Sales and Quarterly Sales Report menus to all except the workstation or notebook with the MAC address 00-0D-43-2B-D6-B4, then here's an example to use as embedded Custom EEP in "On After Start EEP" option of form properties:

```
IF (GETVAL('GetMACAddr','1')) <> '00-0D-43-2B-D6-B4' THEN
    PROPERTY MM_Customers ENABLED 'FALSE'
    PROPERTY MM_Contacts ENABLED 'FALSE'
    PROPERTY MM_Employees ENABLED 'FALSE'
    PROPERTY MM_Products ENABLED 'FALSE'
    PROPERTY MM_Sales ENABLED 'FALSE'
    PROPERTY MM_QuarterlyReports ENABLED 'FALSE'
ENDIF
RETURN
```

If you would like to hide Customers, Contacts, Employees, Products, Sales and Quarterly Sales Report menus to all except the workstation or notebook with the MAC address 00-0D-43-2B-D6-B4, then here's an example to use as embedded Custom EEP in "On After Start EEP" option of form properties:

```
IF (GETVAL('GetMACAddr','1')) <> '00-0D-43-2B-D6-B4' THEN
    PROPERTY MM_Customers VISIBLE 'FALSE'
    PROPERTY MM_Contacts VISIBLE 'FALSE'
    PROPERTY MM_Employees VISIBLE 'FALSE'
    PROPERTY MM_Products VISIBLE 'FALSE'
    PROPERTY MM_Sales VISIBLE 'FALSE'
    PROPERTY MM_QuarterlyReports VISIBLE 'FALSE'
ENDIF
RETURN
```

1.8.4.7 GetVolumeID

(GETVAL('GetVolumeID','driveletter'))

Example:

```
SET VAR vVolumeID = (GETVAL('GetVolumeID','C'))
```

Will return the label name of drive C.

1.8.4.8 PlayAndExit

(GETVAL('PlayAndExit','filepath'))

Example:

```
SET VAR vPlay = (GETVAL('PlayAndExit','c:\windows\media\tada.wav'))
```

Will play sound/wave file and continue the next command in a command file or EEP.

1.8.4.9 PlayAndWait

(GETVAL('PlayAndWait','filepath'))

Example:

```
SET VAR vPlay = (GETVAL('PlayAndWait','c:\windows\media\tada.wav'))
```

Will play sound/wave file and waits for the sound to finish before continue to a next command. This could be a long time if the sound file is long. You would want this if, for instance, you're writing an answering machine application in R:BASE for Windows.

1.9 H

1.9.1 HZC

(HZC(arg))

Converts a single byte value to a double byte value. The function is specific to R:BASE use for a computer whose system locale is configured for Japan.

The function is based on having previous style Japanese characters. Internally R:BASE has a table of character codes that correspond to the Japanese locale character mappings. The mappings are what has been used in Japan for a long time and are called "half width characters". There is another table that has to same characters but stored a "full width characters".

As an example, the lower case "a" followed by a blank equals 61 20 as hex values. HZC maps these to 82 81 as hex values which is a "full width" lower case "a". The [ZHC](#) function can take 81 81 and map it back to 61 20.

1.9.2 HTML

(HTML(string))

Converts a text value to HTML code.

1.10 I

1.10.1 ICAP

(ICAP(arg))

Converts *arg* to a string with an initial capital letter on only the first word.

In the following example, the value of *vicap* is *Mary is going to Murrysville*.

```
SET VAR vicap = (ICAP('mary is going to Murrysville'))
```

1.10.2 ICAP1

(ICAP1(arg))

Converts *arg* to a string with an initial upper case letter on the first word, and lower case on an initial capital letter on any following words. This is also known as Sentence Casing.

In the following example, the value of *vicap1* is *Mary went down the street*.

```
SET VAR vicap1 = (ICAP1('mary went down The Street.'))
```


1.10.3 ICAP2

(ICAP2(*arg*))

Converts *arg* to a string with an initial capital letter on each word. This is also known as Word Case.

In the following example, the value of *vicap2* is *John Smith*.

```
SET VAR vicap2 = (ICAP2('john smith'))
```

In the following example, the value of *vHyfnTxt1* is *Daniel Day-Lewis*.

```
SET VAR vHyfnTxt1 TEXT = (ICAP2('daniel day-lewis'))
```

In the following example, the value of *vName2* is *Brian O'Rielly*.

```
SET VAR vName TEXT = ('BRIAN O'RIELLY')
SET VAR vName2 TEXT = (ICAP2(.vName))
```

In the following example, the value of *vText2* is *David Chadwick's Office Supplies*.

```
SET VAR vText TEXT = ('DAVID CHADWICK'S OFFICE SUPPLIES')
SET VAR vText2 TEXT = (ICAP2(.vText))
```

1.10.4 ICAP3

(ICAP3(*arg*))

Converts *arg* to a string with an initial upper case letter on the first word, and principal words. Non-capitalized letters/words include articles (a, an, the), conjunctions (e.g., and, but, or), and prepositions (e.g., on, in, with). This is also known as Title Casing.

In the following example, the value for *vTitle* is "Snow White and the Seven Dwarfs".

```
SET VAR vTitle TEXT = (ICAP3('SNOW WHITE AND THE SEVEN DWARFS'))
```

1.10.5 IFCASEEQ

(IFCASEEQ(*arg1*,*arg2*,*arg3*,*arg4*))

If the case and values for *arg1* and *arg2* are equal, IFCASEEQ returns the value of *arg3*. If the case and values for *arg1* and *arg2* are not equal, IFCASEEQ returns the value of *arg4*. The data types of *arg1* and *arg2* must match and the data types of *arg3* and *arg4* must match.

The function enables easier conformance for password verification, as a mixture of upper and lower case is a standard.

In the following example, the value for *vCheckPW1* is NO.

```
SET VAR vCheckPW1 TEXT = (IFCASEEQ('SuperStrong1147','SUPERSTRONG1147','Yes','No'))
```

In the following example, the value for *vCheckPW2* is TRUE.

```
SET VAR vCheckPW2 TEXT = (IFCASEEQ('LastOne','LastOne','True','False'))
```

1.10.6 ICHAR

(ICHAR(*arg*))

Converts a single character, returning its corresponding ASCII integer value.

In the following example, the integer value of *vichar* is 65.

```
SET VAR vichar = (ICHAR('A'))
```

1.10.7 IDAY

(IDAY(*arg*))

Where *arg* is a value that has either a DATE or DATETIME data type, IDAY returns the integer day of the month for a particular date.

In the following example, the value of *viday* is 12.

```
SET VAR viday = (IDAY('06/12/93'))
```

1.10.8 IDIM

(IDIM(*arg*))

Where *arg* is a value that has a DATE data type, IDIM returns the number of days within that month.

In the following example, the value of *vidim* is 31.

```
SET VAR vidim = (IDIM('03/15/2006'))
```

1.10.9 IDOY

(IDOY(*arg*))

Where *arg* is a value that has a DATE data type, IDOY returns the number day of the year.

In the following example, the value of *vidoy* is 74.

```
SET VAR vidoy = (IDOY('03/15/2006'))
```

1.10.10 IDWK

(IDWK(*arg*))

Where *arg* is a value that has either a DATE or DATETIME data type, IDWK returns the day of the week where Monday is 1.

In the following example, the value of *vidwk* is 3.

```
SET VAR vidwk = (IDWK('06/16/93'))
```

1.10.11 IFEQ

(IFEQ(*arg1,arg2,arg3,arg4*))

If *arg1* and *arg2* are equal, IFEQ returns the value of *arg3*. If *arg1* and *arg2* are not equal, IFEQ returns the value of *arg4*. The data types of *arg1* and *arg2* must match and the data types of *arg3* and *arg4* must match.

The following command changes the value of the *thiscol* column to 100 if the values of the variables *vaval* and *vbval* are equal. If *vaval* and *vbval* are not equal, the value of *thiscol* becomes 200 in rows where *thiscol* is greater than or equal to 100.

```
UPDATE thistab SET thiscol=(IFEQ(.vaval, .vbval, 100, 200))+  
WHERE thiscol >= 100
```

See [IFCASEEQ](#) for case-sensitive text comparisons.

1.10.12 IFEXISTS

(IFEXISTS(*arg1*,*arg2*,*arg3*))

If *arg1* contains a value, IFEXISTS returns the value of *arg2*. If *arg1* is null, then the value of *arg3* is returned.

The IFEXISTS function does not recognize the value of zero (0) as NULL, even if ZERO is set ON.

1.10.13 IFF

(IFF(*condition*),*arg1*,*arg2*))

If the condition is met, then the value of *arg1* is returned. If condition is not met, then the value of *arg2* is returned.

The condition must follow the syntax specifications as set with IF...ENDIF command structure.

The condition must list a set of conditions that combine to form a statement that is either true or false. Conditions can be combined with the connecting operators AND, OR, AND NOT, and OR NOT. It is important to note that the condition needs to be a single item, which is why quotes are used in the examples below.

The data types of *arg1* and *arg2* must match.

Examples:

-- Example 01:

- -Comparison of Variables

```
SET VAR v1 INTEGER = 1
```

```
SET VAR v2 INTEGER = 2
```

```
SET VAR v3 = (IFF('v1<.v2', 'First', 'Second'))
```

```
SHOW VAR v3
```

```
First
```

-- Example 02:

-- SELECT and Display Feedback on Data

```
CONNECT RRBYW19
```

```
R>SELECT NetAmount, (IFF('NetAmount>$100000', 'Good', 'Needs Improvement'))=30 AS Status
FROM SalesBonus
```

NetAmount	Status
\$176,000.00	Good
\$87,500.00	Needs Improvement
\$22,500.00	Needs Improvement
\$40,500.00	Needs Improvement
\$76,800.00	Needs Improvement
\$36,625.00	Needs Improvement
\$56,250.00	Needs Improvement
\$152,250.00	Good
\$108,750.00	Good
\$78,750.00	Needs Improvement
\$27,000.00	Needs Improvement
\$9,500.00	Needs Improvement
\$210,625.00	Good

1.10.14 IFGE

(IFGE(*arg1*,*arg2*,*arg3*,*arg4*))

If *arg1* is greater than or equal to *arg2*, IFGE returns the value of *arg3*. If *arg1* is less than *arg2*, IFGE returns the value of *arg4*. The data types of *arg1* and *arg2* must match and the data types of *arg3* and *arg4* must match.

In the following example, the value of *vifge* is 4, because the date 01/10/2013 is greater than the date 10/15/2012.

```
SET VAR vifge = (IFGE('01/10/2013','10/15/2012',4,5))
```

1.10.15 IFGT

(IFGT(*arg1*,*arg2*,*arg3*,*arg4*))

If *arg1* is greater than *arg2*, IFGT returns the value of *arg3*. If *arg1* is less than *arg2*, IFGT returns the value of *arg4*. The data types of *arg1* and *arg2* must match and the data types of *arg3* and *arg4* must match.

In the following example, the value of *vifgt* is 4, because the date 1/1/96 is greater than the date 1/1/95.

```
SET VAR vifgt = (IFGT('1/1/96','1/1/95',4,5))
```

1.10.16 IFLE

(IFLE(*arg1*,*arg2*,*arg3*,*arg4*))

If *arg1* is less than or equal to *arg2*, IFLE returns the value of *arg3*. If *arg1* is greater than *arg2*, IFLE returns the value of *arg4*. The data types of *arg1* and *arg2* must match and the data types of *arg3* and *arg4* must match.

In the following example, the value of *vifle* is 100, since A is less than B.

```
SET VAR A = 37
SET VAR B = 48
SET VAR vifle = (IFLE(.A,.B,100,100))
```

1.10.17 IFLT

(IFLT(*arg1*,*arg2*,*arg3*,*arg4*))

If *arg1* is less than *arg2*, IFLT returns the value of *arg3*. If *arg1* is greater than *arg2*, IFLT returns the value of *arg4*. The data types of *arg1* and *arg2* must match and the data types of *arg3* and *arg4* must match.

In the following example, the value of *viflt* is 4, since A is less than B.

```
SET VAR A = 37
SET VAR B = 48
SET VAR viflt = (IFLT(.A,.B,4,5))
```

1.10.18 IFNE

(IFNE(*arg1*,*arg2*,*arg3*,*arg4*))

If *arg1* and *arg2* are not equal, IFNE returns the value of *arg3*. If *arg1* and *arg2* are equal, IFNE returns the value of *arg4*. The data types of *arg1* and *arg2* must match and the data types of *arg3* and *arg4* must match.

In the following example, the value of *vifne* is 7, since v1 is not equal to v2.

```
SET VAR v1 = 25
SET VAR v2 = 30
SET VAR vifne = (IFNE(.v1,.v2,7,8))
```

1.10.19 IFNULL

(IFNULL(*arg1*,*arg2*,*arg3*))

If *arg1* is null, then the value of *arg2* is returned. If *arg1* is not null, then the value of *arg3* is returned.

The IFNULL function does not recognize the value of zero (0) as NULL, even if ZERO is set ON.

1.10.20 IFRC

(IFRC(*arg*))

Where *arg* is a value that has either a TIME or DATETIME data type, IFRC returns the current thousandth of a second. For this function to work correctly, the TIME format must be set to include thousandths of a second.

In the following example, the value of *vifrc* is 123.

```
SET TIME FOR HH:MM:SS.SSS
SET VAR vifrc = (IFRC('12:15:30.123'))
```

1.10.21 IFWINDOW

(IFWINDOW('windowname'))

Returns 1 if a form with the *windowname* is open, 0 if not. *Windowname* is the name given to the instance of an MDI form started with the "AS *alias*" option when using the ENTER, EDIT USING, or BROWSE USING commands.

1.10.22 IHASH

(IHASH(*arg*,*n*))

R:BASE includes a function that can be used to create an integer value from a text value. The function was designed to create effective integer keys from long text columns. The function, IHASH, converts the entire text value, or just a specified number of characters.

Using this method is more complex than just indexing the LASTNAME column. First you need to add a computed column to your table using the IHASH function on the LASTNAME column to convert its text to integer values. You can modify your table through the Data Designer or the ALTER TABLE command:

```
ALTER TABLE employee ADD Hash_Lname=(IHASH(lastname,0)) INTEGER
```

The IHASH function converts the entire name to integer when used with the parameter 0. A different parameter converts the specified number of characters from the name, starting at the first character. For example, the parameter 7 will convert the first 7 characters of the lastname to an integer value. Deciding on the number of characters to convert can be one of the hardest things about using this method. Consider the relationships expressed in the following chart:

	Convert FEW characters	Convert MORE characters
PROS	Less input required	Less duplicate values
CONS	Greater duplicate values	More input required

After adding the computed column to your table, you need to use some programming commands as shown below to query that column. Using the IHASH function directly in a WHERE clause won't use indexes. First set a variable equal to IHASH of the value you're searching for, then use the variable in the

WHERE clause. When using an IHASH column for searching, you won't be able to do ad hoc queries from the R:BASE main menu .

```
SET VAR vname = (IHASH('Smith',0))
SELECT * FROM employee WHERE Hash_Lname = .vname
```

This method does provide greater flexibility in that you can have users enter anywhere from 1 character to the entire name based on the number of characters you specify in the IHASH function. For example, add a computed column to the table that will IHASH the first four characters of the name. Then, in your program, check the length that the user enters and if it's greater than four characters use an extra condition on your WHERE clause.

```
DIALOG 'Enter lastname (at least 4 characters):' vname vendkey 1
SET VAR vlen1=(SLEN(.vname)),vname1=(SGET(.VNAME,4,1)),+
  vhash=(IHASH(.vname1,4))
IF vlen1 > 4 THEN
  CHOOSE vchoice FROM #VALUES FOR (firstname & lastname) +
    FROM employee WHERE Hash_Lname=.vhash AND +
    (SGET(lastname,.vlen1,1))=.vname
ELSE
  CHOOSE vchoice FROM #VALUES FOR (firstname & lastname) +
    FROM employee WHERE Hash_Lname=.vhash
ENDIF
```

A user can enter any number of letters for use with an IHASH computation, but must enter at least as many characters as specified in the IHASH column definition or enter the full name. If the entry less than the specified number of characters and less than the full length of the name, the correct data is not found. For example, with a column defined as (IHASH(lastname,7)), entering "WILL" will not find "WILLIAMS", it will only find "WILL".

The advantages of using a computed column with the IHASH function are that you can turn an inefficient TEXT index into an efficient INTEGER index and you can provide flexibility in searching. Users will have a larger selection of names to choose from and can select the appropriate person from the list. For example, entering WILLIAM will find WILLIAMSON, WILLIAM, and WILLIAMS if you use IHASH(lastname,7).

A disadvantage of this method is that you need to add columns to your database. An extra computed column can slow down data entry. If you are tight on disk space this may not be an option. To determine how much additional disk space you'll need for an IHASH column, take the number of rows in the table and multiply by 4. The answer is the number of bytes of disk space you'll need for the additional column.

1.10.23 IHR

(IHR(*arg*))

Returns the integer hour of time, where *arg* is a value that has a TIME or DATETIME data type.

In the following example, the value of *vihr* is 12.

```
SET VAR vihr = (IHR(12:15:30))
```

1.10.24 IINFO

(IINFO(*arg1,arg2,arg3*))

The IINFO function is used to return information about tables, columns, or indexes by reading internal bitmask flags. The function requires the ID number for the table, column, or index. This ID number can be obtained from the system tables SYS_TABLES, SYS_COLUMNS, or SYS_INDEXES, respectively. IINFO returns 0 if FALSE, or the number in argument 3 if TRUE.

Syntax:

```
(IINFO(flagtype,id,bitmask))
```

Where:

flagtype specifies the type of information returned; table flags, column flags, column flags for server tables, index flags, row ID

id specifies the ID number from the system tables for the table ID, column ID, or index ID

bitmask species the flag in the system table

Remarks:

- The values for arg1, arg2, and arg3 must be non-null integers, even if a particular argument is not needed for that case.
- IINFO returns 0 if FALSE, or the bitmask number in parameter 3 if TRUE (flags 4-7).

Flags:

Info	Flag Type	ID	Bitmask	Description
Row ID	0	0	0	Returns the rowid of the current row. The rowid is the offset from the start of file 2 where that row is stored. The values for arg2 and arg3 are not used. Using a 0 for arg2 and arg3 is recommended.
Minimum Data Type Scale	1	integer	0	Returns the minimum scale for the data type. The value for arg2 must be an integer value. The value for arg3 is not used. Using a 0 for arg3 is recommended.
Maximum Data Type Scale	2	integer	0	Returns the maximum scale for the data type. The value for arg2 must be an integer value. The value for arg3 is not used. Using a 0 for arg3 is recommended.
Table Cascade Flag	3	table ID	0	Returns cascade flag for a table. The value for arg3 is not used. Using a 0 for arg3 is recommended.
Column Flags	4	column ID	1	Returns bitmask value if is an autonumber column
	4	column ID	2	Returns bitmask value if a comment exists for column
	4	column ID	4	Returns bitmask value if column has a default value
	4	column ID	8	Returns bitmask value if column is temporary
	4	column ID	16	Returns bitmask value if column has an index
	4	column ID	32	Returns bitmask value if contains a USER default
	4	column ID	64	Returns bitmask value if contains a Not NULL flag
Column Flags (Server Tables)	4	column ID	128	Returns bitmask value if is a primary key or unique key
	5	column ID	1	Returns bitmask value if column is an optimal row qualifier
	5	column ID	2	Returns bitmask value if server column is read only
	5	column ID	4	Returns bitmask value if server column is autoincremented
Table Flags	5	column ID	8	Returns bitmask value if server column row version qualifier
	6	table ID	1	Returns bitmask value if comment exists for table
	6	table ID	2	Returns bitmask value if table has a primary key
	6	table ID	4	Returns bitmask value if table has a foreign key
	6	table ID	8	Returns bitmask value if table has an autoincremented column

	6	table ID	16	Returns bitmask value if table has a default column
	6	table ID	32	Returns bitmask value if table is readonly (dBASE)
	6	table ID	64	Returns bitmask value if table is temporary
	6	table ID	128	Returns bitmask value if table has a referenced key
	6	table ID	256	Returns bitmask value if table has a Not NULL column
	6	table ID	512	Returns bitmask value if table has a unique key
	6	table ID	1024	Returns bitmask value if table has a column with a data type greater than 10
	6	table ID	2048	Returns bitmask value if table has a VARBIT/VARCHAR column
	6	table ID	4096	Returns bitmask value if a cascade flag updates and deletes through all primary keys and unique keys
	6	table ID	8192	Returns bitmask value if server table has column aliases
	6	table ID	16384	Returns bitmask value if there is at least one trigger defined for the table
	6	table ID	32768	Returns bitmask value if relation as system view which created during multiple inner joins
Index Flags	7	index ID	3	Returns bitmask value for the constraint type: 0 = index, 1 = foreign key, 2 = primary key, 3 = unique key
	7	index ID	4	Returns bitmask value if this is a dBase index
	7	index ID	8	Returns bitmask value if this is a unique index
	7	index ID	16	Returns bitmask value if index is temporary
	7	index ID	32	Returns bitmask value if this is a referenced key
	7	index ID	64	Returns bitmask value if this is a case sensitive index
	7	index ID	128	Returns bitmask value if this is a Foreign Index

Examples:

```
-- Example 01:
-- Using flag type 0 for the Titles table in the RRBYW20 database
SELECT EmpTID,EmpTitle,(IINFO(0,0,0)) FROM Titles
```

EmpTID	EmpTitle	(IINFO(0,0
1	Office Manager	524289
2	Receptionist	524341
3	Sales Clerk	524393
4	Director Marketing	524445
5	Director Corporate Sales	524497
6	Director Government Sales	524549
7	Manager Support & Services	524601
8	Outside Sales	524653

```
-- Example 02:
-- Returns minimum and maximum data type scales using IINFO and (CVAL('ROWCOUNT'))
with the RRBYW20 database.
-- The values for currency will vary based upon the current CURRENCY DIGITS setting.
SELECT (CVAL('ROWCOUNT')) AS SYS_TYPE, SYS_TYPE_NAME=18, +
(IINFO(1, (INT(CVAL('ROWCOUNT'))), 0)) AS SYS_MIN, +
(IINFO(2, (INT(CVAL('ROWCOUNT'))), 0)) AS SYS_MAX +
```


FROM SYS_TYPES

Here is what it generates:

SYS_TYPE	SYS_TYPE_NAME	SYS_MIN	SYS_MAX
1	CURRENCY		2
2	VARBIT	-0-	-0-
3	BITNOTE	-0-	-0-
4	BIT	-0-	-0-
5	VARCHAR	-0-	-0-
6	BIGNUM	-0-	-0-
7	BSTR	-0-	-0-
8	GUID	-0-	-0-
9	TEXT	-0-	-0-
10	NUMERIC		15
11	INTEGER		0
12	REAL	-0-	-0-
13	DOUBLE	-0-	-0-
14	DATE	-0-	-0-
15	TIME		3
16	DATETIME		3
17	NOTE	-0-	-0-

-- Example 03:

-- Displays tables with Cascade within the RRBYW20 database.

-- Note that the tables with 1 for the cascade value are tables

-- with primary keys that cascade to tables with foreign keys.

```
SELECT SYS_TABLE_NAME=20, +
SYS_TABLE_ID, +
(IINFO(3,SYS_TABLE_ID,0)) AS SYS_CASCADE +
FROM SYS_TABLES WHERE SYS_TABLE_TYPE = 'TABLE'
```

SYS_TABLE_NAME	SYS_TABLE_	SYS_CASCAD
Customer	29	1
CompUsed	30	0
SalesBonus	31	0
PaymentTerms	32	0
Contact	33	0
ProdLocation	34	0
Levels	35	0
Component	36	0
Product	37	0
SecurityTable	38	0
InvoiceHeader	39	0
PrintOptions	40	0
InvoiceDetail	41	0
LicenseInformation	43	0
Titles	44	1
Employee	45	1
StateAbr	46	0
FormTable	47	0
BonusRate	48	0
TestNote	49	0
ContactCallNotes	51	0
tempemployee	74	0

```
-- Example 04:
-- Checks that the CustState column in the Customer table is indexed
SET VAR vCustStateHasIndex = (IINFO(4,191,16))
SHOW VAR vCustStateHasIndex
      16

-- Example 05:
-- Checks that the Employee table has a primary key
SET VAR vEmployeeHasPK = (IINFO(6,45,2))
SHOW VAR vEmployeeHasPK
      2

-- Example 06:
-- Checks that the Component table has a referenced key.
SET VAR vComponentRef = (IINFO(6,39,128))
SHOW VAR vComponentRef
      128

-- Example 07:
-- Returns the constraint type for the EmpID in the SalesBonus table
-- (0 = index, 1 = foreign key, 2 = primary key, 3 = unique key)
SET VAR vIsForeignKey = (IINFO(7,42,3))
SHOW VAR vIsForeignKey
      1
```

1.10.25 ILY

(ILY(*arg*))

Checks to see if the current year is a leap year.

The function returns a 1 if the year is a leap year, and 0 if it is not a leap year.

In the following example, the value of *vily* is 0.

```
SET VAR vily = (ILY('03/15/2006'))
```

1.10.26 IMIN

(IMIN(*arg*))

Returns the integer minutes of time, where *arg* is a value that has a TIME or DATETIME data type.

In the following example, the value of *vmin* is 15.

```
SET VAR vmin TO (IMIN(12:15:30))
```

1.10.27 IMON

(IMON(*arg*))

Returns the integer month for a particular date, where *arg* is a value that has a DATE or DATETIME data type.

In the following example, the value of *vimon* is 5.

```
SET VAR vimon = (IMON('05/20/95'))
```

1.10.28 INT

(INT(*arg*))

Truncates a number that has a REAL, DOUBLE, NUMERIC or CURRENCY data type, returning a value that has an INTEGER data type.

The function can also be used to convert numeric TEXT and NOTE variables to the INTEGER data type. In using TEXT/NOTE, the INT function will automatically round and truncate the value.

In the following example, the value of *vint* is 1.

```
SET VAR vint = (INT(1.6))
```

In the following example, the value of *vint2* is 7.

```
SET VAR vtext TEXT = '6.8'  
SET VAR vint2 = (INT(.vtext))
```

To truncate a text, the following example can be used, where the value of *vTruncInt* is 1.

```
SET VAR MyTextStringVar TEXT = '1.5'  
SET VAR vTruncInt integer = (INT(FLOAT(.MyTextStringVar)))
```

1.10.29 ISALPHA

(ISALPHA(*value*))

Checks the first character of a TEXT string. The function returns a 1 if true and a 0 if false. For example, (ISALPHA('abc')) returns 1 because the first character is a letter.

1.10.30 ISDIGIT

(ISDIGIT(*value*))

Checks the first character of a TEXT string. The function returns a 1 if true and a 0 if false. For example, (ISDIGIT('abc')) returns 0 because the first character is not a number.

1.10.31 ISEC

(ISEC(*arg*))

Returns the integer seconds of time, where *arg* is a value that has a TIME or DATETIME data type.

In the following example, the value of *visec* is 30.

```
SET VAR visec = (ISEC(12:15:30))
```

1.10.32 ISLOWER

(ISLOWER(*value*))

Checks the first character of a TEXT string. The function returns a 1 if true and a 0 if false. For example, (ISLOWER('abc')) would return 1 because the first character is lower case.

1.10.33 ISSPACE

(ISSPACE(*value*))

Checks the first character of a TEXT string. The function returns a 1 if true and a 0 if false. The ISSPACE function evaluates as true when the first character is a space or one of the following: LF (char (10)), CR (char (13)), VT (char (11)), TAB (char (9)), FF (char (12)), EOL (char (254)).

1.10.34 ISTAT

(**ISTAT('keyword')**)

Using ISTAT parameters, you can determine database activity, and the current mouse and cursor column or row coordinates.

Use ISTAT to check the efficiency of settings to adjust locking scheme. You should be able to see differences in the results returned by the ISTAT keywords TOTALREADS, TOTALWRITES, and TOTALLOCKS depending on the locking scheme you have set.

The ISTAT function has a number of options that report on available memory in the dynamic data area R:BASE uses for processing in the DOS version. The amount of available extended memory in the DOS version of R:BASE and how that memory is allocated is not checked or displayed by any parameters of the ISTAT function.

You must either enclose the keyword in quotation marks or use a dot variable that has a TEXT data type.

Following keywords can be used for (ISTAT('keyword')):

- [CURRNUMALLOC](#)
- [CURSORCOL](#)
- [CURSORROW](#)
- [DBSIZE](#)
- [DISKSPACE](#)
- [FORM_CONTROL_TYPE](#)
- [FORM_DIRTY_FLAG](#)
- [ISRUNTIME](#)
- [LIMITNUMALLOC](#)
- [MAXFREE](#)
- [MAXNUMALLOC](#)
- [MEMORY](#)
- [MOUSECOL](#)
- [MOUSEROW](#)
- [PAGECOL](#)
- [PAGEROW](#)
- [RB1SIZE](#)
- [RB2SIZE](#)
- [RB3SIZE](#)
- [RB4SIZE](#)
- [RX1SIZE](#)
- [RX2SIZE](#)
- [RX3SIZE](#)
- [RX4SIZE](#)
- [TOTALALLOC](#)
- [TOTALFREE](#)
- [TOTALLOCKS](#)
- [TOTALREADS](#)
- [TOTALWRITES](#)

1.10.34.1 CURRNUMALLOC

(**ISTAT('CURRNUMALLOC')**)

The CURRNUMALLOC parameter allows you to check the number of memory handles R:BASE for DOS has open. This returns 0 when used with R:BASE for Windows.

1.10.34.2 CURSORCOL

(**ISTAT('CURSORCOL')**)

(ISTAT('CursorCol')) will return an integer value indicating the current column that contains the cursor.

1.10.34.3 CURSORROW**(ISTAT('CURSORROW'))**

(ISTAT('CursorRow')) will return an integer value indicating the current row that contains the cursor.

1.10.34.4 DBSIZE**(ISTAT('DBSIZE'))**

DBSIZE returns the size of the currently open database (total of the four database files). If no database is connected, ISTAT returns 0.

If you wish to check for a database size that is over 2 gigabytes you must use a data type which supports a larger number.

```
SET VAR vDatabaseSize DOUBLE = (ISTAT('DBSIZE'))
```

This is necessary because the default data type returned by the function, INTEGER, cannot hold the required number of digits to report over 2 gigabytes.

1.10.34.5 DISKSPACE**(ISTAT('DISKSPACE'))**

DISKSPACE returns the amount of free disk space on the current drive. If you wish to check for the free space on drives with over 2 gigabytes of free you must use syntax similar to this:

```
SET VAR vSpace DOUBLE = (ISTAT('DISKSPACE'))
```

This is necessary because the default data type returned by the function, INTEGER, cannot hold the required number of digits to report over 2 gigabytes of free space.

When depending on this routine it is best to test it on a platform as close to your target platform as possible.

1.10.34.6 FORM_CONTROL_TYPE**(ISTAT('FORM_CONTROL_TYPE'))**

FORM_CONTROL_TYPE returns a value based on which object has focus when the entry/exit procedure containing the ISTAT function is run. Returns the following.

0	No current control
1	Edit Field
2	Combo Box
3	Check Box
5	Radio Button
7	Push Button

1.10.34.7 FORM_DIRTY_FLAG**(ISTAT('FORM_DIRTY_FLAG'))**

FORM_DIRTY_FLAG Returns 1 if a change has been made to the data, 0 if no change has been made.

1.10.34.8 ISRUNTIME**(ISTAT('ISRUNTIME'))**

Use the ISRUNTIME parameter to determine if the end user is accessing R:BASE via a full version or a Runtime version.

If the end user is using Runtime the value returned will be 1. If the end user is using a Full Version then the value returned will be 0.

1.10.34.9 LIMITNUMALLOC**(ISTAT('LIMITNUMALLOC'))**

The LIMITNUMALLOC parameter allows you to check the maximum number of memory handles R:BASE for DOS can open. This returns 0 when used with R:BASE for Windows.

Unless you use the -h startup option this will be 300.

1.10.34.10 MAXFREE**(ISTAT('MAXFREE'))**

The MAXFREE parameter allows you to determine the largest free memory block within the area allocated to R:BASE. The TOTALALLOC parameter can be used to determine the total amount of dynamic memory allocated to R:BASE. MAXFREE will always be smaller than TOTALALLOC.

This will not return valid information under R:BASE for Windows.

1.10.34.11 MAXNUMALLOC**(ISTAT('MAXNUMALLOC'))**

The MAXNUMALLOC parameter allows you to check the highest number of memory handles R:BASE for DOS has held open at any one point during this session. This returns 0 when used with R:BASE for Windows.

1.10.34.12 MEMORY**(ISTAT('MEMORY'))**

The MEMORY parameter allows you to retrieve the amount of memory, in bytes, remaining for R:BASE for DOS to use.

This will not return a valid amount when running R:BASE for Windows.

1.10.34.13 MOUSECOL**(ISTAT('MOUSECOL'))**

MOUSECOL returns the column where the mouse pointer is.

This is only supported in DOS, and will not return a valid amount when running R:BASE for Windows.

1.10.34.14 MOUSEROW**(ISTAT('MOUSEROW'))**

MOUSEROW returns the row where the mouse pointer is.

This is only supported in DOS, and will not return a valid amount when running R:BASE for Windows.

1.10.34.1PAGECOL

(ISTAT('PAGECOL'))

PAGECOL returns the column location of the cursor on a virtual page when you are using the SET PAGEMODE command. PAGECOL can only be used with the SHOW VARIABLE command; it does not work with the WRITE command.

1.10.34.1PAGEROW

(ISTAT('PAGEROW'))

PAGEROW returns the row location of the cursor on a virtual page when you are using the SET PAGEMODE command. PAGEROW can only be used with the SHOW VARIABLE command; it does not work with the WRITE command.

1.10.34.1RB1SIZE

(ISTAT('RB1SIZE'))

The RB1SIZE parameter returns the size, in bytes, of the RB1 file of the currently connected R:BASE X.5 database. You may need to use the following syntax for large databases:

```
SET VAR vSize DOUBLE = (ISTAT('RB1SIZE'))
```

This is simply because the default data type, INTEGER, may not be able to hold values as large as you need.

For a combined size use the [DBSIZE](#) parameter.

1.10.34.1RB2SIZE

(ISTAT('RB2SIZE'))

The RB2SIZE parameter returns the size, in bytes, of the RB2 file of the currently connected R:BASE X.5 database. You may need to use the following syntax for large databases:

```
SET VAR vSize DOUBLE = (ISTAT('RB2SIZE'))
```

This is simply because the default data type, INTEGER, may not be able to hold values as large as you need.

For a combined size use the [DBSIZE](#) parameter.

1.10.34.1RB3SIZE

(ISTAT('RB3SIZE'))

The RB3SIZE parameter returns the size, in bytes, of the RB3 file of the currently connected R:BASE X.5 database. You may need to use the following syntax for large databases:

```
SET VAR vSize DOUBLE = (ISTAT('RB3SIZE'))
```

This is simply because the default data type, INTEGER, may not be able to hold values as large as you need.

For a combined size use the [DBSIZE](#) parameter.

1.10.34.2RB4SIZE**(ISTAT('RB4SIZE'))**

The RB4SIZE parameter returns the size, in bytes, of the RB4 file of the currently connected R:BASE X.5 database. You may need to use the following syntax for large databases:

```
SET VAR vSize DOUBLE = (ISTAT('RB4SIZE'))
```

This is simply because the default data type, INTEGER, may not be able to hold values as large as you need.

For a combined size use the [DBSIZE](#) parameter.

1.10.34.2RX1SIZE**(ISTAT('RX1SIZE'))**

The RX1SIZE parameter returns the size, in bytes, of the RX1 file of the currently connected R:BASE X.5 Enterprise database. You may need to use the following syntax for large databases:

```
SET VAR vSize DOUBLE = (ISTAT('RX1SIZE'))
```

This is simply because the default data type, INTEGER, may not be able to hold values as large as you need.

For a combined size use the [DBSIZE](#) parameter.

1.10.34.2RX2SIZE**(ISTAT('RX2SIZE'))**

The RX2SIZE parameter returns the size, in bytes, of the RX2 file of the currently connected R:BASE X.5 Enterprise database. You may need to use the following syntax for large databases:

```
SET VAR vSize DOUBLE = (ISTAT('RX2SIZE'))
```

This is simply because the default data type, INTEGER, may not be able to hold values as large as you need.

For a combined size use the [DBSIZE](#) parameter.

1.10.34.2RX3SIZE**(ISTAT('RX3SIZE'))**

The RX3SIZE parameter returns the size, in bytes, of the RX3 file of the currently connected R:BASE X.5 Enterprise database. You may need to use the following syntax for large databases:

```
SET VAR vSize DOUBLE = (ISTAT('RX3SIZE'))
```

This is simply because the default data type, INTEGER, may not be able to hold values as large as you need.

For a combined size use the [DBSIZE](#) parameter.

1.10.34.2RX4SIZE**(ISTAT('RX4SIZE'))**

The RX4SIZE parameter returns the size, in bytes, of the RX4 file of the currently connected R:BASE X.5 Enterprise database. You may need to use the following syntax for large databases:


```
SET VAR vSize DOUBLE = (ISTAT('RX4SIZE'))
```

This is simply because the default data type, INTEGER, may not be able to hold values as large as you need.

For a combined size use the [DBSIZE](#) parameter.

1.10.34.2 TOTALALLOC

(ISTAT('TOTALALLOC'))

The TOTALALLOC parameter allows you to determine the amount of dynamic memory allocated to R:BASE. Unless you ZIP out to another program this number should not change during an R:BASE session.

This will not return valid information under R:BASE for Windows.

1.10.34.2 TOTALFREE

(ISTAT('TOTALFREE'))

The TOTALFREE parameter allows you to determine the total amount of free memory within the area allocated to R:BASE. The [TOTALALLOC](#) parameter can be used to determine the total amount of dynamic memory allocated to R:BASE. TOTALFREE will always be smaller than TOTALALLOC.

This will not return valid information under R:BASE for Windows.

1.10.34.2 TOTALLOCKS

(ISTAT('TOTALLOCKS'))

TOTALLOCKS is used to determine the total number of locks placed on any assortment of tables, rows, and indexes.

1.10.34.2 TOTALREADS

(ISTAT('TOTALREADS'))

TOTALREADS returns the total number of disk reads since R:BASE began or the number of reads since the statement was last executed.

1.10.34.2 TOTALWRITES

(ISTAT('TOTALWRITES'))

TOTALWRITES returns the total disk writes since opening or since the last time the command was executed.

1.10.35 ISTR

(ISTR('string',position))

Returns the corresponding integer value.

This function converts a single character, which you specify within a string by position, returning its corresponding ASCII Character Chart Decimal value.

In the following example, the INTEGER value of *vDecimalValue* is 65 for the capital letter A.

Example 01:

Start R:BASE for Windows

At the R> Prompt:

```
SET VARIABLE vDecimalValue = (ISTR('R:BASE Rocks!',4))

SHOW VARIABLE

vDecimalValue = 65 INTEGER
```

1.10.36 ISUPPER

(ISUPPER(*value*))

Checks the first character of a TEXT string. The function returns a 1 if true and a 0 if false. For example, (ISUPPER('abc')) returns 0 because the first character is not upper case.

1.10.37 ITEMCNT

(ITEMCNT('Text String'))

Use to count the number of items in a text string separated by a comma (or the current delimiter).

In the following example, the value of *vItems* is 3.

```
SET VAR vItems = (ITEMCNT('a,b,c'))
```

Here is an example of using this function in a command block to format a CHOOSE box:

```
SET VAR vModels TEXT = NULL
SET VAR vLines INTEGER = NULL
SET VAR vModel TEXT = NULL
SELECT (LISTOF(Model)) INTO vModels INDIC IModel FROM Product
SET VAR vLines = (ITEMCNT(.vModels))
IF vLines > 18 THEN
SET LINES = 18
ENDIF
CLS
CHOOSE vModel FROM #LIST .vModels AT 4 30 TITLE 'Choose Model' +
CAPTION 'Available Models' Lines .vLines FORMATTED
IF vModel IS NULL OR vModel = '[Esc]' THEN
GOTO Done
ENDIF

-- Do what you have to do here ...

LABEL Done
CLEAR ALL VAR
QUIT TO MainMenu.RMD
RETURN
```

1.10.38 IWOY

(IWOY(*arg1*)) or (IWOY(*arg1*,*arg2*))

Returns the week number of the year for the specified date. The use of *arg2* is optional, to indicate different week counting methods.

Syntax:

```
(IWOY(date,parameter))
```

Where:

date is a valid DATE data type value

parameter specifies week counting method

Parameters:

Parameter	Description
1	Specifies that weeks start on Sunday, and January 1 is in the first week of the year
2	Specifies that weeks start on Monday, and January 1 is in the first week of the year
21	Specifies that weeks follow the ISO 8601 standard, which means that week 1 for the year is the first week with 4 or more days of January in it. In addition, the week starts on Monday.

Remarks:

- The first parameter must be a valid DATE value.
- The IWOY function with no second parameter is identical to using the 1 parameter.

Examples:

01.

In the following example, the value of *viwoy_1* is 12.

```
SET VAR viwoy_1 = (IWOY('03/15/2016'))
```

02.

In the following example, the value of *viwoy_2* is 11.

```
SET VAR viwoy_2 = (IWOY('03/15/2016',21))
```

03.

In the following example, the value of *viwoy_3* is 39.

```
SET VAR vDate DATE = 09/19/2016
SET VAR viwoy_3 = (IWOY(.vDate,2))
```

04.

In the following example, the value of *viwoy_4* is 38.

```
SET VAR vDate DATE = 09/19/2016
SET VAR viwoy_4 = (IWOY(.vDate,21))
```

1.10.39 IYR

(IYR(arg))

Where *arg* is a value that has a DATE or DATETIME data type, IYR returns a two or four-digit integer year of date, depending on how the DATE format is set.

In the following example, the value of *viyr* is 1995 if the year in the DATE format is set to YYYY. The value of *viyr* is 95 if the year in the DATE format is set to YY.

```
SET VAR viyr = (IYR('09/13/95'))
```

1.10.40 IYR4

(IYR4(date)) or (IYR4(datetime))

Where *arg* is a value that has a DATE or DATETIME data type, IYR4 always returns a four-digit integer value for the year. This is different from the IYR function which depends on how the DATE format is set.

This function will allow users to capture four digit year, regardless of the DATE FORMAT or DATE SEQUENCE settings. Results will be based on the DATE YEAR and CENTURY settings. See DATE format.

Example 01 (Database with settings):

```
DATE FORMAT: MM/DD/YYYY
DATE SEQ: MMDDYY
DATE YEAR: 30
DATE CENT: 19
SET VAR v1 = (IYR4(.#DATE))
```

Variable v1 will return the four digit INTEGER value of 2000

Example 02:

```
SET VAR v2 DATETIME = ('06/26/2000 08:00')
SET VAR v3 = (IYR4(.v2))
```

Variable v3 will return the four digit INTEGER value of 2000

Example 03 (Database with settings):

```
DATE FORMAT: MM/DD/YY
DATE SEQ: MMDDYY
DATE YEAR: 30
DATE CENT: 19
SET VAR v1 = (IYR4(.#DATE))
```

Variable v1 will ALSO return the four digit INTEGER value of 2000

Example 04:

```
SET VAR v2 DATETIME = ('06/26/00 08:00')
SET VAR v3 = (IYR4(.v2))
```

Variable v3 will ALSO return the four digit INTEGER value of 2000

1.11 J

1.11.1 JDATE

(JDATE(arg))

Where *arg* is a value that has a DATE or DATETIME data type, JDATE returns the Julian date of the date in the form YYYYDDD. This is a change from versions prior to R:BASE 6.1a which returned a value in the format YYDDD. This two digit year format was incompatible with the year 2000 and may require altering database structure or program code.

In the following example, the value of *vjdate* is 1995163. The year is 1995, and 163 means that the date is the 163rd day of 1995.

```
SET VAR vjdate = (JDATE('06/12/95'))
```

1.11.2 JDWK

(JDWK(*arg*))

Returns the Japanese day of the week, where *arg* is either a DATE or DATETIME data type value. The function is specific to R:BASE use for a computer whose system locale is configured for Japan.

1.11.3 JIDX

(JIDX('string',*position*))

Returns the corresponding ASCII character chart integer value for a character, specified within a string by position. When Japanese characters are the default, 0 or -1 is returned for Kanji characters. The function is specific to R:BASE use for a computer whose system locale is configured for Japan.

1.12 L

1.12.1 LASTKEY

(LASTKEY(*arg*))

Where *arg* is 0 or 1. When *arg* is 1, LASTKEY returns the original mapping for a key that has been remapped (the key that was pressed). When *arg* is 0, LASTKEY returns the current mapping (the key that was executed).

In the following example, DIALOG displays the message and the current date, which the user can edit. LASTKEY captures the last key pressed by the user, enabling the user to press [Esc] to avoid entering a date.

```
SET VARIABLE vdate TEXT
SET VARIABLE vdate = (CTXT(.#DATE))
DIALOG 'Enter the invoice date to print:' vdate vendkey 1
SET VARIABLE vlast = (LASTKEY(0))
IF vlast = '[Esc]' THEN
    GOTO skipprnt
ENDIF
```

1.12.2 LASTMOD

(LASTMOD('tablename'))

Returns the last structural modification date time value for a table or view.

In the following example, the date and time is provided for when the structure of the *Tasks* table was last modified.

```
SET VAR vTaskTableModDate DATETIME = (LASTMOD('Tasks'))

R>SHOW VAR vTaskTableModDate
01/06/2019 10:50 AM
```

1.12.3 LAVG

(LAVG(*list*))

Returns the average of the values in *list*. Values in a list can be a CURRENCY, DOUBLE, REAL, INTEGER, NUMERIC, DATE, or TIME data type. The function LAVG is not the same as the function AVG, which is used only with the SELECT command.

In the following example, the value of *vlavg* is 5. The total of the list is 20, which is divided by 4, the number of values in the list.

```
SET VAR vlavg = (LAVG(2,4,6,8))
```

1.12.4 LJS

(LJS(*text,width*))

Left justifies *text* in *width* characters, returning a text string.

In the following example, the value of *vljs* is *ABCD*. The text string is left justified in the field. In this case, trailing blanks are removed.

```
SET VAR vljs = (LJS('ABCD',10))
```

The value of *vljs2* in the following example is *COLUMN ONE* *COLUMN TWO*. You can use LJS to embed spaces and concatenate strings, for example, to create a row of column headings for a screen or variable form. When you concatenate strings before assigning the result to a variable, as in this example, trailing blanks are retained. These spaces are preserved even if the first value is null.

```
SET VAR vljs2 = (LJS('COLUMN ONE',20) + 'COLUMN TWO')
```

The following example returns *COLUMN TWO* if *vcolname* is null.

```
SET VAR vcol2 TEXT = 'COLUMN TWO'  
SET VAR vljs3 TEXT = (LJS(.vcolname,20) + .vcol2))
```

1.12.5 LMAX

(LMAX(*list*))

Returns the maximum value in *list*. Values in a list can be a CURRENCY, DOUBLE, REAL, INTEGER, NUMERIC, DATE, or TIME data type. The function LMAX is not the same as the function MAX, which is used only with the SELECT command.

In the following example, the value of *vlmax* is 80, the highest number in the list.

```
SET VAR vlmax = (LMAX(2,80,14,22))
```

1.12.6 LMIN

(LMIN(*list*))

Returns the minimum value in *list*. Values in a list can be a CURRENCY, DOUBLE, REAL, INTEGER, NUMERIC, DATE, or TIME data type. The function LMIN is not the same as the function MIN, which is used only with the SELECT command.

In the following example, the value of *vlmin* is 2, the lowest number in the list.

```
SET VAR vlmin = (LMIN(2,80,14,22))
```

1.12.7 LOG

(LOG(*arg*))

Returns log base *e* of *arg* (where *e* = 2.71828182845905). *Arg* must be a positive value and have a DOUBLE, REAL, NUMERIC, or INTEGER data type. LOG performs the inverse operation of [EXP](#).

In the following example, the value of *vlog* is 0.6931.

```
SET VAR vlog = (LOG(2))
```

1.12.8 LOG10

(LOG10(*arg*))

Returns log base 10 of *arg*. *Arg* must be a positive value and have a DOUBLE, REAL, NUMERIC, or INTEGER data type.

In the following example, the value of *vlog2* is 2.

```
SET VAR vlog2 = (LOG10(100))
```

1.12.9 LSTDEV

(LSTDEV(*list*))

Returns the standard deviation for a list of values.

Remarks:

- The standard deviation is a measure of how widely values are dispersed from the average value.
- LSTDEV supports CURRENCY, DECIMAL, DOUBLE, FLOAT, REAL, NUMERIC, or INTEGER data type.
- The LSTDEV performs calculations in the same fashion as the COMPUTE command.

Example:

```
SET VAR vListStDev DOUBLE =  
(LSTDEV(173.20,189.45,3929.14,434.75,333.25,257.50,88.70,641.86))  
SHOW VAR vListStDev  
1293.84205284038
```

1.12.10 LSUM

(LSUM(*list*))

Return the sum for a list of values.

Remarks:

- LSUM supports CURRENCY, DOUBLE, REAL, NUMERIC, INTEGER, BIGINT, SMALLINT, or BIGNUM data types.

Example:

```
SET VAR vListSum DOUBLE = (LSUM(189.45,79.14,43.75,33.25,27.58,789.40,6.12))  
SHOW VAR vListSum  
1168.69
```

1.12.11 LTRIM

(LTRIM(*text*))

Trims leading blanks from *text*, returning a text string.

In the following example, the value of *vltrim* is the text string *ABCDE* without the leading blanks.

```
SET VAR vltrim = (LTRIM('   ABCDE'))
```

1.12.12 LUC

(LUC(*arg*))

Converts *arg* from lowercase to uppercase, returning a text string.

In the following example, the value of *vluc* is an uppercase A.

```
SET VAR vluc = (LUC('a'))
```

1.12.13 LVARIANCE

(LVARIANCE(*list*))

Return the variance for a list of values.

Remarks:

- LVARIANCE supports CURRENCY, DECIMAL, DOUBLE, FLOAT, REAL, NUMERIC, or INTEGER data type.
- The LVARIANCE performs calculations in the same fashion as the COMPUTE command.

Example:

```
SET VAR vListVariance DOUBLE =
(LVARIANCE(528.00,175.00,36.63,112.50,456.75,326.25,157.50,27.00,631.88))
SHOW VAR vListVariance
49438.425925
```

1.13 M

1.13.1 MAKEUTF8

(MAKEUTF8(*text*))

Converts upper ASCII characters text data into UTF-8 encoded characters.

Example:

```
R>SHOW VAR vText
Franz Wei? has met Anna G?rtner

R>SET VAR vUTF8Text = (MAKEUTF8(.vText))
```

Variable	= Value	Type
vText	= Franz Wei? has met Anna G?rtner	TEXT
vUTF8Text	= Franz Weiß has met Anna Gärtner	TEXT

1.13.2 MOD

(MOD(*arg1*,*arg2*))

Computes a modulus or remainder of *arg1* divided by *arg2*. *Arg1* and *arg2* must be values that have DOUBLE, REAL, NUMERIC, or INTEGER data types and *arg2* cannot be 0.

In the following example, the value of *vmod* is 1, the remainder when 3 is divided by 2.

```
SET VAR vmod = (MOD(3,2))
```

In the following example, the value of *vCheck4EvenOdd* is checked if it is even or odd.


```

SET VAR vNumber2Check INTEGER = 3
SET VAR vCheck4EvenOdd INTEGER = (IFEQ((MOD(.vNumber2Check,2)),0,2,1))
IF vCheck4EvenOdd = 2 THEN
    PAUSE 2 USING 'The number is even.'
ELSE
    PAUSE 2 USING 'The number is odd.'
ENDIF

```

1.14 N

1.14.1 NEXT

(NEXT(tblname, autonumcol))

Returns the next value of an autonumbered column.

Where colname is an autonumbered column in tblname NEXT returns, and increments, the value of the next available autonumber. You cannot use this function with INSERT, but you can use it with LOAD;NONUM. For example: Assume that you have autonumbered the column EmployeeID in the table Employees. The highest number currently used in the database is 134. In this case, in the following example, the value of vNextOne will be 135 and the value of vNextTwo will be 136.

Notice that the value has incremented even though no other commands or functions were issued.

```

SET VAR vNextOne = (NEXT(Employees, EmployeeID))
SET VAR vNextTwo = (NEXT(Employees, EmployeeID))

```

1.14.2 NINT

(NINT(arg))

Rounds a number that has a TEXT, REAL, DOUBLE, NUMERIC, or CURRENCY data type to the nearest integer, returning a value that has an INTEGER data type.

In the following example, the value of vnint1 is 3 and the value of vnint2 is 4.

```

SET VAR vnint1 = (NINT(2.6))
SET VAR vnint2 = (NINT(4.4))

```

1.15 P

1.15.1 PMT1

(PMT1(int, per, pv))

Returns the amount of the periodic payment needed to pay off the present value, *pv*, based on the periodic interest rate, *int*, for the number of compounding periods, *per*.

In the following example, PMT1 returns the monthly payment amount for a loan of \$12,000 with a 12% annual interest rate and five years to pay it off. The value of *vpmt1* (the monthly payment) is \$266.93.

```

SET VAR vpmt1 = (PMT1(.01, 60, 12000))

```

1.15.2 PMT2

(PMT2(int, per, fv))

Returns the amount of the periodic payment to accrue the future value, *fv*, based on the periodic interest rate, *int*, for the number of compounding periods, *per*.

In the following example, PMT2 returns the monthly payment you must make if you want to have \$25,000 in 10 years and your annual interest rate is 7%, compounded monthly. The value of *vpmt2* (the payment) is \$144.44.

```
SET VAR vpmt2 = (PMT2((.07/12),120,25000))
```

1.15.3 PV1

(PV1(*pmt,int,per*))

Returns the present value of a series of equal payments of the amount, *pmt*, periodic interest rate, *int*, and compounding periods, *per*.

In the following example, PV1 returns the present value of an annuity with an annual interest rate of 9% and for which you want to pay \$500 each month for 20 years. The value of *vpv1* (the present value) is \$55,572.48.

```
SET VAR vpv1 = (PV1(500,.0075,240))
```

1.15.4 PV2

(PV2(*fv,int,per*))

Returns the present value based on the future value, *fv*, interest rate, *int*, and the number of compounding periods, *per*.

In the following example, PV2 returns the amount you must invest for a period of one year to return a future value of \$3,500 where the annual rate is 7.6% (compounded daily). The value of *vpv2* (the amount to invest) is \$3,247.63.

```
SET VAR vpv2 = (PV2(3500, (.075/365), 365))
```

1.16 R

1.16.1 RANDOM

(RANDOM(*value*))

Generates a random number between 0 and one value below the value entered.

1.16.2 RATE1

(RATE1(*fv,pv,per*))

Returns the periodic interest rate required to return the future value, *fv*, based on the present value, *pv*, over the number of compounding periods, *per*.

In the following example, RATE1 returns the interest rate you must have if your initial investment is \$8,500 and you want a future yield of \$10,000 after 24 months. The value of *vratel* (the interest rate) is .0068, a monthly rate of .68 percent, or 8.16% annually.

```
SET VAR vratel = (RATE1(10000,8500,24))
```

1.16.3 RATE2

(RATE2(*fv,pmt,per*))

Returns the periodic interest rate on a series of regular payments, *pmt*, whose future value is *fv* over the number of compounding periods, *per*.

In the following example, RATE2 returns the interest rate you must have if your goal is \$37,000 and you deposit \$500 each month for five years. The value of *vrates* is .0069, a monthly rate of .69 percent, or 8.28% annually.

```
SET VAR vrates = (RATE2(37000,500,60))
```

1.16.4 RATE3

(RATE3(*pv*,*pmt*,*per*))

Returns the periodic interest rate required for an annuity of value *pv*, to return a series of equal payments, *pmt*, over a number of compounding periods, *per*.

In the following example, RATE3 returns the interest rate of an annuity, purchased at \$50,000, which will pay \$570 monthly for 10 years. The value of *vrates* is .0055, a monthly rate of .55 percent, or 6.6% annually.

```
SET VAR vrates = (RATE3(50000,570,120))
```

1.16.5 RDATE

(RDATE(*mon*,*day*,*yr*))

Converts integers *mon*, *day*, and *yr* to a DATE data type. *Yr* must be a four-digit year. The result returned by RDATE will vary, depending on the DATE format.

The following command assigns to the *transdate* column in the *transmaster* table the date derived from the values of *vmon* and *vday* (integers) as the month and day, and 1995 as the year in rows where the *transdate* column has a value.

```
UPDATE transmaster SET transdate = (RDATE(.vmon, .vday, 1995)) +  
WHERE transdate IS NOT NULL
```

1.16.6 REVERSE

(REVERSE(*text*))

Returns the reverse order of text in a string.

In the following example, the value for *vReverse* is "erawtfos evitcaretnI".

```
SET VAR vReverse TEXT = (REVERSE('Interactive Software'))
```

1.16.7 RJS

(RJS(*text*,*width*))

Right justifies *text* in *width* characters returning a text string.

In the following example, the value of *vrjs* is ABCD. The text string is right justified in a 10-character field.

```
SET VAR vrjs = (RJS('ABCD',10))
```

1.16.8 RNDDOWN

(RNDDOWN(*arg1*, *arg2*))

Returns a number rounded down to a specified number of digits. The resulting variable value will be a DOUBLE data type. *arg2* must be an INTEGER value.

Where: *arg1* is the value to be rounded
 arg2 is the position to be rounded down after the decimal point

Remarks:

- RNDDOWN behaves like [ROUND](#), except that it always rounds a number down.
- If digits is greater than 0 (zero), then number is rounded down to the specified number of decimal places.
- If digits is 0, then number is rounded down to the nearest integer.
- If digits is less than 0, then number is rounded down to the left of the decimal point.

Examples

Example 01:

```
SET VAR v1 DOUBLE = (RNDDOWN(662.79,0))
SHOW VAR v1
662
```

Example 02:

```
SET VAR v2 DOUBLE = (RNDDOWN(662.79, 1))
SHOW VAR v2
662.7
```

Example 03:

```
SET VAR v3 DOUBLE = (RNDDOWN(54.1, -1))
SHOW VAR v3
50
```

Example 04:

```
SET VAR v4 DOUBLE = (RNDDOWN(55.1, -1))
SHOW VAR v4
50
```

Example 05:

```
SET VAR v5 DOUBLE = (RNDDOWN(-23.67, 1))
SHOW VAR v5
-23.6
```

1.16.9 RNDUP

(RNDUP(arg1, arg2))

Returns a number value rounded up to a specified number of digits. The resulting variable value will be a DOUBLE data type. *arg2* must be an INTEGER value.

Where: *arg1* is the value to be rounded
arg2 is the position to be rounded up after the decimal point

Remarks:

- RNDUP behaves like [ROUNDUP](#), except that it always rounds a number up
- If *arg2* is greater than 0 (zero), then number is rounded up to the specified number of decimal places.
- If *arg2* is 0, then number is rounded up to the nearest integer.
- If *arg2* is less than 0, then number is rounded up to the left of the decimal point.

Examples:

Example 01:

```
SET VAR vRoundUp1 DOUBLE = (RNDUP(762.273735,2))
SHOW VAR vRoundUp1
762.28
```

Example 02:

```
SET VAR vRoundUp2 DOUBLE = (RNDUP(7796162.1455,-2))
SHOW VAR vRoundUp2
7796200.
```

1.16.10 ROUND

(ROUND(arg1, arg2))

Returns a number rounded to a specified number of digits. The resulting variable value will be a DOUBLE data type. *arg2* must be an INTEGER value.

Where: *arg1* is the value to be rounded
arg2 is the position to be rounded after the decimal point

Example 01:

```
SET VAR vNumber DOUBLE = 1.4567
SET VAR vRound = (ROUND(.vNumber,1))
```

Resulting vRound will be equal to 1.5

Example 02:

```
SET VAR vNumber DOUBLE = 1.4567
SET VAR vRound = (ROUND(.vNumber,2))
```

Resulting vRound will be equal to 1.46

Example 03:

```
SET VAR vNumber DOUBLE = 1.4567
SET VAR vRound = (ROUND(.vNumber,3))
```

Resulting vRound will be equal to 1.457

1.16.11 RTIME

(RTIME(hrs,min,sec,frc))

Converts integers *hrs*, *min*, *sec*, and *frc* to a TIME data type. *Hrs* is on a 24-hour scale. RTIME can be specified for up to thousandths of a second. The *frc* argument is optional.

In the following example, the value of *vrtime* is 12:15:30, stored in internal R:BASE time format.

The time value will be displayed according to how you have set the TIME format. When you use time data in expressions, the result is given in seconds. You can use RTIME to convert this result to hours, minutes, and seconds. The value of *velapsed1* is 1170 seconds; the value of *velapsed2* is 0:19:30.

```

SET VAR vrtime = (RTIME(12,15,30))
SET VAR vstart TIME = '1:10:40'
SET VAR vend TIME = '1:30:10'
SET VAR velapsed1 = (.vend - .vstart)
SET VAR velapsed2 = (RTIME(0,0,.velapsed1))

```

1.16.12 RTRIM

(RTRIM(*text*))

Trims trailing blanks from *text*, returning a text string.

In the following example, the value of *vrtrim* is the text string *ABCDE* without the trailing blanks.

```
SET VAR vrtrim = (RTRIM('ABCDE  '))
```

1.16.13 RWP

(RWP('string','actualword',occurrence))

Returns the position of a specified word and occurrence in a TEXT, NOTE or VARCHAR string. RWP = Relative Word Position

The resulting variable returns an integer value. If the word is not found a NULL is returned.

Example 01:

```
SET VAR vRWP INTEGER = (RWP('Imagine The
Possibilities', 'Possibilities', 1))
```

Variable vRWP will return the value of 3.

Example 02:

```
SET VAR vRWP2 INTEGER = (RWP('We have shocked the world and we will do it
again!', 'we', 2))
```

Variable vRWP2 will return the value of 7.

Example 03:

```
SET VAR vRWP3 INTEGER = (RWP('Keep in mind that nothing is
impossible', 'nothing', 1))
```

Variable vRWP3 will return the value of 5.

1.17 S

1.17.1 SFIL

(SFIL(*chr*,*nchar*))

Fills a text string with a specified character *chr*, for *nchar* characters up to 500. You cannot use a number as a character. Instead, assign the number to a variable that has a TEXT data type using the variable name in SFIL.

In the following example, the value of *vsfil* is the text string =====. R:BASE programs often include SFIL to draw lines.

```
SET VAR vsfil = (SFIL('=', 10))
```

1.17.2 SGET

(SGET(*text*,*nchar*,*pos*))

Gets *nchar* characters from *text* starting at *pos*, returning a text string.

In the following example, the value of *vsget* is *BCD*, the three characters starting in the second position of the text string.

```
SET VAR vsget = (SGET('ABCDE',3,2))
```

1.17.3 SIGN

(SIGN(*arg1*,*arg2*))

Transfers the sign of *arg2* to *arg1*. *Arg1* and *arg2* must be values that have DOUBLE, REAL, NUMERIC, or INTEGER data types.

In the following example, the value of *vsign* is *-15*, changing the sign of the first argument to the sign of the second argument.

```
SET VAR vsign = (SIGN(15,-20))
```

1.17.4 SIN

(SIN(*angle*))

Returns the trigonometric sine of *angle*.

In the following example, the value of *vsin* is *0.8659*.

```
SET VAR vsin = (SIN(1.047))
```

1.17.5 SINH

(SINH(*angle*))

Returns the hyperbolic sine of *angle*.

In the following example, the value of *vsinh* is *1.2491*.

```
SET VAR vsinh = (SINH(1.047))
```

1.17.6 SKEEP

(SKEEP(*source*, *chars*))

Keeps characters within the *source* string, using *chars* as a comparison.

This function is CASE SENSITIVE.

In the following example, the value of *vskeep* is *ldilliamennighway*.

```
SET VAR vskeep = (SKEEP('3935 Old William Penn Highway', 'abcdefghijklmnopqrstuvwxyz'))
```

Spaces are also recognized.

In the following example, the value of *vskeep2* is *ld illiam enn ighway*.

```
SET VAR vskeep2 = (SKEEP('3935 Old William Penn Highway', 'abcdefghijklmnopqrstuvwxyz'))
```

1.17.7 SKEEPI

(SKEEPI(*source*, *chars*))

Keeps characters within the *source* string, using *chars* as a comparison.

This function is NOT CASE SENSITIVE.

In the following example, the value of *vskeepi* is *OldWilliamPennHighway*.

```
SET VAR vskeepi = (SKEEPI('3935 Old William Penn  
Highway', 'abcdefghijklmnopqrstuvwxyz'))
```

Spaces are also recognized.

In the following example, the value of *vskeepi2* is *Old William Penn Highway*.

```
SET VAR vskeepi2 = (SKEEPI('3935 Old William Penn Highway', '  
abcdefghijklmnopqrstuvwxyz'))
```

1.17.8 SLEN

(SLEN(*text*))

Returns the length of a *text string*.

SLEN can be used to ensure that a string does not exceed the space allowed for it on a form, variable form, or report. When strings are concatenated or passed as parameters to a procedure file, the length of a string might be unknown.

In the following example, the value of *vslen* is 5, the number of characters in the text string.

```
SET VAR vslen = (SLEN('ABCDE'))
```

1.17.9 SLOC

(SLOC(*text*,*string*))

Locates *string* in *text*, returning the position if the string is found, 0 if it is not found.

In the following example, the value of *vsloc1* is 3.

```
SET VAR vsloc1 = (SLOC('ABCDE', 'C'))
```

The value of *vsloc2* in the following example is 0, since the text string X does not exist in the text string ABCDE.

```
SET VAR vsloc2 = (SLOC('ABCDE', 'X'))
```

In the following example, the *custzip* column contains a customer's zip code, in which the first five characters might be followed by a dash and another four characters. If the first row contained the string 02178-5243, *Sloc3* would capture the position of the dash (6), which is in the sixth position.

```
SET VAR v5zip = custzip IN customer WHERE COUNT = 1  
SET VAR sloc3 = (SLOC(.v5zip, '-'))
```


1.17.10 SLOCI

(SLOCI(*TextNoteVarcharValue*,*string*,*arg*))

Returns the INTEGER value for the number of instances a string appears in a TEXT, NOTE, or VARCHAR value.

The argument parameter determines whether the string search is case sensitive, where "0" is not case sensitive while "1" is case sensitive.

In the following example, the number of instances of a colon is 2.

```
SET VAR vProduct1 INTEGER = (SLOCI('R:BASE Single Seat: Upgrade',':',0))
```

In the following example, the number of instances of an upper case S is 2.

```
SET VAR vProduct2 INTEGER = (SLOCI('RBZip Single Seat License: Upgrade','S',1))
```

In the following example, the number of instances of an upper case or lower case S is 3.

```
SET VAR vProduct3 INTEGER = (SLOCI('RBZip Single Seat License: Upgrade','S',0))
```

1.17.11 SLOCP

(SLOCP(*TextNoteVarcharValue*,*string*,*occurrence*))

Locates the exact position of a given string and occurrence in a TEXT, NOTE or VARCHAR value, returning the position if the string is found, 0 if it is not found. Using -1 as the third parameter will return the LAST occurrence.

The resulting variable returns an integer value.

In the following example, the position for the first occurrence of AB is 1.

```
SET VARIABLE v1 VARCHAR = 'ABCDEABC_AB'
SET VARIABLE vslocp1 = (SLOCP(.v1,'AB',1))
```

In the following example, the position for the second occurrence of AB is 6.

```
SET VARIABLE v1 VARCHAR = 'ABCDEABC_AB'
SET VARIABLE vslocp2 = (SLOCP(.v1,'AB',2))
```

To find the LAST occurrence in the value of a string, use the "-1" parameter. In the following example, the position for the last occurrence of AB is 10:

```
SET VARIABLE v1 VARCHAR = 'ABCDEABC_AB'
SET VARIABLE vSLocLast = (SLOCP(.v1,'AB',-1))
```

1.17.12 SMOVE

(SMOVE(*text*,*pos1*,*nchar*,*string*,*pos2*))

From *text*, starting at position *pos1*, moves *nchar* characters to *string* starting at position *pos2*.

In the example below, the value of *vsmove1* is *XBCDX*. The characters *BCD* in the first string are moved into the second through fourth positions in the string *XYZXX*.

```
SET VAR vsmove1 = (SMOVE('ABCDE',2,3,'XYZXX',2))
```

In the following example, the *custcity* column is 12 characters wide and contains the string *ANCHORAGE* in the first row. You can use *SMOVE* to fill in a blank (13 characters in the example above) in order to customize a report title. The value of *vfulltitle* is *ANCHORAGE WAREHOUSE*.

```
SET VAR vcity = custcity IN customer WHERE COUNT = 1
SET VAR vfulltitle = (SMOVE(.vcity,1,12,'          WAREHOUSE',1))
```

1.17.13 SOUNDEX

(SOUNDEX(*value*))

Converts a text value to the corresponding SOUNDEX code.

1.17.14 SPUT

(SPUT(*text,string,pos*))

Puts *string* into *text*, starting at *pos*, returning a text string.

The value of *vsput1* in the following example is *AXCDE*. The character *X* is put into the second position in the string *ABCDE*.

```
SET VAR vsput1 = (SPUT('ABCDE','X',2))
```

1.17.15 SQRT

(SQRT(*arg*))

Returns square root of *arg*. *Arg* must be a positive value with a DOUBLE, REAL, NUMERIC, or INTEGER data type.

In the following example, the value of *vsqrt* is *10*.

```
SET VAR vsqrt = (SQRT(100))
```

1.17.16 SRPL

(SRPL(*sourcestring,searchstring,replacestring,[0|1]*))

Enables searching for and replacing text within a specified string of text.

sourcestring - specifies a string of text to search
searchstring - specifies text to search for
replacestring - specifies the replacement text
flag - 0 = replacement occurs for every matching string
 - 1 = replacement occurs for whole word matches only

The following "0 flag" example replaces *04/20/64* with *04-20-64*:

```
SET VAR vsrpl = (SRPL('04/20/64','/','-','0'))
```

The following "1 flag" example replaces *Dear Joe* with *Dear Anne*:

```
SET VAR vsrpl = (SRPL('Dear Joe','Joe','Anne',1))
```

However, with this next "1 flag" example *DearJoe* remains the same as *DearJoe* is a whole word without a space.

```
SET VAR vsrpl = (SRPL('DearJoe','Joe','Anne',1))
```

1.17.17 SSTRIP

(SSTRIP(*source*, *chars*))

Strips characters from the *source* string, using *chars* as a comparison.

This function is CASE SENSITIVE.

In the following example, the value of *vsstrip* is *3935 O W P H*.

```
SET VAR vsstrip = (SSTRIP('3935 Old William Penn Highway', 'abcdefghijklmnopqrstuvwxyz'))
```

Spaces are also recognized.

In the following example, the value of *vsstrip2* is *3935OWPH*.

```
SET VAR vsstrip2 = (SSTRIP('3935 Old William Penn Highway', 'abcdefghijklmnopqrstuvwxyz'))
```

1.17.18 SSTRIPi

(SSTRIPi(*source*, *chars*))

Strips characters from the *source* string, using *chars* as a comparison.

This function is NOT CASE SENSITIVE.

In the following example, the value of *vsstripi* is *3935 , 15668*.

```
SET VAR vsstripi = (SSTRIPi('3935 Old William Penn Highway, 15668', 'abcdefghijklmnopqrstuvwxyz'))
```

Spaces are also recognized.

In the following example, the value of *vsstripi* is *3935,15668*.

```
SET VAR vsstripi = (SSTRIPi('3935 Old William Penn Highway, 15668', 'abcdefghijklmnopqrstuvwxyz'))
```

1.17.19 SSUB

(SSUB(*text*,*n*))

Captures substring number *n* from *text*, returning a text string. Substrings in *text* are separated by a comma (or the current delimiter).

The SSUB function is often used with the CHOOSE command when capturing menu options from a pull-down menu.

In the following example, the value of *vssub* is *yearend*.

```
SET VAR vtext = 'reports, yearend'
SET VAR vssub = (SSUB(.vtext, 2))
```

The following example shows that SSUB separates items based on a blank rather than the current delimiter when *n* is less than zero.

```
SET VAR vtext = 'reports yearend'
```

```
SET VAR vssub2 = (SSUB(.vtext,-2))
```

For this example, assume that *twodim* is a bar with a pull-down menu with the options *Edit* and *Enter* stored as text numbers according to their positions on the menu. The pop-up menu for both options contains a list of form names, so the second item in the CHOOSE variable will be a form name.

```
CHOOSE vtwodim FROM twodim
SET VARIABLE vbar = (SSUB(.vtwodim,1))
SET VARIABLE vpull = (SSUB(.vtwodim,2))
IF vbar = '1' THEN
    EDIT USING .vpull
ELSE
    ENTER .vpull
ENDIF
```

1.17.20 SSUBCD

(SSUBCD(*text*,*n*,*delimiter*))

Captures substring number *n* from *text*, returning a text string. Substrings in *text* are separated with a specified custom delimiter.

In the following example, the value for *vSubString* is "Reports".

```
SET VAR vSubString = (SSUBCD('Forms|Reports|Labels',2,'|'))
```

1.17.21 STRIM

(STRIM(*text*))

Trims trailing blanks from *text*, returning a text string.

In the following example, the value of *vstrim* is the text string *ABCDE* without the trailing blanks.

```
SET VAR vstrim = (STRIM('ABCDE   '))
```

1.18 T

1.18.1 TAN

(TAN(*angle*))

Returns the trigonometric tangent of *angle*.

In the following example, TAN defines a new column *newtan* for the *mytable* table. *newtan* is a computed column providing the tangent of the angle in radians stored in the *oldangle* column.

```
ALTER TABLE mytable ADD newtan = (TAN(oldangle)) DOUBLE
```

1.18.2 TANH

(TANH(*angle*))

Returns the hyperbolic tangent of *angle*.

In the following example, the value of *vtanh* is .7616.

```
SET VAR vtanh = (TANH(1))
```

1.18.3 TDWK

(TDWK(*arg*))

Returns the day of the week as text, where *arg* is a value that has either a DATE or DATETIME data type.

In the following example, the value of *vtchk* is *Saturday*.

```
SET VAR vtchk = (TDWK('12/02/95'))
```

1.18.4 TERM1

(TERM1(*p**v*,*i**n**t*,*f**v*))

Returns the number of compounding periods (the term) for a return of future value *f**v*, based on the present value, *p**v*, and the interest rate, *i**n**t*.

In the following example, TERM1 returns the number of months your money must stay invested if you want to accumulate \$10,000 on an initial investment of \$5,000 at a compounded monthly rate of 1% (12% annually). The value of *vterm1* (the term) is 70.

```
SET VAR vterm1 = (TERM1(5000,.01,10000))
```

1.18.5 TERM2

(TERM2(*p**m**t*,*i**n**t*,*f**v*))

Returns the number of compounding periods (the term) for a return of future value *f**v*, based on the payment, *p**m**t*, and interest rate, *i**n**t*.

In the following example, TERM2 returns the number of years you must make payments if you want to accumulate \$75,000 by making annual installments of \$2,000 at 8% annual interest. The value of *vterm2* (the term) is 18.

```
SET VAR vterm2 = (TERM2(2000,.08,75000))
```

1.18.6 TERM3

(TERM3(*p**m**t*,*i**n**t*,*p**v*))

Returns the number of periods (the term) for the present value, *p**v*, to reach 0 based on the payment, *p**m**t*, and the interest rate, *i**n**t*.

In the following example, TERM3 returns the number of payments from a \$15,000 annuity if the annual interest rate is 12.5% compounded monthly and you would like to receive \$300 every month. The value of *vterm3* is 71.

```
SET VAR vterm3 = (TERM3(300, (.125/12), 15000))
```

1.18.7 TEXTRACT

(TEXTRACT(*datetime*))

Returns the time portion of DATETIME.

In the following example, the value of *vtextract* is 12:15:30.123.

```
SET VAR vtextract = (TEXTRACT('08/09/95 12:15:30.123'))
```

1.18.8 TINFO

(TINFO(*arg1*,*arg2*,*arg3*))

Returns access right information for the current user.

Where: arg1 is zero (0), which specifies to show table permissions
 arg2 is the system table ID (SYS_TABLE_ID) value (can be located in the SYS_TABLES system table)
 arg3 can be:
 a) A specific system column ID (SYS_COLUMN_ID) in that table
 b) A value of 0 which means show permissions that apply to all the columns in that table
 c) A value of -1 which means show permissions that apply to any of the columns in that table

Remarks:

- TINFO returns a comma delimited string of the access rights.
- In most instances table and column privileges are identical. Cases where they are not are autonumber column (no INSERT), computed columns, (no INSERT or UPDATE), and where the UPDATE privilege was granted to specific columns only.
- Permissions are returned based upon the current USER.

Examples:

The following example is based upon a database configured with an OWNER and users, where limited permissions are supplied to a user Jim for the Component table.

While connected to the database as the OWNER, the system table ID and system column ID can be found for the Component table and CompDesc column.

```
SELECT SYS_TABLE_ID FROM SYS_TABLES WHERE SYS_TABLE_NAME = 'Component'
SYS_TABLE_ID
-----
29
```

```
R>SELECT SYS_COLUMN_ID FROM SYS_COLUMNS WHERE SYS_COLUMN_NAME = 'CompDesc'
SYS_COLUMN_ID
-----
188
```

```
R>SET USER JIM JIM999
```

Example 01:

```
-- Permissions for the column CompDesc
R>SET VAR vUserInfoColumn = (TINFO(0,29,188))
R>SHOW VAR vUserInfoColumn
SELECT, UPDATE
```

Example 02:

```
-- Permissions for all column. Only SELECT is returned since that is the only permission applied to all columns.
R>SET VAR vUserInfoAllColumns = (TINFO(0,29,0))
R>SHOW VAR vUserInfoAllColumns
SELECT
```

Example 03:

```
-- Permissions for any column. Both SELECT and UPDATE are returned since there are some columns with both of those permissions.
R>SET VAR vUserInfoAnyColumn = (TINFO(0,29,-1))
R>SHOW VAR vUserInfoAnyColumn
SELECT, UPDATE
```

1.18.9 TMON

(TMON(*arg*))

Returns the month name as text where *arg* is a value that has either a DATE or DATETIME data type.

In the following example, the value of *vtmon* is *November*.

```
SET VAR vtmon = (TMON('11/12/95'))
```

1.18.10 TRANSLATE

(TRANSLATE(*'inputstring'*,*'characters'*,*'translations'*,*'pad'*))

Returns the string provided as a first argument after some characters specified in the second argument are translated into a destination set of characters. In the process, TRANSLATE replaces a single character at a time. For example, it will replace the 1st character in the "input string" with the 1st character in the "replacement string". Then, it will replace the 2nd character in the "input string" with the 2nd character in the "replacement string", and so forth. The pad parameter is optional which can be used instead of a blank in the return string.

In the following example the square and curly braces in the input string are replaced with parentheses, resulting with "2*(3+4)/(7-2)".

```
SET VAR vBracketSwitch = (TRANSLATE('2*[3+4]/{7-2}','[]{}','()()'))
```

In the following example the "w" and "t" replace the "8" and "7" corresponding number values in the string. The "9" and "0" are replaced with the pad character, resulting in "123456tw..".

```
SET VAR vNumberText = (TRANSLATE('1234567890','8790','wt','.'))
```

1.18.11 TRIM

(TRIM(*text*))

Trims leading and trailing blanks from *text*, returning a text string.

In the following example, the value of *vtrim* is the text string *ABCDE* without the leading and trailing blanks.

```
SET VAR vtrim = (TRIM('   ABCDE   '))
```

1.19 U

1.19.1 UDF (User-Defined Functions)

(UDF (*'exe-name'*,*'parameter-list'*))
(UDF (*'-exe-name'*,*'parameter-list'*))
(UDF (*'+exe-name'*,*'parameter-list'*))
(UDF (*'@dll-name'*,*'parameter-list'*))

The logic behind using User Defined Functions or adding custom functionality to R:BASE is currently supported with Plugins. Please refer to the PLUGIN command

You can use a user-defined function (UDF) anywhere you can use a function in R:BASE:

- Forms
- Reports
- Entry/exit procedures
- Applications
- Commands

The arguments for a UDF are as follows:

@, +, -, or nothing

If you do not specify a plus or minus, the function is hidden when it runs; this setting is the default. A plus (+) runs the function in a normalized window. A minus (-) runs the function as a minimized icon. The at sign (@) is used to indicate that the UDF being called is a DLL. This only applies to Windows and is not available to the DOS version of R:BASE.


exe-name,dll-name

Specifies the name of the UDF (the name of the executable file into which you have compiled and linked your program). Under Windows this can be a Windows program. When using DLL's you MUST include the .DLL extension or the DLL may not be executed.

parameter-list

Specifies a text string. Multiple parameters must be separated by spaces, as shown:

```
SET VAR v1=(UDF('random','25 345'))
```



UDFs function as follows:

- R:BASE passes command line arguments to the UDF executable file.
- The UDF executable file completes its calculations and passes the data and the ERRORLEVEL to R:BASE.

This file can be found in the same directory as the main R:BASE executable.

When used with executables the parameter-list, from the UDF syntax, acts exactly as if you typed it at the a command prompt. Remember to account for the length of the executable name as well as the memory address (eight characters) plus the spaces between the .EXE name, the parameter list, and the address name. The parameter list can be space delimited with EXE UDF's.

You can write a UDF executable file in any language that allows writing to far pointers, such as Microsoft C. UDF executable files require protected mode libraries. You can return only 1,500 bytes of text data to R:BASE; that is, when you copy your results to either the address passed in or the shared-memory segment, you must not write more than 1,499 characters plus the NULL terminator (/0). If you write more than 1,500 total characters to the address you will corrupt the R:BASE variables and R:BASE might "hang."

If you forget the NULL terminator (/0) you will probably get high-order ASCII characters in your text variable. To pass back multiple values, delimit them with commas and then use other R:BASE functions to pull out the values. R:BASE stops looking at the returned text when it first encounters a NULL (/0). If your UDF executable file hangs, It is very likely that R:BASE will as well.

The size of a UDF is limited by the amount of available memory. Keep your executable files as small as possible. You will have to experiment to determine the maximum possible memory in a given situation. You can have different amounts of available memory at different times in an R:BASE session. Because you had an amount of memory available at one point in an R:BASE session does not mean that you will have the same amount of memory available in your next R:BASE session.

If your UDF fails to write to the memory given to it, then the UDF function in R:BASE sets the variable to NULL (-0-). You could use this in your UDF executable file to show whether the UDF failed. UDFs treat

error variables the same as R:BASE does; therefore, you can have your application tell you if the UDF was successful or not by using the R:BASE error variable and the compiler's function that allows the return of error variables, such as Microsoft C `exit()` function to return the `ERRORLEVEL`. R:BASE places the `ERRORLEVEL` value in the R:BASE error variable.

Error Level

If your UDF fails to write to the memory given to it, then the UDF function in R:BASE sets the variable to `NULL (-0-)`. You could use this in your own UDF executable file to show whether the UDF failed.

UDFs treat error variables the same as R:BASE does; therefore, you can have your application tell you if the UDF was successful or not by using the R:BASE error variable and the compiler's function that allows the return of error variables, such as Microsoft C `exit()` function to return the `ERRORLEVEL`. R:BASE places the `ERRORLEVEL` value in the R:BASE error variable.

Memory Issues

The size of a UDF is limited by the amount of available memory. Keep your executable files as small as possible. Depending on where the UDF is run and how much memory R:BASE has available to it at that moment, you could possibly run an executable file as large as 50K. You will have to experiment to determine the maximum possible memory in a given situation.

You can have different amounts of available memory at different times in an R:BASE session. Because you had an amount of memory available at one point in an R:BASE session does not mean that you will have the same amount of memory available in your next R:BASE session.

Returning Multiple Values

A UDF can return up to 1,500 characters. You can write a UDF that returns multiple values; then, you can write a command file that interprets coded strings and tells your application what was returned. For example, you could set up the following coded strings:

Coded String	What was done
100	Cube root of the input number
200	Standard deviation of input number

The UDF returns the information below to R:BASE with values for the coded strings 100 and 200 in comma-delimited format:

```
100,1.23456,200,2.34567
```

The command file would interpret that 1.23456 is the cube root of the input number, and 2.34567 is the standard deviation of the input number.

1.19.1.1 Sample UDF

The following example uses a UDF named `dwr` to convert a currency value to words:

```
SET VAR v1=(UDF('dwr','$1,456.99'))
```

If you execute the above command and then enter `SHOW VARIABLE` at the `R>` Prompt, you see the following output:

```
one thousand four hundred fifty-six dollars and ninety-nine cents
```

Examples

The following is a R:BASE command that calls the UDF named `random`.

```
SET VAR v1 = (UDF('random', '25 345'))
```

The following are the command line arguments for the UDF named `random` for DOS as seen by the UDF code:

```
DOS
argv[0] = random
argv[1] = 25
argv[2] = 345
argv[3] = A345BD3456
argc    = 4
```

Argument 0 is the name of the executable. Argument 1 is the first parameter. Argument 2 is the second parameter. Argument 3 is the memory address. This brings the argument count to 4.

The following example uses a UDF named DWRD.EXE to convert a currency value to words:

```
SET VAR v1=(UDF('dwrd','$1,456.99'))
SHOW VAR v1
```

Result: v1= one thousand, four hundred fifty six dollars and ninety nine cents

The following example uses the DWRD.DLL to accomplish the same function.

```
SET VAR v1=(UDF('@dwrd.dll','$1,456.99'))
SHOW VAR v1
```

Result: v1= one thousand, four hundred fifty six dollars and ninety nine cents

Source Code

What follows is the source code for the dwrd.exe sample UDF, shipped with DOS products, and the source code for the dwrd.dll sample UDF, shipped with Windows products.

```
/*
 * Copyright 2001 by R:BASE Technologies, Inc.
 * Author: Wayne J. Erickson 12 Apr 1991
 *
 *****
 * * Routine: dwrd2 *** DOS VERSION ***
 * * Purpose: convert a currency value to words
 *
 * Input Parameters:
 * name Brief description
 * -----
 * value Currency string to be parsed
 * Shared Segment Shared memory segment to place the parsed string
 *
 *****
 */

#include
#include
#include

void conout(char *, int);
void crlf(void);
int lenstr(char *, int);
void dwrd(char *, char *);

cdecl main(argc,argv)
int argc;
char * argv[];
{
    long int i4;
```

```

char *pt;
char wordnum[160];
int lw;

/* Get the argument count. */
if(argc <= 1) {
    conout("DWRD number pointer", 19);
    crlf();
    goto done;
}

/* Do the conversion */
dwrđ(argv[1], wordnum);

/* Display the result */
lw = strlen(wordnum);
if (argc == 2) {
    conout(wordnum, lw);
    crlf();
}

/* See if there was an address to store the result */
if(argc > 2) {
    i4 = atol(argv[2]);
    pt = (char *)i4;
    memcpy(pt, wordnum, lw+1);
}
done:
return(0);
}

```

```

/**** Start of DWRD function ****/
void dwrd(strin, strout)
char *strin;
char *strout;
{
    int lstr;
    static char numbers[20][10] = {
        "one", "two",
        "three", "four", "five",
        "six", "seven", "eight",
        "nine", "ten", "eleven",
        "twelve", "thirteen", "fourteen",
        "fifteen", "sixteen", "seventeen",
        "eighteen", "nineteen"
    };

    static char tens[10][10] = {
        "no", "ten", "twenty",
        "thirty", "forty", "fifty",
        "sixty", "seventy", "eighty",
        "ninety"
    };

    char blank = ' ';
    char comma = ',';
    char dsign = '$';
    char dot = '.';
    char minus = '-';
    char ch;
    char tmoney[16];
    int offset;
    int tens;
    int lw, ls, n, intch, l;

    /* CONVERT THE NUMBER. */

```

```

    tens = 0;
    memset(tmoney, ' ', 16);
    lw = 0;
    lstr = strlen(strin);
    ls = 16 - lstr + 1;
    strcpy(&tmoney[ls-1],strin);

    /* PICK OFF THE CHARACTERS. */

    n = ls - 1;
next_digit:
    n++;
    if(n > 16) goto cleanup;
    ch = tmoney[n-1];

    /* SKIP THE COSMETIC CHARACTERS. */

    if((ch == blank) || (ch == comma) || (ch == dsign)) goto next_digit;
    if(ch == minus) {
        memcpy(&strout[(lw+1)-1], "minus ", 6);
        lw = lw + 6;
        goto next_digit;
    }
    if((n == 4) || (n == 8) || (n == 12)) tens = 1;

    /* SPECIAL STUFF WHEN WE HIT THE DECIMAL POINT. */

    if(ch == dot) {
        tens = 1;
        if(lw == 0) {
            memcpy(&strout[(lw+1)-1], "zero ", 5);
            lw = lw + 5;
        }
        memcpy(&strout[(lw+1)-1], "dollars and ", 12);
        lw = lw + 12;
        if(tmoney[(n+1)-1] == '0') {
            if(tmoney[(n+2)-1] == '0') {
                memcpy(&strout[(lw+1)-1], "zero ", 5);
                lw = lw + 5;
                n = n + 2;
            }
        }
        goto next_digit;
    }

    /* CONVERT A CHARACTER INTO AN OFFSET. */

    intch = ch - 48;
    if(tens) {
        if(intch <= 1) {
            offset = 0;
            if(intch == 1) offset = 10;
            n = n + 1;
            ch = tmoney[n-1];
            intch = ch - 48 + offset;
        }
        else {
            l = lenstr(tenvals[(intch+1) - 1], 10);
            if(l > 0) {
                memcpy(&strout[(lw+1)-1], tenvals[(intch+1)-1], l+1);
                lw = lw + l + 1;
            }
        }
    }

```

```

        tens = 0;
        goto next_digit;
    }
}
l = lenstr(numbers[(intch+1)-1], 10);
if(l > 0) {
    memcpy(&strout[(lw+1)-1], numbers[(intch+1)-1], l+1);
    lw = lw + l + 1;
}
tens = 0;
if(((n == 3) || (n == 7) || (n == 11)) && (intch != 0)) {
    memcpy(&strout[(lw+1)-1], "hundred ", 8);
    lw = lw + 8;
}
if(n == 5) {
    memcpy(&strout[(lw+1)-1], "million ", 8);
    lw = lw + 8;
}
if(n == 9) {
    memcpy(&strout[(lw+1)-1], "thousand ", 9);
    lw = lw + 9;
}
goto next_digit;
cleanup:
memcpy(&strout[(lw+1)-1], "cents", 5);
lw = lw + 5;

/* Add the null terminator */
strout[(lw+1)-1] = '\0';

/* ALL DONE. */

return;
}
/**** End of DWRD function ****/

/**** Start of CONOUT function ****/
void conout(str, count)
char *str;
int count;
{
    int i;
    for (i = 0; i < count; i++) {
        putchar(str[i]);
    }
    return;
}
/**** End of CONOUT function ****/

/**** Start of CRLF function ****/
void crlf()
{
    putchar('\r');
    putchar('\n');
    return;
}
/**** End of CRLF function ****/

/**** Start of LENSTR function ****/
int lenstr(str, count)
char *str;
int count;
{

```

```

    int i;

    i = count - 1;
    while (i >= 0) {
        if (str[i] != ' ') break;
        i--;
    }
    return (i+1);
}
/**** End of LENSTR function ****/

```

```

#include
/*
 * Copyright 2001 R:BASE Technologies, Inc.
 * Author: Wayne J. Erickson 18 October 1999
 *
 ****
 *
 * Routine: dwrd *** DLL VERSION ***
 *
 * Purpose: convert a currency value to words
 *
 * Input Parameters:
 * name Brief description
 * -----
 * value Currency string to be parsed
 * Shared Segment Shared memory segment to place the parsed string
 *
 ****
 */

```

```

#include
void dwrd(char *, char *);
int lenstr(char *, int);

```

```

#pragma hdrstop

```

```

//-----
int WINAPI DllEntryPoint(HINSTANCE hinst, unsigned long reason, void*)
{
    return 1;
}

```

```

//-----
extern "C" __declspec(dllexport) int WINAPI RbDllExec(const HWND dc, const char *in, int inlen, char
*out, int outlen)
{
    int returnValue = 0;
    char instr[80];
    char wordnum[160];

    // Put the input string in a null terminated string
    memcpy(instr, in, inlen);
    instr[inlen] = '\0';

    // Convert to a text string
    dwrd(instr, wordnum);

    // Return the result
    outlen = strlen(wordnum);
}

```

```

        if (outlen)
            memcpy(out, wordnum, outlen);
        // returnValue = MessageBox(dc, wordnum, "Result value", MB_OK);
        // returnValue = 0;
        return returnValue;
    }

//-----
extern "C" __declspec(dllexport) int WINAPI RbDllVersion(void)
{
    return 100;
}

/**** Start of DWRD function ****/
void dwrd(char *strin, char *strout)
{
    int lstr;
    static char numbers[20][11] = {
        "    ", "one", "two", " ",
        "three", "four", "five", " ",
        "six", "seven", "eight", " ",
        "nine", "ten", "eleven", " ",
        "twelve", "thirteen", "fourteen", " ",
        "fifteen", "sixteen", "seventeen", " ",
        "eighteen", "nineteen", " "};

    static char tenvals[10][11] = {
        "no", "ten", "twenty", " ",
        "thirty", "forty", "fifty", " ",
        "sixty", "seventy", "eighty", " ",
        "ninety", " "};

    char blank = ' ';
    char comma = ',';
    char dsign = '$';
    char dot = '.';
    char minus = '-';
    char ch;
    char tmoney[16];
    int offset;
    int tens;
    int lw, ls, n, intch, l;

    /* CONVERT THE NUMBER. */

    tens = 0;
    memset(tmoney, ' ', 16);
    lw = 0;
    lstr = strlen(strin);
    ls = 16 - lstr + 1;
    strcpy(&tmoney[ls-1], strin);

    /* PICK OFF THE CHARACTERS. */

    n = ls - 1;
next_digit:
    n++;
    if (n > 16) goto cleanup;
    ch = tmoney[n-1];

    /* SKIP THE COSMETIC CHARACTERS. */

    if ((ch == blank) || (ch == comma) || (ch == dsign)) goto next_digit;
    if (ch == minus) {

```

```

        memcpy(&strout[(lw+1)-1], "minus ", 6);
        lw = lw + 6;
        goto next_digit;
    }
    if((n == 4) || (n == 8) || (n == 12)) tens = 1;

    /* SPECIAL STUFF WHEN WE HIT THE DECIMAL POINT. */

    if(ch == dot) {
        tens = 1;
        if(lw == 0) {
            memcpy(&strout[(lw+1)-1], "zero ", 5);
            lw = lw + 5;
        }
        memcpy(&strout[(lw+1)-1], "dollars and ", 12);
        lw = lw + 12;
        if(tmoney[(n+1)-1] == '0') {
            if(tmoney[(n+2)-1] == '0') {
                memcpy(&strout[(lw+1)-1], "zero ", 5);
                lw = lw + 5;
                n = n + 2;
            }
        }
        goto next_digit;
    }

    /* CONVERT A CHARACTER INTO AN OFFSET. */

    intch = ch - 48;
    if(tens) {
        if(intch <= 1) {
            offset = 0;
            if(intch == 1) offset = 10;
            n = n + 1;
            ch = tmoney[(n)-1];
            intch = ch - 48 + offset;
        }
        else {
            l = lenstr(tenvals[(intch+1) - 1], 10);
            if(l > 0) {
                memcpy(&strout[(lw+1)-1], tenvals[(intch+1)-1], l+1);
                lw = lw + l + 1;
            }
            tens = 0;
            goto next_digit;
        }
    }
    l = lenstr(numbers[(intch+1)-1], 10);
    if(l > 0) {
        memcpy(&strout[(lw+1)-1], numbers[(intch+1)-1], l+1);
        lw = lw + l + 1;
    }
    tens = 0;
    if(((n == 3) || (n == 7) || (n == 11)) && (intch != 0)) {
        memcpy(&strout[(lw+1)-1], "hundred ", 8);
        lw = lw + 8;
    }
    if(n == 5) {
        memcpy(&strout[(lw+1)-1], "million ", 8);
        lw = lw + 8;
    }
    if(n == 9) {
        memcpy(&strout[(lw+1)-1], "thousand ", 9);
        lw = lw + 9;
    }

```



```

    }
    goto next_digit;
cleanup:
    memcpy(&strout[(lw+1)-1], "cents", 5);
    lw = lw + 5;

    /* Add the null terminator */
    strout[(lw+1)-1] = '\0';

    /* ALL DONE. */

    return;
}
/**** End of DWRD function ****/

/**** Start of LENSTR function ****/
int lenstr(char *str, int count)
{
    int i;

    i = count - 1;
    while (i >= 0) {
        if (str[i] != ' ') break;
        i--;
    }
    return (i+1);
}
/**** End of LENSTR function ****/

```

Making and Setting DLL

You can use a DLL (Dynamic Link Library) which you make for use in R:BASE. DLLs which you make can be used column and variable objects in Forms, Reports and Labels.

If you make a DLL, you must follow some rules of making DLLs.

Rules of making DLLs

Value of DLL's version

- int WINAPI RbDllVersion(void);
- You must specify to return 100.

DLL name which is displayed in the Combo Box

- const char* WINAPI RbDllSpec(void);
- You designate the DLL function's name which is displayed in the Combo Box.

DLL's ID

- int WINAPI RbDllId(void);
- It is the identity number of the DLL. You designate to return a number from 2 to 127.

The function called by Form when drawing field

- int WINAPI RbDllDraw(const char*, const HDC, long, long, long, long)
- Return value : 0 success / Not 0 fails
- Argument : const char* Data strings
- const HDC Device Context handle
- long Left upper corner X position of object

- long Left upper corner Y position of object
- long Right lower corner X position of object
- long Right lower corner Y position of object

The function called by Report or Label when drawing field

- int WINAPI RbDIIDrawP(const char*, const HDC, long, long, long, long)
- Return value : 0 success / Not 0 fails
- Argument : const char* Data strings
- const HDC Device Context handle
- long Left upper corner X position of object
- long Left upper corner Y position of object
- long Right lower corner X position of object
- long Right lower corner Y position of object

1.19.2 ULC

(ULC(*text*))

Converts *text* from uppercase to lowercase, returning a text string.

In the following example, the value of *vulc* is *abcde*. To ensure that your data is consistent, whether it is imported from outside R:BASE or entered through an R:BASE form, use ULC to convert text fields to lowercase.

```
SET VAR vulc = (ULC('ABCDE'))
```

1.20 W

1.20.1 WINUDF

(WINUDF('exe-name','parameter-list'))
 (WINUDF('-exe-name','parameter-list'))
 (WINUDF('+exe-name','parameter-list'))
 (WINUDF('@dll-name','parameter-list'))

A new style of udf is available which should allow people to write UDF's in most any language they want. This results in a new function called WINUDF which has the same function parameters as the UDF function. The major difference is how R:BASE communicates with the WINUDF function. The exe program that WINUDF calls is passed one parameter which is the name of a file. This file has the parameters that should be passed to the WINUDF program. When the WINUDF program is completed, it is expected to write its results to the file that passed the original parameters.

Here are simple batch files that allow you to create WINUDF programs with at least 3 different C/C++ compilers. You could also use Visual Basic to create these new WINUDF's.

Using Visual Studio:

```
set path=c:\Program Files\Microsoft Visual Studio\VC98\Bin;c:\Program
Files\Microsoft Visual Studio\Common\MSDev98\Bin;%path%
set include=c:\Program Files\Microsoft Visual Studio\VC98\Include
set lib=c:\Program Files\Microsoft Visual Studio\VC98\Lib
cl /nologo /ML /W3 /Gm /GX /ZI /Od /D "WIN32" /D "NDEBUG" /D "_CONSOLE" /D
"_MBCS" /GZ /c DWRD.C
LINK /MAP:DWRD.MAP /SUBSYSTEM:CONSOLE DWRD.OBJ
```

Using Borland:

```
set path=c:\f\bcc55\bin;%path%
set include=c:\f\bcc55\include
set lib=c:\f\bcc55\lib
bcc32 -Ic:\f\bcc55\include -Lc:\f\bcc55\lib -M DWRD.C
```

Using Microsoft C:

```
set path=c:\f\msc6;C:\f\msc6\bin;c:\f\msc6\binb;%path%
set include=c:\f\msc6\include
set lib=c:\f\msc6\lib
ERASE SMALL.EXE
cl -c /Gc /Oas /AL /DLINT_ARGS DWRD.C
LINK @DWRD.LNK
EXEPACK DWRD.EXE SMALL.EXE
ERASE DWRD.EXE
REN SMALL.EXE DWRD.EXE
```

Examples:

```
SET VAR vTestA = (WINUDF('wscript.exe scrudf.vbs','The Power!'))
SET VAR vTestB = (WINUDF('wscript.exe scrudf.vbs','Oh Yes!'))
```

1.21 Y

1.21.1 YWRD

(YWRD(value))

Converts a currency value to its yen word representation. The function is similar to [DWRD](#).

1.22 Z

1.22.1 ZHC

(ZHC(arg))

Convert double byte value to single byte value. The function is specific to R:BASE use for a computer whose system locale is configured for Japan.

The function is based on having previous style Japanese characters. Internally R:BASE has a table of character codes that correspond to the Japanese locale character mappings. The mappings are what has been used in Japan for a long time and are called "half width characters". There is another table that has to same characters but stored a "full width characters".


As an example, the lower case "a" followed by a blank equals 61 20 as hex values. [HZC](#) maps these to 82 81 as hex values which is a "full width" lower case "a". The ZHC function can take 81 81 and map it back to 61 20.

1.22.2 ZHCX

(ZHCX(arg))

Convert double byte value to single byte value. ZHCX is similar to [ZHC](#) except it treats a leading character of 0x82 specially. The function is specific to R:BASE use for a computer whose system locale is configured for Japan.

Part




2 Aggregate Functions

An aggregate function can be used to provide summary data about a rows in a table or for a provided list of values.

Function	Supported Areas	Description
AVG	SELECT, COMPUTE, LAVG , Data Browser, Query Wizard, Query Builder, Form/Report/Label Expressions	Computes the numeric average. R:BASE rounds averages of integer values to the nearest integer value and currency values to their nearest unit.
COUNT	SELECT, COMPUTE, Data Browser, Query Wizard, Query Builder, Form/Report/Label Expressions	Determines how many non-null entries there are for a particular column item.
LISTOF	SELECT, Query Builder, Form/Report/Label Expressions	Creates a text string of the values separated by the current comma delimiter character. The LISTOF function can be used with to populate a variable with a list of values from multiple rows.
MAX	SELECT, COMPUTE, LMAX , Data Browser, Query Wizard, Query Builder, Form/Report/Label Expressions	Selects the maximum numeric, time, date, or alphabetic value in a column.
MIN	SELECT, COMPUTE, LMIN , Data Browser, Query Wizard, Query Builder, Form/Report/Label Expressions	Selects the minimum numeric, time, date, or alphabetic value in a column.
PSTDEV	SELECT	Calculates population standard deviation.
PVARIANCE	SELECT	Determines population variance.
STDEV	COMPUTE, Data Browser, Query Builder	Computes standard deviation. The standard deviation is a measure of how widely values are dispersed from the average value.
SUM	SELECT, COMPUTE, LAVG , Data Browser, Query Wizard, Query Builder, Form/Report/Label Expressions	Computes the numeric sum.
VARIANCE	COMPUTE, Data Browser, Query Builder	Determines variance.

* Selecting aggregate functions, such as MIN and MAX, requires that R:BASE keeps an accumulator and choose to only use the first 80 characters for NOTE values. This matches the fact that if you sort on NOTE fields, the sort will be based on the first 80 characters only.

Part



3 Useful Resources

- . R:BASE Home Page: <https://www.rbase.com>
- . Up-to-Date R:BASE Updates: <https://www.rbaseupdates.com>
- . Current Product Details and Documentation: <https://www.rbase.com/rbgx5>
- . Support Home Page: <https://www.rbase.com/support>
- . Product Registration: <https://www.rbase.com/register>
- . Official R:BASE Facebook Page: <https://www.facebook.com/rbase>
- . Sample Applications: <https://www.razzak.com/sampleapplications>
- . Technical Documents (From the Edge): <https://www.razzak.com/fte>
- . Education and Training: <https://www.rbase.com/training>
- . Product News: <https://www.rbase.com/news>
- . Upcoming Events: <https://www.rbase.com/events>
- . R:BASE Online Help Manual: <https://www.rbase.com/support/rsyntax>
- . Form Properties Documentation: <https://www.rbase.com/support/FormProperties.pdf>
- . R:BASE Beginners Tutorial: <https://www.rbase.com/support/rtutorial>
- . R:BASE Solutions (Vertical Market Applications): <https://www.rbase.com/products/rbasesolutions>

Part

IV

4 Feedback

Suggestions and Enhancement Requests:

From time to time, everyone comes up with an idea for something they'd like a software product to do differently.

If you come across an idea that you think might make a nice enhancement, your input is always welcome.

Please submit your suggestion and/or enhancement request to the R:BASE Developers' Corner Crew (R:DCC) and describe what you think might make an ideal enhancement. In R:BASE, the R:DCC Client is fully integrated to communicate with the R:BASE development team. From the main menu bar, choose "Help" > "R:DCC Client". If you do not have a login profile, select "New User" to create one.

If you have a sample you wish to provide, have the files prepared within a zip archive prior to initiating the request. You will be prompted to upload any attachments during the submission process.

Unless additional information is needed, you will not receive a direct response. You can periodically check the status of your submitted enhancement request.

If you are experiencing any difficulties with the R:DCC Client, please send an e-mail to rdcc@rbase.com.

Reporting Bugs:

If you experience something you think might be a bug, please report it to the R:BASE Developers' Corner Crew. In R:BASE, the R:DCC Client is fully integrated to communicate with the R:BASE development team. From the main menu bar, choose "Help" > "R:DCC Client". If you do not have a login profile, select "New User" to create one.

You will need to describe:

- What you did, what happened, and what you expected to happen
- The product version and build
- Any error message displayed
- The operating system in use
- Anything else you think might be relevant

If you have a sample you wish to provide, have the files prepared within a zip archive prior to initiating the bug report. You will be prompted to upload any attachments during the submission process.

Unless additional information is needed, you will not receive a direct response. You can periodically check the status of your submitted bug.

If you are experiencing any difficulties with the R:DCC Client, please send an e-mail to rdcc@rbase.com.

Index

- A -

ABS 14
 access rights 101
 ACOS 14
 ADDDAY 14
 ADDFRC 14
 ADDHR 15
 ADDMIN 15
 ADDMON 15
 ADDSEC 15
 ADDYR 15
 aggregate 117
 aggregate functions 117
 AINT 15
 Aligning Decimals 51
 AND 22
 ANINT 15
 ANSI 22
 ASIN 16
 ATAN 16
 ATAN2 16
 AUTOCOMMIT 22
 AUTODROP 22
 AUTONUM 89
 Autonumber 89
 AUTOSKIP 22
 average 117
 AVG 117

- B -

BELL 22
 BLANK 22
 Block 29
 BOOLEAN 22
 BRND 16
 build 23, 39

- C -

calendar 55
 CALENDAR_TYPE 55

CASE 23
 cent 49
 CHAR 16
 Check Message Status 60
 CHECKPROP 23
 CHKCUR 17
 CHKFILE 17
 CHKFUNC 17
 CHKKEY 17
 CHKTABLE 18
 CHKVAR 18
 CLEAR 23
 CLIPBOARD 23
 CLIPBOARDTEXT 23
 CMPAUSE 23
 COLCHECK 23
 COLOR 23
 Commands 58
 Component ID 58
 COMPUTE 117
 COMPUTER 24
 CONNECTIONS 24
 COS 18
 COSH 18
 COUNT 117
 CTR 19
 CTXT 19
 CURRDIR 24
 CURRDRV 24
 Currency 24, 49, 51
 CURRENTPRINTER 24
 CURRNUMALOC 76
 CURSORCOL 76
 CURSORROW 77
 CVAL 19, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32,
 33, 34, 35, 36, 37, 38, 39, 40, 41
 CVTYPE 41

- D -

DATABASE 25
 DATE 25, 51, 55
 DATE CENTURY 25
 DATE FORMAT 25
 DATE SEQUENCE 25
 DATE YEAR 25
 DATETIME 42
 DBPATH 25

DBSIZE 77
DEBUG 26
decimal 51
DECRYPT 42
DELFUNC 42
DELIMIT 26
DEXTRACT 42
DIM 42
DISKSPACE 77
DLCALL 43
DLFREE 48
DLLOAD 48
DNW 48
dollar 49
DRIVES 26
DWE 48
DWRD 49

- E -

ECHO 26
EDITOR 26
ENCRYPT 50
encryption 42, 50
ENHANCED 55
ENVVAL 50
EOFCHAR 26
EQNULL 27
ERROR 27
ERROR DETAIL 27
Error Message 27, 60
ERROR VARIABLE 27
ESCAPE 27
EXP 50
EXPLODE 27

- F -

FASTFK 28
FASTLOCK 28
feedback 28, 121
file 54
file status 54
FILENAME 50
FILES 28
FINDFILE 51
FIXED 28

FLOAT 51
folder 54
FONT_NAME 55
FONT_SIZE 55
FORM_CONTROL_TYPE 77
FORM_DIRTY_FLAG 77
FORMAT 51
FORMAT2 54
Formatting Currency 51
Formatting Text 51
fractional whole dollar 49
FSTATUS 54
Function 54, 85, 95, 96, 115
Function Categories 13
functions 13, 14, 15, 16, 17, 18, 19, 41, 42, 43, 48,
49, 50, 51, 54, 55, 58, 59, 60, 61, 62, 63, 64, 65, 66,
67, 68, 69, 70, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83,
84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97,
98, 99, 100, 101, 103, 105, 114, 117
FV1 55
FV2 55

- G -

GETDATE 55
GetDriveReady 60
GetIPAddress 60
GETKEY 58
GetLock 61
GetLockType 61
GetMACAddr 62
GETPROPERTY 58
GETVAL 59, 60, 61, 62, 63, 64
GetVolumeID 63
GUID 28

- H -

HEADINGS 28
hidden 54
hour 51
HTML 64

- I -

ICAP 64
ICAP1 64

ICAP2 65
 ICAP3 65
 ICHAR 65
 IDAY 66
 IDIM 66
 IDOY 66
 IDQUOTES 28
 IDWK 66
 IFCASEEQ 65
 IFEQ 65, 66
 IFEXISTS 67
 IFF 67
 IFGE 68
 IFGT 68
 IFLE 68
 IFLT 68
 IFNE 68
 IFNULL 69
 IFRC 69
 IFWINDOW 69
 IHASH 69
 IHR 70
 IINFO 70
 ILY 74
 IMIN 74
 IMON 74
 INIT_VAR 55
 INSERT 29
 INT 75
 INTENSITY 29
 INTERVAL 29
 ISALPHA 75
 ISDIGIT 75
 ISEC 75
 ISLOWER 75
 ISO 8601 82
 ISOWNER 29
 ISRUNTIME 78
 ISSPACE 75
 ISTAT 76, 77, 78, 79, 80, 81
 ISTR 81
 ISUPPER 82
 ITEMCNT 82
 IWOY 82
 IYR 83
 IYR4 84

- J -

JDATE 84
 JDWK 85
 JIDX 85

- L -

Last 29
 LAST ERROR 29
 LastBlock 29
 LastBlockTable 29
 LASTKEY 85
 LASTMOD 85
 LAVG 85, 117
 LAYOUT 29
 LIMITNUMALLOC 78
 LINEEND 29
 LINES 30
 LISTOF 117
 LJS 86
 LMAX 86, 117
 LMIN 86, 117
 lock 37, 39, 54, 61
 LOG 86
 LOG10 87
 LOOKUP 30
 LSTDEV 87
 LSUM 87
 LTRIM 87
 LUC 87
 LVARIANCE 88

- M -

MAC Address 62
 MAKEUTF8 88
 MANOPT 30
 MANY 30
 MAX 117
 MAXFREE 78
 MAXIMUM 117
 MAXNUMALLOC 78
 MAXTRANS 30
 MDI 30
 MEMORY 78

MESSAGES 30
MIN 117
MINIMUM 117
minute 51
MIRROR 30
MOD 88
MOUSECOL 78
MOUSEROW 78
MULTI 30

- N -

NAME 31
NAMEWIDTH 31
NETGROUP 31
NETLOCALGROUP 31
NETUSER 31
NEXT 89
NINT 89
NOCALC 31
NOTE_PAD 31
NULL 31
Number 51

- O -

OFFMESS 31
OLDLINE 32
ONELINE 32
open 54
OUTPUT 32
OWNER 29

- P -

PAGECOL 79
PAGELOCK 32
PAGEMODE 32
PAGEROW 79
PASSTHROUGH 32
permission 101
PLATFORM 32
PlayAndExit 63
PlayAndWait 64
PLUS 33
PMT1 89
PMT2 89

port 33
ports 33
POSFIXED 33
PRINTERS 33
PRN_COLLATION 33
PRN_COLORMODE 33
PRN_COPIES 33
PRN_DUPLEXMODE 33
PRN_ORIENTATION 34
PRN_QUALITY 34
PRN_SIZE 34
PRN_SOURCE 34
PRN_STATUS 34
PROGRESS 34
Property 58
Punctuating Long Numbers 51
PV1 90
PV2 90

- Q -

QUALCOLS 34
QUOTES 34

- R -

RANDOM 90
RATE1 90
RATE2 90
RATE3 91
RB1SIZE 79
RB2SIZE 79
RB3SIZE 79
RB4SIZE 80
RBADMIN 34
RDATE 91
read only 54
read write 54
REFRESH 35
REVERSE 35, 91
RJS 91
RNDDOWN 91
RNDUP 92
ROUND 91, 92, 93
round down 91
round up 92
ROWCOUNT 35

ROWLOCKS 35
 RTIME 93
 RTRIM 94
 RULES 36
 RWP 94
 RX1SIZE 80
 RX2SIZE 80
 RX3SIZE 80
 RX4SIZE 80

- S -

Sample UDF 105
 SCRATCH 36
 SCREENSIZE 36
 second 51
 SELECT 117
 SELMARGIN 36
 SEMI 36
 SERVER 36
 SFIL 94
 SGET 94
 SHORTNAME 36
 SHOW_TODAY_CIRCLE 55
 SIGN 95
 SIN 95
 SINGLE 36
 SINH 95
 SKEEP 95
 SKEEPI 96
 SLEN 96
 SLOC 96
 SLOC1 97
 SLOCP 97
 SMOVE 97
 SORT 36
 SORTMENU 37
 SOUNDEX 98
 SPUT 98
 SQRT 98
 SRPL 98
 SSTRIP 99
 SSUB 99
 SSUBCD 100
 STANDARD 55
 standard deviation 87, 117
 STATICDB 37
 STDEV 117

STRIM 100
 SUM 87, 117

- T -

table 37, 61
 table lock 37
 TABLELOCKS 37
 TAN 100
 TANH 100
 TDWK 101
 TERM1 101
 TERM2 101
 TERM3 101
 Text 51
 TEXTTRACT 101
 theme 55
 THEMENAME 55
 Time 37, 51
 TIMEFORMAT 37
 TIMEOUT 37
 TIMESEQUENCE 37
 TINFO 101
 TMON 103
 TOLERANCE 37
 TOTALALLOC 81
 TOTALFREE 81
 TOTALLOCKS 81
 TOTALREADS 81
 TOTALWRITES 81
 TRACE 38
 TRANSACT 38
 TRANSLATE 103
 TRIM 103

- U -

UDF 103, 105
 UINOTIF 38
 ULC 114
 USER 38
 USERAPP 38
 User-Defined Functions 103, 105, 114
 USERDOMAIN 38
 USERID 38
 UTF8 38, 88

- V -

variance 88, 117
VERIFY 38
VERSION 39
VERSION BITS 39
VERSION BUILD 39
VERSION SYSTEM 39
view 39, 61
VIEWLOCKS 39

- W -

WAIT 39
WALKMENU 40
WAREKI 40
WHILEOPT 40
WIDTH 40
WINAUTH 40
WINBEEP 40
WINDOWSPRINTER 40
WINUDF 114
WRAP 40
WRITECHK 40

- Z -

ZERO 41
ZHC 115
ZHCX 115
ZOOMEDIT 41

Notes